

The Bestway logo is positioned at the top center of the page, enclosed in a dark blue rectangular box. The logo itself consists of the word "Bestway" in a white, bold, sans-serif font with a thin blue outline, set against a dark blue background.

Bestway

The background of the entire page is a vibrant photograph of three children enjoying a swimming pool. On the left, a young girl with dark hair is smiling and splashing water with her hands. In the center, a young boy is also smiling and splashing. On the right, another young girl is laughing and splashing. They are all wearing colorful inflatable rings. The water is bright blue and filled with splashes and bubbles. The background shows green trees and a clear blue sky.

ABOVE GROUND  
POOLS

The text "2017 COLLECTION" is located at the bottom center of the page, enclosed in a dark blue rectangular box. The year "2017" is on the top line, and "COLLECTION" is on the bottom line, both in a white, bold, sans-serif font.

2017  
COLLECTION

FULLY OWNED  
PRODUCTION  
FACILITIES



2017  
COLLECTION



## Our Vision

We create fun, lasting experiences to everyone in the world through the products and services we provide.

---

## Our Mission

Happiness

### Happy Consumers

Through our creative & professional staff, innovative & superior products and sustainable, effective manufacturing processes, we create fun, memorable experiences for our customers.

### Happy Employees

We create an environment in which employees are able to develop their talents and pursue their professional passions.

### Happy World

To limit impact on the environment at every stage of our production process, while investing resources in exploring alternative energy solutions.



Vertically  
Integrated



Sustainable



Customer  
Focused



Consumer Driven  
Market Research



Innovative

# WELCOME

Here's to a Bestway Summer! The forecast calls for a hot summer, so cool off with a splash in a Bestway Above Ground Pool. With a Bestway pool, you can completely chill out and relax knowing you have a quality pool to dip your toes in for many summer months to come.

**Bestway**





# ***AFTER SALES SERVICES***








**P**rovide your customers with quality products and the advanced customer service support they deserve. Bestway's Internet services and Centers facilitate customers to easily resolve issues that arise with their Bestway products. Our multilingual website, [www.bestway-service.com](http://www.bestway-service.com) is a knowledge base that offers downloadable manuals, instructional DVDs, along with FAQs and the ability for customers to order spare parts. Regional Centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.

FOR YOUR LOCAL CONTACT PLEASE GO TO

[WWW.BESTWAY-SERVICE.COM](http://WWW.BESTWAY-SERVICE.COM)

# CONTENTS


<i>FAST SET™ POOLS</i>	<b>08</b>	
<i>STEEL PRO™ FRAME POOLS</i>	<b>18</b>	
<i>POWER STEEL™ FRAME POOLS</i>	<b>32</b>	
<i>HYDRIUM™</i>	<b>48</b>	
<i>MINI ABOVE GROUND POOLS</i>	<b>58</b>	
<i>FLOW CLEAR</i>	<b>66</b>	
<i>POOL COVERS &amp; GROUND CLOTHS</i>	<b>76</b>	
<i>POOL LADDERS</i>	<b>80</b>	
<i>MAINTENANCE EQUIPMENT</i>	<b>82</b>	
<i>SOLAR HEATING</i>	<b>90</b>	
<i>TESTING, CHEMICAL PRODUCTS ACCESSORIES &amp; REPAIR</i>	<b>92</b>	
<i>LIGHTS &amp; SHOWERS</i>	<b>96</b>	



TRITECH™ MATERIAL



SELF-SUPPORTING  
INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT  
EASY TO CARRY



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE





# FAST SET™ POOLS

FAST AND SIMPLE TO SET UP — JUST SELECT A LEVEL SURFACE, INFLATE THE TOP RING, FILL THE POOL WITH WATER AND YOU’LL BE SPLASHING AROUND IN NO TIME! NO TOOLS REQUIRED FOR A BESTWAY FAST SET™ POOL!





2.44 m x 66 cm / 8' x 26"

# FAST SET™ POOLS

-   
TRITECH™ MATERIAL
-   
SELF-SUPPORTING  
INFLATABLE TOP RING
-   
DRAIN VALVE
-   
SUPER COMPACT  
EASY TO CARRY
-   
NO TOOLS REQUIRED
-   
EASY TO STORE
-   
EASY TO ASSEMBLE



**1.98 m x 51 cm [78" x 20"]**

Water capacity (80%): 1,126 L (298 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57252	3	11.3 (25.0)		Color Box			

**RE-ENGINEERED**

**2.44 m x 66 cm [8' x 26"]**

Water capacity (80%): 2,300 L (608 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57305	1	5.6 (12.4)	North America/Oceania	Color Box			
57265	1	5.6 (12.4)	Europe	Color Box			
57267	1	8.3 (18.2)	North America/Asia, Africa & Latin America	Color Box	58382 [1,249 L / 330 gal.]	110-120V	58168
57267	1	7.7 (17.0)	Oceania	Color Box	58381 [1,249 L / 330 gal.]	220-240V	58093
57268	1	7.4 (16.3)	Europe	Color Box	58381 [1,249 L / 330 gal.]	220-240V	58093



**Bestway**  
Fast Set™

3.66 m x 76 cm / 12' x 30"

# FAST SET™ POOLS



TRITECH™ MATERIAL



SELF-SUPPORTING  
INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT  
EASY TO CARRY



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE



## RE-ENGINEERED

**3.05 m x 76 cm [10' x 30"]**

Water capacity [80%]: 3,638 L [961 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57307	1	8.0 [17.6]	North America/Oceania	Color Box			
57266	1	8.0 [17.6]	Europe	Color Box			
57269	1	10.6 [23.3]	North America/Asia, Africa & Latin America	Color Box	58382 [1,249 L / 330 gal.]	110-120V	58148 (V)
57269	1	10.0 [22.1]	Oceania	Color Box	58381 [1,249 L / 330 gal.]	220-240V	58093 (I)
57270	1	9.7 [21.4]	Europe	Color Box	58381 [1,249 L / 330 gal.]	220-240V	58093 (I)

**3.66 m x 76 cm [12' x 30"]**

Water capacity [80%]: 5,377 L [1,421 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57308	1	12.9 [28.4]	North America/Oceania	Color Box			
57273	1	12.9 [28.4]	Europe	Color Box			
57275	1	15.5 [34.2]	North America/Asia, Africa & Latin America	Color Box	58382 [1,249 L / 330 gal.]	110-120V	58148 (V)
57275	1	15.0 [33.0]	Oceania	Color Box	58381 [1,249 L / 330 gal.]	220-240V	58093 (I)
57274	1	14.6 [32.3]	Europe	Color Box	58381 [1,249 L / 330 gal.]	220-240V	58093 (I)





TRITECH™ MATERIAL



SELF-SUPPORTING  
INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT  
EASY TO CARRY



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE



## 3.96 m x 84 cm [13' x 33"]

Water capacity [80%]: 7,340 L [1,939 gal.]



ITEM NO.	PACK	KG [LB.]	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57320	1	15.1 (33.3)	North America/Oceania						
57319	1	15.1 (33.2)	Europe						
57323	1	18.4 (40.6)	North America/Asia, Africa & Latin America				58384 (2,006 L / 530 gal.)	110-120V	58012 (1)
57323	1	17.6 (38.8)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094 (1)
57321	1	17.4 (38.4)	Europe				58383 (2,006 L / 530 gal.)	220-240V	58094 (1)

## 4.57 m x 84 cm [15' x 33"]

Water capacity [80%]: 9,677 L [2,556 gal.]



ITEM NO.	PACK	KG [LB.]	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57315	1	23.4 (51.7)	North America/Asia, Africa & Latin America				58384 (2,006 L / 530 gal.)	110-120V	58012 (1)
57315	1	23.4 (51.7)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094 (1)
57313	1	22.5 (49.7)	Europe				58383 (2,006 L / 530 gal.)	220-240V	58094 (1)
57318	1	35.2 (77.6)	North America	58003	58035	58334	58384 (2,006 L / 530 gal.)	110-120V	58012 (1)
57318	1	32.5 (71.6)	Asia, Africa & Latin America	58003	58035	58430	58384 (2,006 L / 530 gal.)	110-120V	58012 (1)
57318	1	35.2 (77.6)	Oceania	58003	58035	58334	58383 (2,006 L / 530 gal.)	220-240V	58094 (1)
57316	1	31.9 (70.3)	Europe	58003	58035	58430	58383 (2,006 L / 530 gal.)	220-240V	58094 (1)



Bestway  
Fast Set





TRITECH™ MATERIAL



SELF-SUPPORTING  
INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT  
EASY TO CARRY



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE



MOSAIC-PRINT



4.57 m x 1.07 m [15' x 42"]

Water capacity [80%]: 12,362 L (3,266 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57311	1	23.6 (52.0)	North America/Oceania						
57286	1	38.9 (85.7)	North America/Asia, Africa & Latin America	58003	58035	58335	58384 (2,006 L / 530 gal.)	110-120V	58012
57286	1	38.9 (85.7)	Oceania	58003	58035	58335	58383 (2,006 L / 530 gal.)	220-240V	58094
57294	1	38.8 (85.5)	Europe	58003	58035	58330	58383 (2,006 L / 530 gal.)	220-240V	58094
57294	1	38.0 (83.7)	Asia, Africa & Latin America	58003	58035	58335	58383 (2,006 L / 530 gal.)	220-240V	58094

4.57 m x 1.22 m [15' x 48"]


Water capacity [80%]: 13,807 L (3,648 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57288	1	44.2 (97.4)	North America	58003	58035	58334	58387 (3,028 L / 800 gal.)	110-120V	58012
57288	1	44.2 (97.4)	Oceania	58003	58035	58334	58386 (3,028 L / 800 gal.)	220-240V	58094
57289	1	46.0 (101.4)	Europe	58003	58035	58331	58386 (3,028 L / 800 gal.)	220-240V	58094
57289	1	43.7 (96.2)	Asia, Africa & Latin America	58003	58035	58334	58386 (3,028 L / 800 gal.)	220-240V	58094



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME




LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



# STEEL PRO™ FRAME POOLS

EASY TO ASSEMBLE AND VERY AFFORDABLE, WITH A STRONG, STEEL FRAME —YOU GET A LOT OF POOL FOR YOUR MONEY WITH A BESTWAY STEEL PRO™ FRAME POOL.





**Bestway**  
Steel Pro

# STEEL PRO™ SPLASH FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



**2.21 m x 1.50 m x 43 cm [87" x 59" x 17"]**

Water capacity (90%): 1,200 L (317 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56545	Splash Jr. Frame Pool	1	10.6 (23.3)	North America/Oceania			
56401	Splash Jr. Frame Pool	1	10.6 (23.3)	Europe			

**2.39 m x 1.50 m x 58 cm [94" x 59" x 23"]**

Water capacity (90%): 1,800 L (476 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56547	Splash Frame Pool	1	13.0 (28.7)	North America/Oceania			
56402	Splash Frame Pool	1	13.0 (28.7)	Europe			

**2.59 m x 1.70 m x 61 cm [102" x 67" x 24"]**

Water capacity (90%): 2,300 L (608 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56496	Deluxe Splash Jr. Frame Pool	1	14.9 (32.9)	North America/Oceania			
56403	Deluxe Splash Jr. Frame Pool	1	14.9 (32.9)	Europe			



**Bestway**  
Steel Pro™

# STEEL PRO™ SPLASH FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



**3.00 m x 2.01 m x 66 cm [118" x 79" x 26"]**

Water capacity [90%]: 3,300 L [872 gal.]



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56498	Deluxe Splash Frame Pool	1	19.2 [42.4]	North America/Oceania			
56404	Deluxe Splash Frame Pool	1	19.2 [42.4]	Europe			
56412	Deluxe Splash Frame Pool	1	20.8 [45.8]	North America/Asia, Africa & Latin America	58382 [1,249 L / 330 gal.]	110-120V	58168 <input type="checkbox"/>
56412	Deluxe Splash Frame Pool	1	20.8 [45.8]	Oceania	58381 [1,249 L / 330 gal.]	220-240V	58093 <input type="checkbox"/>
56411	Deluxe Splash Frame Pool	1	20.5 [45.1]	Europe	58381 [1,249 L / 330 gal.]	220-240V	58093 <input type="checkbox"/>

**4.00 m x 2.11 m x 81 cm [157" x 83" x 32"]**

Water capacity [90%]: 5,700 L [1,506 gal.]



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56512	Family Splash Frame Pool	1	32.0 [70.6]	North America/Oceania			
56405	Family Splash Frame Pool	1	32.0 [70.6]	Europe			
56425	Family Splash Frame Pool	1	33.6 [74.2]	North America/Asia, Africa & Latin America	58382 [1,249 L / 330 gal.]	110-120V	58168 <input type="checkbox"/>
56425	Family Splash Frame Pool	1	33.6 [74.2]	Oceania	58381 [1,249 L / 330 gal.]	220-240V	58093 <input type="checkbox"/>
56424	Family Splash Frame Pool	1	33.4 [73.7]	Europe	58381 [1,249 L / 330 gal.]	220-240V	58093 <input type="checkbox"/>



**Bestway**  
Steel Pro



# STEEL PRO™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME




LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



## 2.44 m x 61 cm [8' x 24"]

Water capacity (90%): 1,724 L (456 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56544	1	11.6 (25.5)	North America/Oceania				
56431	1	11.6 (25.5)	Europe				

## 3.05 m x 76 cm [10' x 30"]

Water capacity (90%): 4,678 L (1,236 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56493	1	17.7 (39.1)	North America/Oceania				
56406	1	17.7 (39.1)	Europe				
56407	1	19.6 (43.3)	North America/Asia, Africa & Latin America		58382 (1,249 L / 330 gal.)	110-120V	58168
56407	1	19.6 (43.3)	Oceania		58381 (1,249 L / 330 gal.)	220-240V	58093
56408	1	19.3 (42.4)	Europe		58381 (1,249 L / 330 gal.)	220-240V	58093

## 3.66 m x 76 cm [12' x 30"]

Water capacity (90%): 6,473 L (1,710 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56500	1	22.0 (48.5)	North America/Oceania				
56415	1	22.0 (48.5)	Europe				
56417	1	24.4 (53.8)	North America/Asia, Africa & Latin America		58382 (1,249 L / 330 gal.)	110-120V	58168
56417	1	24.4 (53.8)	Oceania		58381 (1,249 L / 330 gal.)	220-240V	58093
56416	1	23.6 (52.1)	Europe		58381 (1,249 L / 330 gal.)	220-240V	58093

## 3.66 m x 1.00 m [12' x 39.5"]

Water capacity (90%): 9,150 L (2,417 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56419	1	29.4 (64.8)	North America/Asia, Africa & Latin America		58384 (2,006 L / 530 gal.)	110-120V	58012
56419	1	29.4 (64.8)	Oceania		58383 (2,006 L / 530 gal.)	220-240V	58094
56418	1	37.5 (82.6)	Europe	58330	58383 (2,006 L / 530 gal.)	220-240V	58094
56260	1	28.5 (62.7)	Asia, Africa & Latin America		58383 (2,006 L / 530 gal.)	220-240V	58094



Bestway  
Steel Pro

# STEEL PRO™ FRAME POOLS

STEEL PRO™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



## RE-ENGINEERED

3.66 m x 1.22 m [12' x 48"]

Water capacity [90%]: 10,250 L [2,708 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56421	1	50.8 (112.0)	North America/Asia, Africa & Latin America	58002	58037	58336	58384 (2,006 L / 530 gal.)	110-120V	58012
56421	1	50.8 (112.0)	Oceania	58002	58037	58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56420	1	52.5 (115.7)	Europe	58002	58037	58331	58383 (2,006 L / 530 gal.)	220-240V	58094
56420	1	49.9 (110.0)	Asia, Africa & Latin America	58002	58037	58336	58383 (2,006 L / 530 gal.)	220-240V	58094

4.27 m x 84 cm [14' x 33"]

Water capacity [90%]: 10,220 L [2,700 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56597	1	35.7 (78.8)	North America/Asia, Africa & Latin America				58384 (2,006 L / 530 gal.)	110-120V	58012
56597	1	35.7 (78.8)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094
56595	1	34.9 (77.0)	Europe				58383 (2,006 L / 530 gal.)	220-240V	58094
56600	1	49.1 (108.3)	North America/Asia, Africa & Latin America	58003	58248	58334 / 58430	58384 (2,006 L / 530 gal.)	110-120V	58012
56600	1	49.1 (108.3)	Oceania	58003	58248	58334	58383 (2,006 L / 530 gal.)	220-240V	58094
56598	1	46.7 (102.9)	Europe	58003	58248	58430	58383 (2,006 L / 530 gal.)	220-240V	58094

4.27 m x 1.00 m [14' x 39.5"]

Water capacity [90%]: 12,110 L [3,199 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56423	1	52.2 (115.1)	North America/Asia, Africa & Latin America	58003	58248	58335	58384 (2,006 L / 530 gal.)	110-120V	58012
56423	1	52.2 (115.1)	Oceania	58003	58248	58335	58383 (2,006 L / 530 gal.)	220-240V	58094
56422	1	52.3 (115.2)	Europe	58003	58248	58330	58383 (2,006 L / 530 gal.)	220-240V	58094
56422	1	51.3 (113.1)	Asia, Africa & Latin America	58003	58248	58335	58383 (2,006 L / 530 gal.)	220-240V	58094



Bestway  
Steel Pro

# STEEL PRO™ FRAME POOLS

STEEL PRO™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC-PRINT



4.57 m x 1.22 m [15' x 48"]

Water capacity (90%): 16,015 L [4,231 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56439	1	62.5 [137.7]	North America/Asia, Africa & Latin America	58003	58038	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56439	1	62.5 [137.7]	Oceania	58003	58038	58336	58386 (3,028 L / 800 gal.)	220-240V	58094
56438	1	64.7 [142.4]	Europe	58003	58038	58331	58386 (3,028 L / 800 gal.)	220-240V	58094
56438	1	61.8 [136.2]	Asia, Africa & Latin America	58003	58038	58336	58386 (3,028 L / 800 gal.)	220-240V	58094

5.49 m x 1.22 m [18' x 48"]

Water capacity (90%): 23,062 L [6,092 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56463	1	80.4 [177.2]	North America/Asia, Africa & Latin America	58031	58039	58336	58390 (5,478 L / 1,500 gal.)	110-120V	58012
56463	1	80.4 [177.2]	Oceania	58031	58039	58336	58389 (5,478 L / 1,500 gal.)	220-240V	58012
56462	1	83.7 [184.5]	Europe	58031	58039	58331	58389 (5,478 L / 1,500 gal.)	220-240V	58012
56462	1	80.6 [177.7]	Asia, Africa & Latin America	58031	58039	58336	58389 (5,478 L / 1,500 gal.)	220-240V	58012



# STEEL PRO™ OVAL FRAME POOLS

STEEL PRO™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC-PRINT



4.88 m x 3.05 m x 1.07 m [16' x 10' x 42"]

Water capacity (80%): 10,759 L [2,843 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56449	1	58.1 (128.2)	North America	58263	58262	58335	58387 (3,028 L / 800 gal.)	110-120V	58012
56449	1	58.1 (128.2)	Oceania	58263	58262	58335	58386 (3,028 L / 800 gal.)	220-240V	58094
56447	1	58.2 (128.3)	Europe	58263	58262	58330	58386 (3,028 L / 800 gal.)	220-240V	58094
56447	1	57.5 (126.7)	Asia, Africa & Latin America	58263	58262	58335	58386 (3,028 L / 800 gal.)	220-240V	58094

5.49 m x 3.66 m x 1.22 m [18' x 12' x 48"]


Water capacity (80%): 15,033 L [3,971 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56460	1	69.3 (152.8)	North America/Asia, Africa & Latin America	58135	58154	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56460	1	69.3 (152.8)	Oceania	58135	58154	58336	58386 (3,028 L / 800 gal.)	220-240V	58094
56461	1	71.2 (156.9)	Europe	58135	58154	58331	58386 (3,028 L / 800 gal.)	220-240V	58094
56461	1	68.8 (151.6)	Asia, Africa & Latin America	58135	58154	58336	58386 (3,028 L / 800 gal.)	220-240V	58094



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED




EASY TO ASSEMBLE



NEW EVEN STRONGER OVAL-SECTION  
LEG AND CROSS-BARS



NEW, PATENT PENDING  
FRAME STRUCTURE





# POWER STEEL™ FRAME POOLS

THE STRENGTH AND SECURITY OF RIGID, OVAL-SHAPED STEEL TUBE FRAMING, PLUS SIMPLE, MINIMAL TOOL ASSEMBLY MAKE A BESTWAY POWER STEEL™ FRAME POOL THE SMART CHOICE FOR FAMILIES.





**Bestway**  
Power Steel

4.27 m x 1.07 m / 14' x 42"

# POWER STEEL™ RATTAN FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL-  
SUPPORT BAND



RATTAN-LOOK



3.66 m x 1.00 m (12' x 39.5")

Water capacity (90%): 9,150 L (2,417 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56387	1	29.9 (65.8)	North America				58384 (2,006 L / 530 gal.)	110-120V	58012
56387	1	29.9 (65.8)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094
56379	1	37.9 (83.6)	Europe			58330	58383 (2,006 L / 530 gal.)	220-240V	58094
56594	1	28.9 (63.8)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094



NEW EVEN STRONGER DUAL-SECTION  
LEG AND CROSS-BARS



NEW, PATENT PENDING  
FRAME STRUCTURE

NEW ITEM

4.27 m x 1.07 m (14' x 42")

Water capacity (90%): 15,232 L (4,024 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56649	1	56.6 (124.8)	North America	58003	58248	58335	58387 (3,028 L / 800 gal.)	110-120V	58012
56649	1	56.6 (124.8)	Oceania	58003	58248	58335	58386 (3,028 L / 800 gal.)	220-240V	58094
56647	1	56.8 (125.3)	Europe	58003	58248	58330	58386 (3,028 L / 800 gal.)	220-240V	58094
56647	1	55.9 (123.2)	Asia, Africa & Latin America	58003	58248	58335	58386 (3,028 L / 800 gal.)	220-240V	58094
56652	1	68.6 (151.2)	North America	58003	58248	58335	58401 (3,785 L / 1,000 gal.)	110-120V	Sand Filter
56652	1	68.6 (151.2)	Oceania	58003	58248	58335	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56650	1	69.2 (152.5)	Europe	58003	58248	58330	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56650	1	68.3 (150.6)	Asia, Africa & Latin America	58003	58248	58335	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter



Bestway  
Power Steel

# POWER STEEL™ FRAME POOLS

POWER STEEL™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL-  
SUPPORT BAND




MOSAIC-PRINT



NEW EVEN STRONGER OVAL-SECTION  
LEG AND CROSS-BARS



NEW, PATENT PENDING  
FRAME STRUCTURE



## NEW ITEM

4.27 m x 1.07 m [14' x 42"]

Water capacity [90%]: 15,232 L [4,024 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56643	1	56.6 [124.7]	North America	58003	58248	58335	58387 [3,028 L / 800 gal.]	110-120V	58012
56643	1	56.6 [124.7]	Oceania	58003	58248	58335	58386 [3,028 L / 800 gal.]	220-240V	58094
56641	1	56.8 [125.2]	Europe	58003	58248	58330	58386 [3,028 L / 800 gal.]	220-240V	58094
56641	1	55.9 [123.2]	Asia, Africa & Latin America	58003	58248	58335	58386 [3,028 L / 800 gal.]	220-240V	58094
56646	1	68.5 [151.1]	North America	58003	58248	58335	58401 [3,785 L / 1,000 gal.]	110-120V	Sand Filter
56646	1	68.5 [151.1]	Oceania	58003	58248	58335	58400 [3,785 L / 1,000 gal.]	220-240V	Sand Filter
56644	1	69.2 [152.5]	Europe	58003	58248	58330	58400 [3,785 L / 1,000 gal.]	220-240V	Sand Filter
56644	1	68.3 [150.6]	Asia, Africa & Latin America	58003	58248	58335	58400 [3,785 L / 1,000 gal.]	220-240V	Sand Filter

Patent Pending



Bestway  
Power Steel

# POWER STEEL™ FRAME POOLS

POWER STEEL™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL-  
SUPPORT BAND



MOSAIC-PRINT



NEW EVEN STRONGER OVAL-SECTION  
LEG AND CROSS-BARS



NEW, PATENT PENDING  
FRAME STRUCTURE



4.88 m x 1.22 m [16' x 48"]

Water capacity [90%]: 19,480 L [5,145 gal.]



ITEM NO.	PACK	KG [LB.]	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56453	1	80.4 [177.2]	North America	58251	58249	58336	58390 [5,678 L / 1,500 gal.]	110-120V	58012
56453	1	80.4 [177.2]	Oceania	58251	58249	58336	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56451	1	82.4 [182.1]	Europe	58251	58249	58331	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56451	1	80.3 [177.0]	Asia, Africa & Latin America	58251	58249	58336	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56452	1	93.0 [204.9]	Europe	58251	58249	58331	58400 [3,785 L / 1,000 gal.]	220-240V	Sand Filter
56452	1	90.5 [199.4]	Asia, Africa & Latin America	58251	58249	58336	58400 [3,785 L / 1,000 gal.]	220-240V	Sand Filter
56454	1	89.2 [196.6]	Oceania	58251	58249	58336	58400 [3,785 L / 1,000 gal.]	220-240V	Sand Filter

Patent Pending

5.49 m x 1.32 m [18' x 52"]

Water capacity [90%]: 26,000 L [6,869 gal.]



ITEM NO.	PACK	KG [LB.]	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56459	1	105.8 [233.3]	North America	58031	58039	58337	58390 [5,678 L / 1,500 gal.]	110-120V	58012
56459	1	105.8 [233.3]	Oceania	58031	58039	58337	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56427	1	107.4 [236.7]	Europe	58031	58039	58332	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56427	1	105.9 [233.4]	Asia, Africa & Latin America	58031	58039	58337	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56464	1	117.6 [259.3]	Europe	58031	58039	58332	58404 [5,678 L / 1,500 gal.]	220-240V	Sand Filter
56464	1	116.1 [256.0]	Asia, Africa & Latin America	58031	58039	58337	58404 [5,678 L / 1,500 gal.]	220-240V	Sand Filter
56400	1	115.9 [255.5]	Oceania	58031	58039	58337*	58404 [5,678 L / 1,500 gal.]	220-240V	Sand Filter

Patent Pending

NEW ITEM

6.71 m x 1.32 m [22' x 52"]

Water capacity [90%]: 40,377 L [10,668 gal.]



ITEM NO.	PACK	KG [LB.]	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	SAND FILTER
56636	1	144.0 [317.4]	North America	58373	58357	58337	58367 [7,571 L / 2,000 gal.]	110-120V	Sand Filter
56636	1	144.0 [317.4]	Oceania	58373	58357	58337	58366 [7,571 L / 2,000 gal.]	220-240V	Sand Filter
56634	1	145.2 [320.0]	Europe	58373	58357	58332	58366 [7,571 L / 2,000 gal.]	220-240V	Sand Filter
56634	1	143.2 [315.7]	Asia, Africa & Latin America	58373	58357	58337	58366 [7,571 L / 2,000 gal.]	220-240V	Sand Filter

Patent Pending



Bestway  
Power Steel



# POWER STEEL™ RECTANGULAR FRAME POOLS

POWER STEEL™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC-PRINT



C-CONNECTOR



2.82 m x 1.96 m x 84 cm [111" x 77" x 33"]

Water capacity (90%): 3,662 L [967 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56631	1	38.7 (85.2)	North America/Asia, Africa & Latin America				58382 (1,249 L / 330 gal.)	110-120V	58168
56631	1	38.7 (85.2)	Oceania				58381 (1,249 L / 330 gal.)	220-240V	58093
56629	1	38.4 (84.6)	Europe				58381 (1,249 L / 330 gal.)	220-240V	58093

4.04 m x 2.01 m x 1.00 m [159" x 79" x 39.5"]

Water capacity [90%]: 6,478 L [1,711 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56426	1	52.1 (114.9)	North America /Asia, Africa & Latin America				58384 (2,006 L / 530 gal.)	110-120V	58012
56426	1	52.1 (114.9)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094
56441	1	61.1 (134.6)	Europe			58330	58383 (2,006 L / 530 gal.)	220-240V	58094
56251	1	51.8 (114.2)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094
56442	1	70.1 (154.5)	Europe			58330	58397 (2,006 L / 530 gal.)	220-240V	58094
56442	1	69.3 (152.8)	Asia, Africa & Latin America			58335	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56660	1	69.3 (152.8)	Oceania			58335	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter



# POWER STEEL™ RECTANGULAR FRAME POOLS

POWER STEEL™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC-PRINT



C-CONNECTOR



4.12 m x 2.01 m x 1.22 m [162" x 79" x 48"]

Water capacity (90%): 8,124 L (2,146 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56458	1	72.1 (159.0)	North America/Asia, Africa & Latin America			58336	58384 (2,006 L / 530 gal.)	110-120V	58012
56458	1	72.1 (159.0)	Oceania			58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56456	1	74.5 (164.2)	Europe			58331	58383 (2,006 L / 530 gal.)	220-240V	58094
56456	1	71.8 (158.3)	Asia, Africa & Latin America			58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56457	1	81.7 (180.2)	Europe			58331	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56457	1	79.7 (175.7)	Asia, Africa & Latin America			58336	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56461	1	79.7 (175.6)	Oceania			58336	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter

4.88 m x 2.74 m x 1.22 m [16' x 9' x 48"]

Water capacity (90%): 13,177 L [3,481 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56489	1	102.0 (224.9)	North America/Asia, Africa & Latin America	58266	58267	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56489	1	102.0 (224.9)	Oceania	58266	58267	58336	58386 (3,028 L / 800 gal.)	220-240V	58094
56481	1	104.2 (229.7)	Europe	58266	58267	58331	58386 (3,028 L / 800 gal.)	220-240V	58094
56481	1	101.7 (224.1)	Asia, Africa & Latin America	58266	58267	58336	58386 (3,028 L / 800 gal.)	220-240V	58094
56380	1	113.3 (249.8)	North America	58266	58267	58336	58401 (3,785 L / 1,000 gal.)	110-120V	Sand Filter
56380	1	113.3 (249.8)	Oceania	58266	58267	58336	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56390	1	115.6 (254.9)	Europe	58266	58267	58331	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56390	1	113.4 (250.0)	Asia, Africa & Latin America	58266	58267	58336	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter



Bestway  
Pond Pool

# POWER STEEL™ RECTANGULAR FRAME POOLS

POWER STEEL™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC-PRINT



C-CONNECTOR



Palletized Package Design

5.49 m x 2.74 m x 1.22 m [18' x 9' x 48"]

Water capacity (90%): 14,812 L (3,913 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56467	1	109.1 (240.5)	North America /Asia, Africa & Latin America	58139	58378	58336	58390 (5,478 L / 1,500 gal.)	110-120V	58012
56467	1	109.1 (240.5)	Oceania	58139	58378	58336	58389 (5,478 L / 1,500 gal.)	220-240V	58012
56465	1	111.7 (244.3)	Europe	58139	58378	58331	58389 (5,478 L / 1,500 gal.)	220-240V	58012
56465	1	109.2 (240.7)	Asia, Africa & Latin America	58139	58378	58336	58389 (5,478 L / 1,500 gal.)	220-240V	Sand Filter
56466	1	120.9 (266.6)	Europe	58139	58378	58331	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56466	1	118.8 (261.9)	Asia, Africa & Latin America	58139	58378	58336	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56468	1	118.4 (261.1)	Oceania	58139	58378	58336	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter

6.71 m x 3.66 m x 1.32 m [22' x 12' x 52"]

Water capacity (90%): 26,845 L (7,092 gal.)



ITEM NO.	CASEPACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56473	1Ea., 2 boxes	159.1 (350.8)	North America	58238	58379	58337	58390 (5,478 L / 1,500 gal.)	110-120V	58012
56473	1Ea., 2 boxes	159.1 (350.8)	Oceania	58238	58379	58337	58389 (5,478 L / 1,500 gal.)	220-240V	58012
56470	1Ea., 2 boxes	161.2 (355.3)	Europe	58238	58379	58332	58389 (5,478 L / 1,500 gal.)	220-240V	58012
56470	1Ea., 2 boxes	159.2 (351.0)	Asia, Africa & Latin America	58238	58379	58337	58389 (5,478 L / 1,500 gal.)	220-240V	Sand Filter
56471	1Ea., 2 boxes	174.9 (385.6)	Europe	58238	58379	58332	58404 (5,478 L / 1,500 gal.)	220-240V	Sand Filter
56471	1Ea., 2 boxes	173.0 (381.3)	Asia, Africa & Latin America	58238	58379	58337	58404 (5,478 L / 1,500 gal.)	220-240V	Sand Filter
56662	1Ea., 2 boxes	172.8 (380.9)	Oceania	58238	58379	58337	58404 (5,478 L / 1,500 gal.)	220-240V	Sand Filter



# POWER STEEL™ RECTANGULAR FRAME POOLS

POWER STEEL™ FRAME POOLS



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT  
STEEL FRAME



LONG LIFE SPAN  
RESISTANCE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC-PRINT



C-CONNECTOR



Palletized Package Design

7.32 m x 3.66 m x 1.32 m [24' x 12' x 52"]

Water capacity [90%]: 30,045 L (7,937 gal.)



ITEM NO.	CASEPACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56476	1Ea., 2 boxes	177.6 (391.6)	North America	58238	58380	58337	58392 (9,463 L / 2,500 gal.)	110-120V	58095
56476	1Ea., 2 boxes	177.6 (391.6)	Oceania	58238	58380	58337	58391 (9,463 L / 2,500 gal.)	220-240V	58095
56474	1Ea., 2 boxes	180.9 (398.9)	Europe	58238	58380	58332	58391 (9,463 L / 2,500 gal.)	220-240V	58095
56474	1Ea., 2 boxes	179.0 (394.6)	Asia, Africa & Latin America	58238	58380	58337	58391 (9,463 L / 2,500 gal.)	220-240V	58095
56475	1Ea., 2 boxes	187.0 (412.2)	Europe	58238	58380	58332	58404 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56475	1Ea., 2 boxes	185.0 (407.9)	Asia, Africa & Latin America	58238	58380	58337	58404 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56477	1Ea., 2 boxes	184.8 (407.5)	Oceania	58238	58380	58337	58404 (5,678 L / 1,500 gal.)	220-240V	Sand Filter

NEW ITEM\*

9.56 m x 4.88 m x 1.32 m [31.3' x 16' x 52"]

Water capacity [90%]: 52,231 L (13,798 gal.)



ITEM NO.	CASEPACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56480	1Ea., 2 boxes	225.4 (496.9)	North America /Oceania	58306	58305	58337			
56479	1Ea., 2 boxes	227.5 (501.6)	Europe	58306	58305	58332			
56479	1Ea., 2 boxes	225.6 (497.3)	Asia, Africa & Latin America	58306	58305	58337			
56625*	1Ea., 2 boxes	242.2 (533.8)	North America	58306	58305	58337	58367 (7,571 L / 2,000 gal.)	110-120V	
56625*	1Ea., 2 boxes	242.2 (533.8)	Oceania	58306	58305	58337	58366 (7,571 L / 2,000 gal.)	220-240V	Sand Filter
56623*	1Ea., 2 boxes	243.3 (536.3)	Europe	58306	58305	58332	58366 (7,571 L / 2,000 gal.)	220-240V	
56623*	1Ea., 2 boxes	241.3 (532.0)	Asia, Africa & Latin America	58306	58305	58337	58366 (7,571 L / 2,000 gal.)	220-240V	Sand Filter




REINFORCED  
STEEL SIDEWALLS



LONG LIFE SPAN  
RESISTANCE



INSTRUCTIONAL DVD  
INCLUDED





# HYDRIUM™

EASY TO ASSEMBLE AND MAINTAIN, A BESTWAY HYDRIUM™ POOL IS REALLY BUILT TO LAST AND CAN BE USED 365 DAYS A YEAR. IT'S AN INVESTMENT IN YOUR FAMILY'S FUTURE FUN.





# HYDRUM™ SPLASHER POOLS

HYDRUM™



LONG LIFE SPAN RESISTANCE



REINFORCED 0.3MM STEEL SIDEWALLS



PREMIUM 0.3MM PVC POOL LINER




SAFETY TOP RAIL IN ATTRACTIVE BLUE



INSTRUCTIONAL DVD INCLUDED



ESTIMATED SET UP TIME!



STAYS UP ALL YEAR ROUND



## 3.60 m x 90 cm [12' x 36"]

Water capacity (95%): 8,648 L [2,285 gal.]

ITEM NO.	PACK	KG [LB.]	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56378	1	59.0 [130.0]	North America/Asia, Africa & Latin America	58334	58384 [2,006 L / 530 gal.]	110-120V	58012
56378	1	59.0 [130.0]	Oceania	58334	58383 [2,006 L / 530 gal.]	220-240V	58094
56377	1	60.0 [132.3]	Europe	58330	58383 [2,006 L / 530 gal.]	220-240V	58094
56377	1	60.0 [132.3]	Asia, Africa & Latin America	58334	58383 [2,006 L / 530 gal.]	220-240V	58094

Patent Pending

## 4.60 m x 90 cm [15' x 36"]

Water capacity (95%): 14,110 L [3,728 gal.]

ITEM NO.	PACK	KG [LB.]	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56381	1	70.0 [154.3]	North America/Asia, Africa & Latin America	58334	58384 [2,006 L / 530 gal.]	110-120V	58012
56381	1	70.0 [154.3]	Oceania	58334	58383 [2,006 L / 530 gal.]	220-240V	58094
56386	1	71.0 [156.5]	Europe	58330	58383 [2,006 L / 530 gal.]	220-240V	58094
56386	1	71.0 [156.5]	Asia, Africa & Latin America	58334	58383 [2,006 L / 530 gal.]	220-240V	58094

Patent Pending

## 4.88 m x 1.07 m [16' x 42"] NEW ITEM

Water capacity (95%): 19,074 L [5,039 gal.]

ITEM NO.	PACK	KG [LB.]	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56609	1	85.4 [188.4]	North America/Asia, Africa & Latin America	58335	58389 [5,678 L / 1,500 gal.]	110-120V	58012
56609	1	85.4 [188.3]	Oceania	58335	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56607	1	86.2 [190.1]	Europe	58330	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56607	1	85.4 [188.2]	Asia, Africa & Latin America	58335	58389 [5,678 L / 1,500 gal.]	220-240V	58012

Patent Pending

## 5.49 m x 1.20 m [18' x 48"] NEW ITEM

Water capacity (95%): 27,221 L [7,192 gal.]

ITEM NO.	PACK	KG [LB.]	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56613	1	102.4 [225.8]	North America/Asia, Africa & Latin America	58336	58389 [5,678 L / 1,500 gal.]	110-120V	58012
56613	1	102.1 [225.2]	Oceania	58336	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56611	1	104.4 [230.2]	Europe	58331	58389 [5,678 L / 1,500 gal.]	220-240V	58012
56611	1	102.1 [225.1]	Asia, Africa & Latin America	58336	58389 [5,678 L / 1,500 gal.]	220-240V	58012

Patent Pending



Bestway  
Hydrium™



LONG LIFE SPAN  
RESISTANCE



REINFORCED 0.3MM  
STEEL SIDEWALLS



PREMIUM 0.3MM PVC  
POOL LINER



INSTRUCTIONAL DVD  
INCLUDED




INTEGRATED SURFACE SKIMMER  
KEEPS POOL WATER CLEAN



DELIVERED DIRECT TO YOU  
ON A PALLET



SPECIALLY-REINFORCED  
SURROUND THE POOL



Palletized Package Design

3.00 m x 1.20 m [10' x 48"]

Water capacity (90%): 7,630 L (2,018 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56564	1	98.6 (217.4)	North America	58001	58336	58384 (2,006 L / 530 gal.)	110-120V	58012
56564	1	98.0 (216.1)	Oceania	58001	58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56563	1	100.6 (221.8)	Europe	58001	58331	58383 (2,006 L / 530 gal.)	220-240V	58094
56563	1	98.5 (217.2)	Asia, Africa & Latin America	58001	58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56567	1	103.0 (227.1)	North America	58001	58336	58398 (2,006 L / 530 gal.)	110-120V	Sand Filter
56567	1	102.5 (225.9)	Oceania	58001	58336	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56566	1	105.3 (232.3)	Europe	58001	58331	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56566	1	103.7 (228.6)	Asia, Africa & Latin America	58001	58336	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter



Bestway  
Hydrium™

# HYDRUM™ POOLS

HYDRUM™



LONG LIFE SPAN  
RESISTANCE



REINFORCED 0.3MM  
STEEL SIDEWALLS



PREMIUM 0.3MM PVC  
POOL LINER



INSTRUCTIONAL DVD  
INCLUDED




INTEGRATED SURFACE SKIMMER  
KEEPS POOL WATER CLEAN



DELIVERED DIRECT TO YOU  
ON A PALLET



SPECIALY-REINFORCED  
SURROUND THE POOL



Palletized Package Design

3.60 m x 1.20 m [12' x 48"]

Water capacity (90%): 10,990 L [2,906 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56572	1	111.4 [245.6]	North America	58002	58336	58384 (2,006 L / 530 gal.)	110-120V	58012
56572	1	100.8 [244.3]	Oceania	58002	58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56571	1	113.4 [249.9]	Europe	58002	58331	58383 (2,006 L / 530 gal.)	220-240V	58094
56571	1	111.4 [245.6]	Asia, Africa & Latin America	58002	58336	58383 (2,006 L / 530 gal.)	220-240V	58094
56575	1	115.9 [255.5]	North America	58002	58336	58398 (2,006 L / 530 gal.)	110-120V	Sand Filter
56575	1	115.5 [254.7]	Oceania	58002	58336	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56574	1	118.5 [261.2]	Europe	58002	58331	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56574	1	116.8 [257.5]	Asia, Africa & Latin America	58002	58336	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter

4.60 m x 1.20 m [15' x 48"]

Water capacity (90%): 17,430 L [4,605 gal.]



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56383	1	136.3 [300.5]	North America	58003	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56383	1	136.3 [300.5]	Oceania	58003	58336	58386 (3,028 L / 800 gal.)	220-240V	58094
56382	1	138.8 [306.1]	Europe	58003	58331	58386 (3,028 L / 800 gal.)	220-240V	58094
56382	1	136.7 [301.4]	Asia, Africa & Latin America	58003	58336	58386 (3,028 L / 800 gal.)	220-240V	58094
56385	1	145.0 [319.7]	North America	58003	58336	58401 (3,785 L / 1,000 gal.)	110-120V	Sand Filter
56385	1	145.0 [319.7]	Oceania	58003	58336	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56384	1	147.8 [325.8]	Europe	58003	58331	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56384	1	146.2 [322.3]	Asia, Africa & Latin America	58003	58336	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter



Bestway  
Hydrium™



# HYDRIMUM™ OVAL POOLS

HYDRIMUM™



LONG LIFE SPAN  
RESISTANCE



REINFORCED 0.4MM  
STEEL SIDEWALLS



PREMIUM 0.4MM PVC  
POOL LINER



INSTRUCTIONAL DVD  
INCLUDED



INTEGRATED SURFACE SKIMMER  
KEEPS POOL WATER CLEAN




DELIVERED DIRECT TO YOU  
ON A PALLET



SPECIALY-REINFORCED  
SURROUND THE POOL



SPECIALY-REINFORCED  
SIDE LEGS



Palletized Package Design

5.00 m x 3.60 m x 1.20 m [16.4' x 12' x 48"]

Water capacity (90%): 16,296 L [4,305 gal.]

ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE
56584	1	168.1 [370.8]	North America	58263	58336	58387 (3,028 L / 800 gal.)	110-120V
56584	1	167.6 [369.6]	Oceania	58263	58336	58386 (3,028 L / 800 gal.)	220-240V
56583	1	170.3 [375.6]	Europe	58263	58331	58386 (3,028 L / 800 gal.)	220-240V
56583	1	168.3 [371.0]	Asia, Africa & Latin America	58263	58336	58386 (3,028 L / 800 gal.)	220-240V
56587	1	177.0 [390.3]	North America	58263	58336	58401 (3,785 L / 1,000 gal.)	110-120V
56587	1	176.7 [389.6]	Oceania	58263	58336	58400 (3,785 L / 1,000 gal.)	220-240V
56586	1	179.7 [396.3]	Europe	58263	58331	58400 (3,785 L / 1,000 gal.)	220-240V
56586	1	178.1 [392.8]	Asia, Africa & Latin America	58263	58336	58400 (3,785 L / 1,000 gal.)	220-240V

Patent Pending

FILTER CARTRIDGE
58012
58094
58094
Sand Filter
Sand Filter

6.10 m x 3.60 m x 1.20 m [20' x 12' x 48"]

Water capacity (90%): 19,929 L [5,265 gal.]

ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE
56372	1	211.4 [466.0]	North America	58135	58336	58390 (5,678 L / 1,500 gal.)	110-120V
56372	1	211.4 [466.0]	Oceania	58135	58336	58389 (5,678 L / 1,500 gal.)	220-240V
56371	1	214.6 [473.1]	Europe	58135	58331	58389 (5,678 L / 1,500 gal.)	220-240V
56371	1	212.4 [468.3]	Asia, Africa & Latin America	58135	58336	58389 (5,678 L / 1,500 gal.)	220-240V
56370	1	219.2 [483.4]	North America	58135	58336	58401 (3,785 L / 1,000 gal.)	110-120V
56370	1	218.7 [482.2]	Oceania	58135	58336	58400 (3,785 L / 1,000 gal.)	220-240V
56369	1	222.0 [489.4]	Europe	58135	58331	58400 (3,785 L / 1,000 gal.)	220-240V
56369	1	220.4 [486.0]	Asia, Africa & Latin America	58135	58336	58400 (3,785 L / 1,000 gal.)	220-240V

Patent Pending

FILTER CARTRIDGE
58012
Sand Filter

7.40 m x 3.60 m x 1.20 m [24' x 12' x 48"]

NEW ITEM

Water capacity (90%): 24,738 L [6,536 gal.]

ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE
56606	1	271.3 [598.3]	North America	58238	58336	58405 (5,678 L / 1,500 gal.)	110-120V
56606	1	271.6 [598.8]	Oceania	58238	58336	58404 (5,678 L / 1,500 gal.)	220-240V
56604	1	273.4 [602.8]	Europe	58238	58331	58404 (5,678 L / 1,500 gal.)	220-240V
56604	1	271.8 [599.3]	Asia, Africa & Latin America	58238	58336	58404 (5,678 L / 1,500 gal.)	220-240V

Patent Pending

FILTER CARTRIDGE
Sand Filter

# MY FIRST FAST SET POOLS



## MY FIRST FAST SET POOL



3 COLORS



- Easy set up
- Reinforced PVC and 3-ply polyester side walls (0.40-0.80mm)
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box



TRITECH™ MATERIAL

ITEM NO.	SIZE	COLOR	WATER CAPACITY (80%)	PACK	KG (L.B.)
57241	Ø1.52m x H38cm (Ø5' x H15")		477 L (126 gal.)	6	11.9 (26.2)



■ The product is delivered on a pallet with an export carton, making it easily transportable and stored. It arrives ready to display year round with an easy to assemble crowmer. 24Pcs per display.



SPRAYER



NEW ITEM

## MY FIRST FAST SET SPRAY POOL



- Easy set up
- Reinforced PVC and 3-ply polyester side walls (0.40-0.80mm)
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- Pool provides a fun, cooling spray
- Built-in sprayer can be plugged into standard garden hose
- Animal on the air ring connect to the pipe, open the tap can spray water
- 2 assorted colors
- Underwater adhesive repair patch
- Full color box.



TRITECH<sup>TM</sup> MATERIAL

2 COLORS



ITEM NO.	SIZE	COLOR	WATER CAPACITY (80%)	PACK	KG (LB.)
30007	Ø1.52 m x H38 cm (Ø5' x H15")	 	477 L (126 gal.)	24	56.6 (124.9)



## MY FIRST FRAME POOL



- Easy assembly
- Rust-resistant metal frames
- Easy to take down for off-season storage
- Underwater adhesive repair patch
- Full color box

ITEM NO.	SIZE	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
54283	Ø1.52m x H38cm (Ø5' x H15")		580 L (153 gal.)	6	28.3 (62.3)





## MY FIRST FRAME POOL



3 COLORS



- Easy assembly
- Rust-resistant metal frames
- Easy to take down for off-season storage
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box

ITEM NO.	SIZE	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56217	1.22m x 1.22m x 30.5cm (48" x 48" x 12")		365 L (96 gal.)	3	12.4 (27.6)



## MY FIRST FRAME POOL



3 COLORS



- Easy assembly
- Rust-resistant metal frames
- Easy to take down for off-season storage
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box

ITEM NO.	SIZE	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56218	1.63m x 1.63m x 35.5cm (64" x 64" x 14")		771 L (204 gal.)	3	18.2 (40.2)



## MY FIRST FRAME POOL

RE-ENGINEERED

3 COLORS

- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- Easy to take down for off-season storage
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box



TRITECH™ MATERIAL



ITEM NO.	SIZE	REMARK	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56546	2.21m x 1.50m x 43cm (87" x 59" x 17")	North America		1,200 L (317 gal.)	3	33.4 (73.6)
56430	2.21m x 1.50m x 43cm (87" x 59" x 17")	European Union		1,200 L (317 gal.)	3	33.4 (73.6)



## MY FIRST FRAME POOL

- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- Easy to take down for off-season storage
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box

RE-ENGINEERED



TRITECH™ MATERIAL

3 COLORS



ITEM NO.	SIZE	REMARK	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56499	3.00m x 2.01m x 66cm (118" x 79" x 26")	North America		3,300 L (872 gal.)	3	60.2 (132.7)
56413	3.00m x 2.01m x 66cm (118" x 79" x 26")	European Union		3,300 L (872 gal.)	3	60.2 (132.7)





## SPLASH-IN-SHADE PLAY POOL

- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- UPF 48+ Rated
- Water mister on the top of shade attaches to home garden hoses
- Underwater adhesive repair patch
- Full color box



TRITECH™ MATERIAL

40+  
UPF



uv careful™

ITEM NO.	SIZE	REMARK	WATER CAPACITY (90%)	PACK	KG (LB)
56543	2.44m x 51cm (8' x 20")	North America	1,688 L (446 gal.)	1	13.1 (28.8)
56432	2.44m x 51cm (8' x 20")	European Union	1,688 L (446 gal.)	1	13.1 (28.8)











# POOL ACCESSORIES

THE BESTWAY MAINTENANCE KITS CONTAIN ALL THE SWIMMING POOL EQUIPMENT YOU NEED TO CLEAN UP DEBRIS IN YOUR POOL. NO MORE BUGS, LEAVES OR OTHER DEBRIS IN YOUR POOL WITH THE LIGHTWEIGHT SKIMMERS WITH DURABLE MESH NETTINGS. OUR KITS WITH VACUUMS COME WITH REUSABLE DEBRIS BAGS, MAKING IT EASY FOR YOU TO DUMP YOUR DEBRIS.

BESTWAY'S MAINTENANCE KITS ARE THE RIGHT ADDITION TO KEEPING YOUR WATER CLEAN FOR THE ENTIRE SWIMMING SEASON.



	58397	58398	58400	58401	58404	58405	58366	58367	58381	58382
PICTURE										
HOSE	32 mm / 1.25 in		32 mm / 1.25 in		38 mm / 1.5 in		38 mm / 1.5 in		32 mm / 1.25 in	32 mm / 1.25 in
ADAPTERS INCLUDED	•		38/32 mm / 1.5 in / 1.25		38/32 mm / 1.5 in / 1.25		38/32 mm / 1.5 in / 1.25		•	•
SAND	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg		Required sand size: #20 silica sand, 0.45-0.85mm, approximately 18kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 25 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 35 kg		•	•
CARTRIDGE	•		•		•		•		58093 III	58168 IV
FLOW RATE	2004 L / 530 GAL		3785 L / 1000 GAL		5678 L / 1500 GAL		7570 L / 2000 GAL		1249 L / 330 GAL	1249 L / 330 GAL
SYSTEM FLOW RATE	2004L / 530 GAL		3404 L / 900 GAL		5299 L / 1400 GAL		6913L / 1800 GAL		1060 L / 280 GAL	1060 L / 280 GAL
RATING	220-240V-85W	110-120V-1A	220-240V-200W	110-120V-2.4A	220-240V-230W	110-120V-3.2A	220-240V-280W	110-120V-3.5A	220-240V-14W	110-120V-0.2A

58383	58384	58386	58387	58389	58390	58391	58392
							
32 mm / 1.25 in	32 mm / 1.25 in	32 mm / 1.25 in	32 mm / 1.25 in	38 mm / 1.5 in	38 mm / 1.5 in	38 mm / 1.5 in	38 mm / 1.5 in
•	•	•	•	38/32 mm / 1.25/1.5 in	38/32 mm / 1.25/1.5 in	38/32 mm / 1.25/1.5 in	38/32 mm / 1.25/1.5 in
•	•	•	•	•	•	•	•
58094 (III)	58012 (III)	58094 (III)	58012 (III)	58012 (III)	58012 (III)	58095 (IV)	58095 (IV)
2006 L / 530 GAL	2006 L / 530 GAL	3028 L / 800 GAL	3028 L / 800 GAL	5678 L / 1500 GAL	5678 L / 1500 GAL	9463 L / 2500 GAL	9463 L / 2500 GAL
1817 L / 480 GAL	1817 L / 480 GAL	2195L / 580 GAL	2195L / 580 GAL	3974L / 1050 GAL	3974L / 1050 GAL	6623 L / 1750 GAL	7192L / 1900 GAL
220-240V-29W	110-120V-0.6A	220-240V-32W	110-120V-0.6A	220-240V-86W	110-120V-1.8A	220-240V-370W	110-120V-3.3A

## FLOWCLEAR™ SAND FILTER WITH OZONATOR

4,542 L (1,200 Gal.)

- Durable, corrosion-proof filter tank
- **6-position valve** for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Provides clean and clear swimming pool water
- **Ozone output: 150 mg/h**
- Easy-access assembly makes service simple
- Package also includes **adaptors for pool valves with an outer diameter of 32mm (1.25")**
- Compatible with most above ground pools!
- Includes a bottle of pool & spa test strips
- Sand not included
- **Required sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg**
- **For use with 1,100-33,300 L (300-8,800 gallon) pools**



## FLOWCLEAR™ SAND FILTER

2,006 L (530 Gal.)

- Durable, corrosion-resistant filter tank
- **6-position valve** for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Diameter 3.2 cm / 1.25" hose can be used with sand filter, needs to include thread
- Sand not included
- **Required sand size: #20 silica sand, 0.45-0.85mm, approximately 8.5kg**
- **For use with 1,100-16,000L (300-4,200gallons) pools**



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)
58403	4,542 (1,200)	4,164 (1,100)	110-120V-3.2A	C-ETL	Full Color Box	1	15.8 (34.7)
58402	4,542 (1,200)	4,164 (1,100)	220-240V-230W	CE / EMC	Full Color Box	1	15.0 (33.1)
58398	2,006 (530)	2,006 (530)	110-120V-1A	C-ETL	Full Color Box	1	8.0 (17.6)
58397	2,006 (530)	2,006 (530)	220-240V-85W	CE / EMC	Full Color Box	1	7.6 (16.8)

## FLOWCLEAR™ SAND FILTER

3,785 L (1,000 Gal.)

RE-ENGINEERED

- Durable, corrosion-resistant filter tank
- **6-position valve** for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Package also includes **adaptors for pool valves with an outer diameter of 3.8 cm / 1.5"**
- Both diameter 3.8 cm / 1.5", 3.2 cm / 1.25" hose can be used with sand filter, needs to include thread
- Compatible with most above ground pools
- Sand not included
- Required **sand size: #20 silica sand, 0.45-0.85mm, approximately 18kg**
- For use with 1,100-27,200L (300-7,200gal-lons) pools



## FLOWCLEAR™ SAND FILTER

5,678 L (1,500 Gal.)

- Durable, corrosion-resistant filter tank
- **6-position valve** for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- **Compatible with 1.25 in/ 3.2 cm valves using the adaptors included**
- Can only be connected to 1.5 in / 3.8 cm valves that are threaded
- Compatible with most above ground pools
- Sand not included
- Required **sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg**
- For use with 1,100-42,300L (300-11,200gallons) pools



## FLOWCLEAR™ SAND FILTER

7,571 L (2,000 Gal.)

- Durable, corrosion-resistant filter tank
- **6-position valve** for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- **Compatible with 1.25 in/ 3.2 cm valves using the adaptors included**
- Can only be connected to 1.5 in / 3.8 cm valves that are threaded
- Compatible with most above ground pools
- Sand not included
- Required **sand size: #20 silica sand, 0.45-0.85mm, approximately 35Kg**
- For use with 1,100-54,500L (300-14,400gal.) pools



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)
58401	3,785 (1,000)	3,407 (900)	110-120V-2.4A	C-ETL	Full Color Box	1	13.0 (28.6)
58400	3,785 (1,000)	3,407 (900)	220-240V-200W	CE / EMC	Full Color Box	1	12.5 (27.5)
58405	5,678 (1,500)	5,300 (1,400)	110-120V-3.2A	C-ETL	Full Color Box	1	14.8 (32.7)
58404	5,678 (1,500)	5,300 (1,400)	220-240V-230W	CE / EMC	Full Color Box	1	14.3 (31.6)
58367	7,571 (2,000)	6,814 (1,800)	110-120V-3.5A	C-ETL	Full Color Box	1	16.0 (35.3)
58366	7,571 (2,000)	6,814 (1,800)	220-240V-280W	CE / EMC	Full Color Box	1	14.5 (32.0)

## FLOWCLEAR™ FILTER PUMPS



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	RATING	FILTER CARTRIDGE
58382	1,249 (330)	1,060 (280)	For use with 1,100-8,300 L (300-2,200 gallons) pools	C-ETL	4	11.0 (24.1)	110-120V-0.2A	58168
58381	1,249 (330)	1,060 (280)		CE / EMC	4	8.4 (18.4)	220-240V-16W	58093

U.S. Pat. No. US7159731



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	RATING	FILTER CARTRIDGE
58384	2,006 (530)	1,817 (480)	For use with 1,100-14,300 L (300-3,800 gallons) pools	C-ETL	4	14.2 (31.3)	110-120V-0.6A	58012
58383	2,006 (530)	1,817 (480)		CE / EMC	4	10.7 (23.6)	220-240V-24W	58094

U.S. Pat. No. US7159731



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	RATING	FILTER CARTRIDGE
58387	3,028 (800)	2,195 (580)	For use with 1,100-17,400 L (300-4,600 gallons) pools	C-ETL	4	14.2 (31.3)	110-120V-0.6A	58012
58386	3,028 (800)	2,195 (580)		CE / EMC	4	11.2 (24.6)	220-240V-32W	58094

U.S. Pat. No. US7159731



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	RATING	FILTER CARTRIDGE
58390	5,678 (1,500)	3,974 (1,050)	For use with 1,100-31,700 L (300-8,400 gallons) pools	C-ETL	1	5.9 (13.0)	110-120V-1.8A	58012
58389	5,678 (1,500)	3,974 (1,050)		CE / EMC	1	5.4 (11.9)	220-240V-86W	58012

Connectors Included.  
U.S. Pat. No. US7159731



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	RATING	FILTER CARTRIDGE
58392	9,463 (2,500)	7,192 (1,900)	For use with 1,100-57,500 L (300-15,200 gallons) pools	C-ETL	1	10.7 (23.6)	110-120V-3.3A	58095
58391	9,463 (2,500)	6,623 (1,750)	For use with 1,100-52,900 L (300-14,000 gallons) pools	CE / EMC	1	11.5 (25.3)	220-240V-370W	58095

Connectors Included.  
U.S. Pat. No. US7159731



## HOSE

58368



- 3 m (9.8') long, 38 mm (1.5") diameter
- Suitable for filter pumps and sand filters that use 38mm (1.5") hoses
- Full color box
- 6 Ea., 7.6 kg (16.6 lb.)

## HOSE

58369



- 3 m (9.8') long, 32 mm (1.25") diameter
- Suitable for filter pumps, sand filters, heaters and chlorinators that use 32 mm (1.25") hoses
- Full color box
- 6 Ea., 4.5 kg (9.9 lb.)

## HOSE ADAPTERS

58236



- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 38 mm), to pool valves (Diameter 32 mm)
- Easy to install
- Instructional manual included!
- Two pieces set on a blister card
- 12 Sets, 2.8 kg (4.5 lb.)

### SUITABLE FOR

Filter Pumps	5,677 L / 1,500 gal, 9,462 L / 2,500 gal
Sand Filters	5,677 L / 1,500 gal, 2,570 L / 2,000 gal

## FLOWCLEAR™ CARTRIDGES

ITEM NO.	58093	58094	58012	58095	58168	NEW ITEM 58417	NEW ITEM 58418
NAME	Filter Cartridge	Filter Cartridge	Filter Cartridge	Filter Cartridge	Filter Cartridge	Filter Cartridge	Filter Cartridge
PRODUCT							
SIZE	Ø8.0 cm x H9.0 cm (Ø3.1" x H3.5")	Ø10.6 cm x H13.6 cm (Ø4.2" x H5.4")	Ø10.6 cm x H20.3 cm (Ø4.2" x H8.0")	Ø14.2 cm x H25.4 cm (Ø5.6" x H10.0")	Ø8.3 cm x H9.0 cm (Ø3.3" x H3.1")	Ø10.6 cm x H20.3 cm (Ø4.2" x H8.0")	Ø14.2 cm x H25.4 cm (Ø5.6" x H10.0")
CORRESPONDING PUMP	330 gal. (220-240V) filter pumps	530 gal. (220-240V) / 800 gal. (220-240V) filter pumps	530 / 1,500 gal. (110-120V) / 1,500 gal. (220-240V) filter pumps	2,500 gal. (110-120V / 220-240V) filter pumps	330 gal. (110-120V) filter pumps	530 / 1,500 gal. (110-120V) / 1,500 gal. (220-240V) filter pumps	2,500 gal. (110-120V / 220-240V) filter pumps
PACKAGE	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card
PACK	6 Sets (Twin pack)	6 Sets (Twin pack)	6 Ea.	6 Ea.	6 Sets (Twin pack)	2 Sets (Three pack)	2 Sets (Three pack)
KG / LB	1.0 (2.2)	1.7 (3.8)	1.2 (2.6)	2.7 (5.9)	0.8 (1.7)	1.2 (2.6)	2.7 (6.0)

## FLOWCLEAR™ CHLORINATOR

58215 58216 RE-ENGINEERED

- Easy to install, use and maintain
- Produces Max 12 grams of pure chlorine per hour
- Easy-to-view display panel highlights salt levels and water flow
- Environmentally friendly - Turn ordinary salt into chlorine to clean your pool!
- Titanium-coated electrolytic cell is self-cleaning, which provides optimum performance
- Better for skin, hair, eyes and healthier than regular chlorine
- Compatible with 95,000 L (25,000 gallons) and below water volume Bestway pool
- For use with all Bestway Flowclear filter pumps rated above 3,028 L (800 gallons) per hour
- Can run for 24 hours non-stop
- power outages will not erase settings
- Unit simply goes into standby mode until power is restored
- In the case of power outage, standby mode does not trigger the alarm



Intertek



ITEM NO.	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)
58215	110-120V-60Hz, 1.5A	C-ETL	Full Color Box	1	8.2 (18.1)
58216	220-240V-50Hz, 120W	CE / EMC / GS / EAC	Full Color Box	1	8.1 (17.8)





## POOL+ DRAIN PUMP

- A quick and easy way to drain your pool water automatically and conveniently
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 5m (16.4') long, 3.2cm (1.25") diameter
- Includes two adaptors to connect garden hose
- CE approved



ITEM NO.	PUMP FLOW RATE L [GAL.] / HR	RATING	CERTIFICATION	PACKAGE	PACK	KG [LB.]
58230	3,028 (800)	220-240V-50Hz, 80W	CE / EAC	Full Color Box	4	13.1 (28.9)



5m long drain hose.



## POOL HEATER RE-ENGINEERED

58259

- Compatible with:
  - Swimming pool water capacity: 1,520 - 17,836L (400 - 4,500gal.)
  - Filter pump/Sand filter flow rate: 3,785 L/h (1,000 gal/h) and below 3,785 L/h (1,000 gal/h)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA



ITEM NO.	MAXIMUM HEATER OUTPUT	RATING	CERTIFICATION	PACKAGE	PACK	KG [LB.]
58259	40°C (104°F)	220-240V-50Hz, 2,800W at 20°C	CE / EMC / TUV	Full Color Box	4	21.2 (46.7)



## SOLAR POOL COVERS

Fast Set™ Pools



- All new durable material.
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimized pool debris
- Carrying bag with insert card

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58050	Ø2.10 m (Ø6'2")	2.44 m (8')	4	2.0 (4.5)

## SOLAR POOL COVERS

Steel Pro™ Frame Pools  
Power Steel™ Frame Pools  
Fast Set™ Pools



- All new durable material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimized pool debris
- Carrying bag with insert card

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58241	Ø2.89 m (Ø11'4")	3.05m (10') Fast Set™ / 3.05m (10') Steel Pro™	2	1.8 (4.0)
58242	Ø3.56 m (Ø14'0")	3.66m (12') Fast Set™ / 3.66m (12') Steel Pro™	2	2.9 (6.4)
58252	Ø4.17 m (Ø16'4")	4.57m (15') Fast Set™ / 4.27m (14') Power Steel™	2	3.6 (8.0)
58253	Ø4.62 m (Ø18'2")	5.49m (18') Fast Set™ / 4.98m (16') Power Steel™ / 4.57m (15') Steel Pro™	2	4.1 (9.1)
58173	Ø5.27 m (Ø20'7")	5.49m (18') Steel Pro™ / 5.49m (18') Power Steel™	1	2.9 (6.4)

## SOLAR POOL COVERS

Power Steel™ Rectangular Frame Pools



- All new durable material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimized pool debris
- Carrying bag with insert card

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58240	3.80 m x 1.80 m [150" x 71"]	4.04 m x 2.01 m x 1.00 m [159" x 79" x 39.5"] 4.12 m x 2.01 m x 1.22 m [162" x 79" x 48"]	2	1.9 [4.2]
58226	7.03 m x 3.36 m [277" x 132"]	6.71 m x 3.66 m x 1.32 m [22" x 12" x 52"] 7.32 m x 3.66 m x 1.32 m [28" x 12" x 52"]	1	3.1 [6.7]

## POOL COVERS

Fast Set™ Pools



- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58032	Ø2.80 m [Ø110"]	2.44 m [8']	6	3.9 [8.6]
58033	Ø3.35 m [Ø132"]	3.05 m [10']	6	5.5 [12.2]
58034	Ø3.95 m [Ø156"]	3.66 m [12']	6	7.2 [15.8]
58415	Ø4.15 m [Ø163"]	3.96 m [13']	6	8.1 [17.8]
58035	Ø4.95 m [Ø195"]	4.57 m [15']	4	8.0 [17.6]

## POOL COVERS

Steel Pro™ Frame Pools  
Power Steel™ Frame Pools  
Hydrium™



- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58301	Ø2.44 m [Ø8']	2.44m[8'] Steel Pro™	8	12.3 [27.1]
58036	Ø3.05 m [Ø10']	3.05m[10'] Steel Pro™	6	14.1 [31.0]
58037	Ø3.70 m [Ø146"]	3.66m[12'] Steel Pro™ / 3.66m[12'] Power Steel™ / 3.60m x 90cm [12" x 36"] Hydrium™ Splasher pools	6	22.1 [48.7]
58248	Ø4.27 m [Ø14"]	4.27m[14"] Steel Pro™ / 4.27m [14"] Power Steel™	4	28.1 [61.8]
58038	Ø4.70 m [Ø185"]	4.57m [15'] Steel Pro™ / 4.60m x 90cm [15' x 36"] Hydrium™ Splasher pools	6	21.6 [47.6]
58249	Ø4.93 m [Ø194"]	4.88m [16'] Steel Pro™ / 4.88m [16'] Power Steel™ / 4.88m x 1.07m [16" x 42"] Hydrium™ Splasher pools / 4.60m x 1.20m [15' x 48"] Hydrium™ pools	4	23.8 [52.6]
58039	Ø5.55 m [Ø218"]	5.49m [18'] Steel Pro™ / 5.49m [18'] Power Steel™ / 5.49m x 1.20m [18" x 48"] Hydrium™ Splasher pools	4	28.7 [63.2]



## POOL COVERS

Hydrium™



- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

### NEW ITEM

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58291	03.33 m (8'11")	3.00 m x 1.20 m (10' x 48")	6	18.3 (40.2)
58292	03.92 m (12'5")	3.60 m x 1.20 m (12' x 48")	6	23.9 (52.7)
58293	5.08 m x 3.71 m (16'7" x 12'2")	5.00 m x 3.60 m x 1.20 m (16'4" x 12' x 48")	4	20.6 (45.5)
58364	6.19 m x 3.71 m (20'3" x 12'2")	6.10 m x 3.60 m x 1.20 m (20' x 12' x 48")	4	25.6 (56.4)
58455	7.48 m x 3.71 m (24'5" x 12'2")	7.40 m x 3.60 m x 1.20 m (24' x 12' x 48")	4	30.7 (67.6)

## POOL COVERS

Power Steel™ Rectangular Frame Pools  
Splash Frame Pools



- PE material
- Includes ropes to secure cover
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58103	2.24 m x 1.54 m (88" x 61")	2.21 m x 1.50 m x 43 cm (87" x 59" x 17")	8	4.4 (9.7)
58104	2.44 m x 1.54 m (96" x 61")	2.39 m x 1.50 m x 58 cm (94" x 59" x 23")	8	4.8 (10.5)
58105	2.64 m x 1.74 m (104" x 69")	2.59 m x 1.70 m x 61 cm (102" x 67" x 24")	8	5.4 (12.0)
58106	3.04 m x 2.05 m (120" x 81")	3.00 m x 2.01 m x 66 cm (118" x 79" x 26")	6	4.8 (10.6)
58107	4.10 m x 2.26 m (161" x 89")	4.00 m x 2.11 m x 81 cm (157" x 83" x 32")	6	7.0 (15.4)
58442	2.65 m x 1.79 m (104" x 70")	2.62 m x 1.96 m x 84 cm (111" x 77" x 33")	6	4.1 (9.1)
58232	3.96 m x 1.85 m (156" x 73")	4.04 m x 2.01 m x 1.00 m (159" x 79" x 39.5") 4.12 m x 2.01 m x 1.22 m (162" x 79" x 48")	6	8.0 (13.3)

## GROUND CLOTHS

Fast Set™ Pools  
Power Steel™ Frame Pools  
Steel Pro™ Frame Pools



- All-new durable material.
- Provides extra protection for the bottom of the pool
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58000	2.74 m x 2.74 m [9' x 9']	2.44 m [8']	6	4.1 (8.9)
58001	3.35 m x 3.35 m [11' x 11']	3.05 m [10']	4	3.9 (8.6)
58002	3.96 m x 3.96 m [13' x 13']	3.66 m [12']	4	5.4 (11.9)
58003	4.88 m x 4.88 m [16' x 16']	4.57 m [15']	4	7.6 (16.8)
58251	5.20 m x 5.20 m [17' x 17']	4.88 m [16']	4	8.8 (19.3)
58031	5.79 m x 5.79 m [19' x 19']	5.49 m [18']	4	10.5 (23.1)

## GROUND CLOTHS

Splash Frame Pools  
Power Steel™ Rectangular Frame Pools



- All-new durable material
- Provides extra protection for the bottom of the pool
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58100	2.95 m x 2.06 m [116" x 81"]	2.21 m x 1.50 m x 43 cm [87" x 59" x 17"] 2.39 m x 1.50 m x 58 cm [94" x 59" x 23"] 2.59 m x 1.70 m x 61 cm [102" x 67" x 24"]	8	4.4 (9.7)
58101	3.38 m x 2.39 m [133" x 94"]	3.00 m x 2.01 m x 66 cm [118" x 79" x 26"]	8	5.5 (12.1)
58102	4.45 m x 2.54 m [175" x 100"]	3.99 m x 2.11 m x 81 cm [157" x 83" x 32"]	6	5.9 (13.1)
58264	5.00 m x 3.00 m [197" x 118"]	4.12 m x 2.01 m x 1.22 m [162" x 79" x 48"] 4.04 m x 2.01 m x 1.00 m [159" x 79" x 39.5"]	6	7.8 (17.3)

## POOL FLOOR PROTECTOR



58220



58265



- Durable Polyethylene
- Provides added protection for pool floors
- Fits all sizes of Pools
- Package contains 8 pieces
- Shrink wrapped with insert card

ITEM NO.	SIZE	COLOR	CONTENTS	PACK	KG (LB.)
58220	50 x 50 cm [20" x 20"]	Blue	8 Pieces	30	22.7 (50.0)
58265	81 x 81 cm [32" x 32"]	Green	8 Pieces	8	17.4 (38.4)

## POOL LADDERS

84cm [33"]

NEW ITEM

58430



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58430	84 cm [33"]	1	5.6 [12.4]	Except North America

## POOL LADDERS

91cm [36"]

58334



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58334	91 cm [36"]	1	7.4 [16.4]	North America / Asia, Africa & Latin America

## POOL LADDERS

1.07m [42"]

RE-ENGINEERED

58335



58330



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58335	1.07 m [42"]	1	7.7 [16.9]	North America / Asia, Africa & Latin America
58330	1.07 m [42"]	1	8.4 [18.5]	European Union



## POOL LADDERS

1.22m [48"]



58336



58331

- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG [LB.]	REMARK
58336	1.22 m [48"]	1	9.9 [21.8]	North America / Asia, Africa & Latin America
58331	1.22 m [48"]	1	12.6 [27.8]	European Union

## POOL LADDERS

1.32m [52"]



58337






58332

- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG [LB.]	REMARK
58337	1.32m [52"]	1	11.9 [26.2]	North America / Asia, Africa & Latin America
58332	1.32m [52"]	1	13.6 [29.9]	European Union

## THE RIGHT TOOL TO CLEAN EVERY POOL

OPERATING SYSTEM	Garden Hose - Venturi Effect		Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2,0 to 9,4m <sup>3</sup> /h	
PRODUCT	<b>58013</b> Maintenance Kit 2.03m - 80" 	<b>58098</b> Maintenance Kit 2.54m - 100" 	<b>58212</b> AquaCrawl Pool Vacuum 	<b>58234</b> AquaClean Pool Cleaning Kit 
RECOMMENDED POOL				
	 Any model	 Any model		
	 Up to 13' - 3.96m diameter	 Any model	 Up to 15' - 4.57m diameter	 Any model
	 Up to 13' - 3.96m diameter	 Any model	 Up to 15' - 4.57m diameter	 Any model
	 Up to 13' - 3.96m diameter	 Any model	 Up to 15' - 4.57m diameter	 Any model
	 Up to 13' - 3.96m diameter	 Any model	 Up to 15' - 4.57m diameter	 Any model
	 Fits 113" 159" 162" - 2.87, 4.04, 4.12m length	 Any model	 Fits 113" 159" 162" - 2.87, 4.04, 4.12m length	 Any model
	 Up to 13' - 3.96m diameter	 Any model	 Up to 15' - 4.57m diameter	 Any model
				
FEATURES				
HANDLING	Manual	Manual	Manual	Manual
POLE LENGTH	1.74m - 68.5"	2.47m - 99"	1.90m - 74.6"	2.79m - 110"
HOSE LENGTH			6.00m - 19.7'	7.5m - 24.5'
VALVE COMPATIBILITY			32mm - 1.25" (38mm - 1.5" adapters included)	32mm - 1.25" (38mm - 1.5" adapters included)
INNER WALL CLEANING				
MINIMUM FLOW			Outlet 2,006 L/h - 530 gal.	Outlet 2,006 L/h - 530 gal.
MINIMUM WATTAGE				
HIGHLIGHTS	<ul style="list-style-type: none"> <li>• Reusable debris bag</li> <li>• Skimmer net included</li> </ul>	<ul style="list-style-type: none"> <li>• Reusable debris bag</li> <li>• Skimmer net included</li> </ul>	<ul style="list-style-type: none"> <li>• Reusable debris bag</li> <li>• Two angled conversion nozzle, one with brush</li> <li>• Universal adapters included</li> </ul>	<ul style="list-style-type: none"> <li>• Reusable debris bag</li> <li>• Skimmer net included</li> <li>• Universal adapters included</li> </ul>

Filter and Sand Pumps - from 86W, from 1,300 to 2,500 gal., from 4.9 to 9.4m <sup>3</sup> /h	Filter and Sand Pumps - from 0.5HP, from 2,100 to 2,500 gal., from 7.9 to 9.4m <sup>3</sup> /h	AA Battery, Independent from filtration device	Rechargeable lithium battery
<p>58304 AquaClimb Automatic Pool Cleaner</p> 	<p>58339 AquaDip Pool Vacuum</p> 	<p>58340 AquaScan Electric Pool Vacuum</p> 	<p><b>NEW ITEM</b> 58427 Aqua Powercell Vac</p> 
		 Any model	 Any model
 Up to 16' - 4.88m diameter	 Up to 20' - 6.1m diameter	 Any model under 48" height	 Any model
 Up to 16' - 4.88m diameter	 Up to 20' - 6.1m diameter	 Any model under 48" height	 Any model
 Up to 16' - 4.88m diameter	 Up to 20' - 6.1m diameter	 Any model under 48" height	 Up to 20' - 6.1m diameter
 Up to 16' - 4.88m diameter	 Up to 20' - 6.1m diameter	 Any model under 48" height	 Up to 20' - 6.1m diameter
 Up to 16' - 4.88m diameter	 Up to 20' - 6.1m diameter	 Any model under 48" height	 Up to 20' - 6.1m diameter
		 Any model under 48" height	 Up to 20' - 6.1m diameter
		 Any model	 Any model
Automatic	Automatic	Manual	Automatic
6.10m - 20'	8.25m - 27'	1.26m - 49.6'	3.0m - 9'10"
32mm - 1.25" (38mm - 1.5" adapters included)	38mm - 1.5" (32mm - 1.25" adapters included)		
		■	■
Outlet 3,785 L/h - 1,000 gal.	Outlet 5,678 L/h - 1,500 gal.		
86W	230W		
<ul style="list-style-type: none"> <li>• Pre filter bag</li> </ul>	<ul style="list-style-type: none"> <li>• Fast</li> <li>• Reusable debris bag</li> <li>• Silent</li> <li>• Low Maintenance</li> </ul>	<ul style="list-style-type: none"> <li>• AA battery X 8 (not included)</li> <li>• Up to 1h30 operating time</li> <li>• Reusable debris bag</li> <li>• Brushes</li> </ul>	<ul style="list-style-type: none"> <li>• Rechargeable lithium battery</li> <li>• Vacuum pools and spa</li> <li>• Reusable debris bag</li> <li>• Automatic vacuuming</li> </ul>



## INTRODUCING BESTWAY AUTOMATIC POOL CLEANERS

We offer a complete range of pool cleaning equipment - from the most basic skimmer on a pole to our highly advanced fully automatic pool cleaners - and everything in between. Our cleaners are compatible with virtually every pool on the market. The automatic cleaners, in particular reduce the burden of maintenance, making consumers' lives easier, while returning attractive profit margins to both distributors and retailers alike.

### AQUA POWERCELL VAC

58427

NEW ITEM



- Rechargeable battery pack with Lithium battery
- Completely submersible body vacuums debris on pools/spa floor and also filters water.
- Compatible with spas and above ground pools (up to 6.09m [20'] diameter).
- Easily remove and empty the filter bag.
- Wheels ensure smooth and easy gliding on any pool surface.
- Replaceable bristles for scrubbing off debris efficiently.
- Connects to a 5-section poles (included).
- Also fits standard telescopic pole (not included) with quick-release clip.
- Compact design for shipping & storage.
- 4 Ea., 9.5 kg (18.7 lb)

Inner wall cleaning	
Minimum flow rate	
Minimum wattage	
Pole length	3m (9'10")

## AQUACLIMB AUTOMATIC POOL CLEANER

58304



- Patented design specifically for above ground pools with low flow filtration systems. (Minimum 86W and 3,785 L/h [1,000 gal./h] system flow rate)
- Adjustable pressure regulator regulates the water flow for use with high power pumps
- Easy to operate. Turn on the pump and cleaner will start automatically
- Integrated pre-filter collects debris such as dirt, leaves and sand to avoid clogging of pump filter
- Wide clip system on the bottom plate provides easy access to the debris compartment
- Float and weight provide optimum maneuverability
- Recommended for soft wall pools from 4.57m / 15ft to 4.87m / 16ft.
- Includes hoses with total length of 4.1m / 20ft.
- Includes connectors compatible with most leading pool brands on the market
- Full color box
- 2 Ea., 8.7 kg [19.2 Lb.]

Inner wall cleaning	
Minimum flow rate	3,785 L/h [1,000 gal./h]
Minimum wattage	86W
Pole length	

## AQUADIP POOL VACUUM

58339



- Membrane technology ensures silent operation with optimum cleaning efficiency
- Lightweight design enables it to clean rapidly across the pool bottom
- Finned disc enables it to glide smoothly across the pool bottom
- Simple twist-and-lock cassette for easy access to change the diaphragm
- Recommended for Above Ground Pools up to 6.1m [20']
- Includes 8.25m / 27ft. of standard hoses
- Min. System Flow Rate: 5,678 L/h [1,500 gal./h]
- Min. Pump Power: 0.3HP / 230W
- Full color box
- Case Pack: 2 Ea., 11.7 kg [25.8 Lb.]

Inner wall cleaning	
Minimum flow rate	5,678 L/h [1,500 gal./h]
Minimum wattage	230W
Pole length	

## AQUASCAN ELECTRIC POOL VACUUM

58340



- Battery-powered pump creates suction, without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Simple press-button operation
- Telescopic pole reaches up to 1.5m / 5ft. when fully extended
- Underside wheels for easy gliding
- Quick to assemble, no tools needed
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag
- Full color box
- Case Pack: 6 Ea., 8.4 kg [18.4 Lb.]

Inner wall cleaning	
Minimum flow rate	
Minimum wattage	
Pole length	1.26m [49.6"]

## CLEANCAST SKIMMER SET

58325



- Durable mesh netting
- Lightweight, extensible, 2-segmented aluminum shaft
- Reader card
- 24 Ea., 10.8 kg (23.8 Lb.)

Inner wall cleaning	
Minimum flow rate	
Minimum wattage	
Pole length	1.26 m (49.6")

## MAINTENANCE KIT

58013



- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 3.96 m (13') and below pools
- Full color box
- 6 Ea., 6.5 kg (14.4 Lb.)

Inner wall cleaning	■
Minimum flow rate	
Minimum wattage	
Pole length	1.74 m (68.5")

## MAINTENANCE KIT

58098



- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 3.96 m (13') and above pools
- Full color box
- 6 Ea., 9.2 kg (20.2 Lb.)

Inner wall cleaning	■
Minimum flow rate	
Minimum wattage	
Pole length	2.47 m (99")

## POOL ACCESSORIES SET

58195



- Maintenance Kit: Four-section structure
- Each Set in a clam shell
- For use with 12' (3.66m) and below pools
- 4 Sets, 6.2 kg (13.7 Lb.)

### SET INCLUDES

ITEM NO.	DESCRIPTION	PIECES	DETAILED ON
58013	Maintenance Kit	1	P.86
58071	Chemical Floater	1	P.92
58072	Floating Pool Thermometer	1	P.93
58142	Pool and Spa Test Strips	1	P.92
62068	Heavy-duty Repair Patch	1	P.94

Inner wall cleaning	■
Minimum flow rate	
Minimum wattage	
Pole length	1.72 m (67.7')

## AQUACRAWL POOL VACUUM

58212



- 2.24m / 88"
- Four section aluminum poles are easy to assemble
- Three adapters allow for use with different pools and filter pump systems
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles - one with a brush
- Extra long vacuum hose 6m / 19.7' long, 3.2 cm / 1.25" diameter
- Attach to the filter pump for light cleaning your pool
- Fits the filter pump with 2,006 L/h (530 gal./h) flow rate and above
- For use with pools up to 4.57m / 15'
- Full color box
- 6 Ea., 11.8 kg (25.9 lb.)

Inner wall cleaning	■
Minimum flow rate	2,006 L/h (530 gal./h)
Minimum wattage	
Pole length	1.90 m (74.6')

## AQUACLEAN POOL CLEANING KIT

58234



- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Includes multiple adapters for connections to all Bestway pools and filter systems
- Includes 2.79 m (110") adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 7.5 m (24.5'), 3.2 cm (1.25") diameter
- Vacuum has a one-piece cleaning head
- Skimmer has a durable mesh netting
- Fits the filter pump with 2,006 L/h (530 gal./h) flow rate and above
- For use with all above ground pools
- Full color box
- 4 Ea., 14.6 kg | 32.3 lb.

Inner wall cleaning	■
Minimum flow rate	2,006 L/h (530 gal./h)
Minimum wattage	
Pole length	2.79 m (110')



## POOL SURFACE SKIMMER

58233



- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Easy to clean
- Fits the filter pump with 3,028 L/h (800 gal/h) flow rate and above
- For use with all above ground pools except steel wall pools
- Full color box
- 4 Ea., 8.9 kg (19.6 Lb.)

Inner wall cleaning	
Minimum flow rate	3,028 L/h (800 gal./h)
Minimum wattage	
Pole length	

## DELUXE MAINTENANCE KIT

58237



- Durable and corrosion-proof plastic material
- Includes 2.79 m (110") adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra long vacuum hose 7.5 m (24.5'), 3.2 cm (1.25") diameter
- Multi-functional
  - Pool surface skimmer: working with the filter pump cleans floating leaves and other debris
  - Pool vacuum: working with the filter pump cleans pool walls and floor
  - Pool skimmer: manually clean floating debris
- Attach to the filter pump for skimming and vacuuming
- Fits the filter pump with 3,028 L/h (800 gal/h) flow rate and above
- For use with all above ground pools except steel wall pools.
- Full color box
- 2 Ea., 12.3 kg (27.0 Lb.)

Inner wall cleaning	■
Minimum flow rate	3,028 L/h (800 gal./h)
Minimum wattage	
Pole length	2.79m (110")



## CLEANCAST SKIMMER

58277



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Remove debris from pool water
- Durable mesh netting
- Header card
- 12 Ea., 2.7 kg (6.0 Lb.)

## AQUANET

58278



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Scoop debris from pool water
- Durable mesh netting
- Header card
- 12 Ea., 2.9 kg (6.4 Lb.)

## ANGLER POOL VACUUM

58282



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor
- Header card
- 12 Ea., 10.0 kg (22.0 Lb.)

## AQUABROOM

58280



- 45.7cm (18")
- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Quickly remove algae and grime from pool walls and pool floor
- Curved brushes to clean corners
- Header card
- 12 Ea., 3.2 kg (7.1 Lb.)

## E-Z-BROOM POLE

58279

- 3.6m (142")
- Inner diameter 30mm (1.2")
- Lightweight aluminum shaft
- Ideal for attaching accessories to clean pools
- Polybag with labels
- 24 Ea., 18.0 kg (39.7 Lb.)





# SOLAR HEATING

NEW ITEM

## CLEAN SUN POWERED POOL PAD

58423



- 1.10 m x 1.71 m / 43 in. x 67 in.
- Compatible with 9462 L / 2500 gal filter pump and 7570 L / 2000 gal sand filter and below
- Compatible with all above ground pools
- Easy set up with included adaptors compatible with 3.2 cm and 3.8 cm hoses
- An economical and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 – 5 DegreeC (5 – 9 DegreeF) depending on weather condition
- Provides superior durability and longer life time by using 0.9 mm pvc
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 1.46 square meter (15.72 square feet)
- Can be used in multiples to work together for different size pools

ITEM NO.	PACK	KG (LB.)	PACKAGING
58423	1	6.1 (13.4)	Full color box



## FLOWCLEAR™ POOL & SPA TEST STRIPS

- The ideal solution for basic pool and spa water testing
- Easy Color-Match System
- Contains 50 test strips
- 18-Month Shelf Life
- Blister card



**58142**

- 3-in-1 Test Strip:
  - Free Chlorine
  - pH
  - Total Alkalinity
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- 24 Ea., 1.2 kg. (2.7 lb.)

**58247**

- 5-in-1 Test Strip:
  - pH
  - Free Chlorine
  - Total Chlorine
  - Total Hardness
  - Total Alkalinity
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results
- 24 Ea., 1.2 kg. (2.7 lb.)



## FLOWCLEAR™ AQUAFEED CHLORINATOR

RE-ENGINEERED

**58338**

- An easy, clean and safe way to disinfect your pool
- Adjust the chloring volume to control the free chlorine content
- Large capacity, more convenient (add tablets every 1-2 weeks)
- Holds different sizes of chlorine tablets: 7.6cm / 3" tablets or smaller can be used
- Includes 1m / 39" long, 3.2cm / 1.25" diameter hose
- Safety lock prevents the cap from accidentally becoming loose
- Easy to disassemble with a gas release valve
- Convenient to clean with a water release valve
- Fits filter pumps or sand filter pumps with a flow rate of:
  - 3.795 l/h (1,000 gal./h) and below 3.795 L/h (1,000 gal./h)
- Full Color Box
- 6 Ea., 6.9 kg (15.3 lb.)



## CHEMICAL FLOATER

**58210**

- 12.7cm (5")
- Dispenses 2.5cm (1") chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction
- Shrink wrapped with insert card
- 24 Ea., 2.5 kg (5.5 lb.)



## CHEMICAL FLOATER

**58071**

- 16.5cm (6.5")
- Dispenses chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included
- Full color box
- 12 Ea., 5.0 kg (11.1 lb.)



## ASSORTED FLOAT POOL THERMOMETER

58110

- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- 4 assorted design
- Blister card
- 24 Ea., 3.8 kg (8.4 lb.)



## FLOATING POOL THERMOMETER

58072

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- Blister card
- 36 Ea., 3.5 kg (7.8 lb.)



## CHEMICAL FLOATER

58209

- 18.5cm (7.3")
- Dispenses 7.6cm (3") chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors
- Full color box
- 12 Ea., 5.4 kg (11.9 lb.)






## HEAVY-DUTY REPAIR PATCH

62068


- 10 pcs included
- 6.55 sq. in. (42.3cm<sup>2</sup>) stick-on patches
- Blister card
- 36 Ea., 0.8 kg (1.8 Lb.)



## UNDERWATER ADHESIVE REPAIR PATCH

62091

- 10 pcs included
- 6.55 sq. in. (42.3cm<sup>2</sup>) stick-on patches
- Blister card
- 36 Ea., 1.4 kg (3.0 Lb.)





## SOLAR-FLOAT LAMP

58111

- Ø18cm (Ø7")
- 1.2V ---
- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard come to light
- Extra long 8-hour run time
- Full color box
- 24 Ea., 10.1 kg (22.3 Lb.)



## SOLAR-PRO SHOWER™

58224



- 41cm x 58cm [16" x 23"]
- Solar-heated
- Easy to read temperature strip
- Compact and easy to use
- Reinforced handle is convenient for hanging and transporting the shower
- Heats up to 20 L (5.3 gal.) of water for multiple showers
- Great for outdoor adventures
- Full color box
- 24 Ea., 11.9 kg (26.3 Lb.)

## POOL+ SHOWER

58307



2 DIFFERENT  
SHOWER PATTERNS



FULLY ADJUSTABLE



- Deluxe pool shower
- Super-easy assembly, no tools required!
- Two different shower spray patterns with two separate shower heads
- Corrosion-proof aluminum pole
- Fully adjustable shower height & angle
- Connects to above ground swimming pool ladders and standard garden hoses
- Includes a water valve to regulate water flow
- Includes an adaptor for use with European garden hoses
- Full color box
- 6 Ea., 3.5 kg (7.7 Lb.)




NEW ITEM

**LED FLOATING POOL LIGHT**

58419



- Beautiful display: 4 super bright LEDs in 4 colors (yellow, red, blue and green) with 7 flashing light models
- Easy to operate: simply press a button on the top of ball
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3xAAA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 2.43 m / 8' wide and 1.52 m / 5' deep
- Shuts off automatically after one hour when not in use
- Full color box
- Contents: one led floating pool light set
- 12 Ea., 4.1 kg [8.9 Lb.]



# INDEX

## FAST SET™ POOLS



1.98 m x 51 cm (78" x 20")		
57252		P11
2.44 m x 66 cm (8' x 26")		
57305	57267	P11
57265	57268	P11
3.05 m x 76 cm (10' x 30")		
57307	57269	P13
57266	57270	P13
3.66 m x 76 cm (12' x 30")		
57308	57275	P13
57273	57274	P13
3.96 m x 84 cm (13' x 33")		
57320	57323	P15
57319	57321	P15
4.57 m x 84 cm (15' x 33")		
57315	57318	P15
57313	57316	P15
4.57 m x 1.07 m (15' x 42")		
57311	57294	P17
57286		P17
4.57 m x 1.22 m (15' x 48")		
57288		P17
57289		P17

## SPLASH FRAME POOLS



2.21 m x 1.50 m x 43 cm (87" x 59" x 17")		
56545		P21
56401		P21
2.39 m x 1.50 m x 58 cm (94" x 59" x 23")		
56547		P21
56402		P21
2.59 m x 1.70 m x 61 cm (102" x 67" x 24")		
56496		P21
56403		P21
3.00 m x 2.01 m x 66 cm (118" x 79" x 26")		
56498	56412	P23
56404	56411	P23
4.00 m x 2.11 m x 81 cm (157" x 83" x 32")		
56512	56425	P23
56405	56424	P23

## STEEL PRO™ FRAME POOLS



2.44 m x 61 cm (8' x 24")		
56544		P25
56431		P25
3.05 m x 76 cm (10' x 30")		
56493	56407	P25
56406	56408	P25
3.66 m x 76 cm (12' x 30")		
56500	56417	P25
56415	56416	P25
3.66 m x 1.00 m (12' x 39.5")		
56419	56260	P25
56410		P25

## 3.66 m x 1.22 m (12' x 48")

56421		P27
56420		P27
4.27 m x 84 cm (14' x 33")		
56597	56600	P27
56595	56598	P27

## 4.27 m x 1.00 m (14' x 39.5")

56423		P27
56422		P27
4.57 m x 1.22 m (15' x 48")		
56439		P29
56438		P29
5.49 m x 1.22 m (18' x 48")		
56463		P29
56462		P29

## STEEL PRO™ OVAL FRAME POOLS



4.88 m x 3.05 m x 1.07 m (16' x 10' x 42")		
56449		P31
56447		P31
5.49 m x 3.66 m x 1.22 m (18' x 12' x 48")		
56460		P31
56441		P31

## RATTAN FRAME POOLS



3.66 m x 1.00 m (12' x 39.5")		
56387	56594	P35
56379		P35
4.27 m x 1.07 m (14' x 42")		
56649	56652	P35
56647	56650	P35

## POWER STEEL™ FRAME POOLS



4.27 m x 1.07 m (14' x 42")		
56643	56646	P37
56641	56644	P37
4.88 m x 1.22 m (16' x 48")		
56453	56452	P39
56451	56454	P39
5.49 m x 1.32 m (18' x 52")		
56459	56444	P39
56427	56400	P39
6.71 m x 1.32 m (22' x 52")		
56636		P39
56634		P39

## POWER STEEL™ RECTANGULAR FRAME POOLS



2.82 m x 1.96 m x 84 cm (111" x 77" x 33")		
56631		P41
56629		P41
4.04 m x 2.01 m x 1.00 m (159" x 79" x 39.5")		
56426	56442	P41
56441	56640	P41
56251		P41
4.12 m x 2.01 m x 1.22 m (162" x 79" x 48")		
56458	56457	P43
56456	56641	P43
4.88 m x 2.74 m x 1.22 m (16' x 9' x 48")		
56489	56380	P43
56481	56390	P43
5.49 m x 2.74 m x 1.22 m (18' x 9' x 48")		
56447	56446	P45
56445	56448	P45

## 6.71 m x 3.66 m x 1.32 m (22' x 12' x 52")

56473	56471	P45
56470	56662	P45
7.32 m x 3.66 m x 1.32 m (24' x 12' x 52")		
56476	56475	P47
56474	56477	P47
9.56 m x 4.88 m x 1.32 m (31.3' x 16' x 52")		
56480	56625	P47
56479	56623	P47

## HYDRUM™ SPLASHER POOLS



3.60 m x 90 cm (12' x 36")		
56378		P51
56377		P51
4.60 m x 90 cm (15' x 36")		
56381		P51
56386		P51
4.88 m x 1.07 m (16' x 42")		
56609		P51
56607		P51
5.49 m x 1.20 m (18' x 48")		
56613		P51
56611		P51

## HYDRUM™ POOLS



3.00 m x 1.20 m (10' x 48")		
56564	56567	P53
56563	56566	P53

3.60 m x 1.20 m (12' x 48')		
56572	56575	P56
56571	56574	P58
4.60 m x 1.20 m (15' x 48')		
56383	56385	P56
56382	56384	P56

### HYDRUM™ OVAL POOLS



5.00 m x 3.60 m x 1.20 m (16.4' x 12' x 48')		
54584	54587	P57
54583	54586	P57
6.10 m x 3.60 m x 1.20 m (20' x 12' x 48')		
54372	54370	P57
54371	54369	P57
7.40 m x 3.60 m x 1.20 m (24' x 12' x 48')		
56406		P57
56404		P57

### MINI ABOVE GROUND POOLS



57241	P58	56430	P63
30007	P59	56499	P64
56283	P60	56413	P64
56217	P62	56543	P65
56218	P62	56432	P65
56546	P63		

### ADVANCED WATER MAINTENANCE SYSTEMS



58215	P74	58230	P75
58216	P74	58259	P75
58338	P92		

### FLOWCLEAR™ SAND FILTER



58403	P70	58400	P71
58402	P70	58405	P71
58398	P70	58404	P71
58397	P70	58367	P71
58401	P71	58366	P71

### FLOWCLEAR™ FILTER PUMPS



58382	P72	58386	P72
58381	P72	58390	P72
58384	P72	58389	P72
58383	P72	58392	P72
58387	P72	58391	P72

### FILTER CARTRIDGE



58093	P73	58168	P73
58094	P73	58417	P73
58012	P73	58418	P73
58095	P73		

### HOSE



58368	P73	58369	P73
-------	-----	-------	-----

### HOSE ADAPTERS



58236		P73	
-------	--	-----	--

### SOLAR POOL COVERS



58040	P76	58253	P76
58241	P76	58173	P76
58242	P76	58240	P77
58252	P76	58228	P77

### POOL COVERS



58032	P77	58291	P78
58033	P77	58292	P78
58034	P77	58293	P78
58415	P77	58364	P78
58035	P77	58455	P78
58301	P77	58103	P78
58036	P77	58104	P78
58037	P77	58105	P78
58248	P77	58106	P78
58038	P77	58107	P78
58249	P77	58442	P78
58039	P77	58232	P78

### GROUND CLOTHS



58000	P79	58031	P79
58001	P79	58100	P79
58002	P79	58101	P79
58003	P79	58102	P79
58251	P79	58264	P79

### POOL FLOOR PROTECTOR



58220		P79	
58265		P79	

### POOL LADDERS



58430	P80	58334	P81
58334	P80	58331	P81
58335	P80	58337	P81
58330	P80	58332	P81

### POOL ACCESSORIES

58427	P84	58279	P89
58304	P85	58423	P90
58339	P85	58142	P92
58340	P85	58247	P92
58325	P86	58210	P92
58013	P86	58071	P92
58098	P86	58110	P93
58195	P87	58072	P93
58212	P87	58209	P93
58234	P87	62068	P94
58233	P88	62091	P94
58237	P88	58111	P96
58277	P88	58224	P96
58278	P88	58307	P96
58282	P88	58419	P97
58280	P88		

# 2017 COLLECTION

## ABOVE GROUND POOLS

### SHANGHAI



Bestway Global Holding Inc.  
No.3065 Cao An Road,  
Shanghai, 201812, China  
Tel: 86 21 6913 5588  
Fax: 86 21 5913 6383  
E-mail: info@bestwaycorp.com

### HONG KONG



Bestway (Hong Kong) International Ltd.  
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,  
66 Mody Road, Kowloon, Hong Kong  
Tel: 852 2997 7169  
Fax: 852 2997 7869  
E-mail: info@bestwaycorp.hk

### EUROPE



Bestway (Europe) S.r.l.  
Via Resistenza, 5  
20098 San Giuliano M.se (MI), Italy  
Tel: 39 02 9884 881  
Fax: 39 02 9884 8828  
E-mail: info@bestwaycorp.eu

### LATIN AMERICA



Bestway Central & South America Ltda  
Sofar Ascotan 1282, Parque Enea,  
Pudahuel, Santiago, Chile  
Tel: 562 3203 4438  
Fax: 562 3203 4409  
E-mail: info@bestwaycorp.lat

### U.S.A.



Bestway (USA) Inc.  
3411 E. Harbour Drive, Phoenix, Arizona  
85034, United States of America  
Tel: 1 480 838 3888  
Fax: 1 480 304 3349  
E-mail: info@bestwaycorp.us

### AUSTRALIA



Bestway Australia Pty Limited  
Unit 10/71-83 Acquith Street,  
Silverwater, NSW 2128, Australia  
Tel: 61 2 9037 1388  
Fax: 61 2 9232 9423  
E-mail: info@bestwaycorp.com.au

### BRAZIL



Bestway Brazil  
Rua São João, 1648 Maringá - PR - Brazil  
Zip Code: 87030-201  
Tel: 0800 001 8400  
E-mail: info@bestwaycorp.com.br

### FRANCE



Bestway France Sarl  
Espace Bertioz, 100 rue Albert Coquet  
86410 Biet France  
Tel: 33 4 97 04 92 99  
Fax: 33 4 97 04 91 07  
E-mail: info@bestwaycorp.fr

### GERMANY



Bestway Deutschland GmbH  
Parkstraße 11  
24534 Neumünster, Germany  
Tel: 49 4321 555 05 - 0  
Fax: 49 4321 555 05 - 55  
E-mail: info@bestwaycorp.de

### RUSSIA



Bestway Rue 114  
Dfl.236, Leninsky prospect 140,  
Saint-Petersburg, 198216 Russia  
Tel: 7 812 645 9841  
Fax: 7 812 645 9844  
E-mail: info@bestwaycorp.ru

# Bestway

www.bestwaycorp.com

