

**Bestway**

# HYDRO-FORCE™ WATER SPORTS



**2017**  
**COLLECTION**

FULLY OWNED  
PRODUCTION  
FACILITIES



2017  
COLLECTION







## Our Vision

We create fun, lasting experiences to everyone in the world through the products and services we provide.

---

## Our Mission

Happiness

### Happy Consumers

Through our creative & professional staff, innovative & superior products and sustainable, effective manufacturing processes, we create fun, memorable experiences for our customers.

### Happy Employees

We create an environment in which employees are able to develop their talents and pursue their professional passions.

### Happy World

To limit impact on the environment at every stage of our production process, while investing resources in exploring alternative energy solutions.



Vertically  
Integrated



Sustainable



Customer  
Focused



Consumer Driven  
Market Research



Innovative

# BESTWAY WELCOME

At Bestway, we aim to provide the best products at the best prices worldwide. Our company is devoted to the development, production, and sales of high quality and innovative sporting and leisure products. Our product range covers an abundance of different products to meet the needs of people from all walks of life. From inflatable paddle boards, above ground pools and spas, inflatable air mattresses, to marine grade inflatable boats and every day inflatable swimming products, we have the inflatable product market covered.

## WATER SPORTS CATALOG COPYINTRO

You have it made in the shade with the Bestway Water Sports line. With bigger and brighter water floats for yourself or with several of your friends, you will be the life of the party when you show up (and blow up) our Hydro Force line. And the fun doesn't stop there. Whatever adventure is calling you — whether you decide its surfs up with your Hydro Force SUP or you just want to float down the river on one of our amazing Kayak, Bestway has you covered with our water sports line.







**STAND UP PADDLE BOARDS**

Pg 06 - 31



**KAYAKS, RAFTS AND BOATS**

Classic Range Pg 32 - 55  
Sport Range Pg 56 - 69

**ACCESSORIES AND INDEX**

Accessories Pg 70 - 73  
Index Pg 74 - 75







## SUP INTRO

Standup paddle boarding was recently reported as the outdoor sporting activity with the most first-time participants of any. And it's no wonder why. It is relatively easy for anyone to do, and the health benefits gained from paddle boarding are tremendous! With some awesome boards to choose from at Bestway, this summer is the perfect time to give it a whirl! And because our boards are inflatable, you can take them with you wherever you go. Bestway rules the lineup when it comes to inflatable SUPs!





## 2.44 m (8 ft.) Planogram Store Display



Actual in-store displays may vary.





## STANDING UP ON YOUR SUP

When you're new to the sport, it's best to start out in flat, calm water that's free of obstacles like boats and buoys.

At first, you may find it easier to kneel on the board rather than to stand upright. Here are the steps to get you started:

- Standing alongside the board in shallow water, place your paddle across the deck of the board and use it as an outrigger. The paddle grip is on the rail (edge) of the board; the blade rests on the water.
- Hold the board by the rails. One hand will also be holding the paddle grip.
- Climb onto the board in a kneeling position, just behind the center point of the board.
- From that kneeling position, get a feel for the balance point of the board. The nose shouldn't pop up out of the water and the tail shouldn't dig in.
- Keep your hands on either side of the board to stabilize it.
- Once you're ready, stand up on the board one foot at a time. Place your feet where your knees were. You might also bring a friend to help stabilize the board as you get the hang of standing on it.








## TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.

## DROP STICH™ MATERIAL

It's a wonder material that has been successfully used in such mission-critical applications as floating docks, high-pressure rescue lifting bags and even airplane wings! It owes its remarkable properties of extreme rigidity combined with astonishing lightness to a network of thousands of polyester threads (the "drop stitches" referred to in the name). These threads securely connect the material surfaces internally, while carefully-applied sidewalls seal the finished inflated cavity to create a panel that effectively supports considerable weight while itself being light and easily portable when deflated.



**Bestway's inflatable SUP line offers all of the advantages of fun that comes along with hard boards plus these added benefits:**

### SUP Stance

- To maintain your balance as you stand upright on the board:
- Your feet should be parallel, about hip-width distance apart, centered between the board rails (edges). Don't stand on the rails.
- Keep toes pointed forward, knees bent and your back straight.
- Balance with your hips—not your upper body.
- Keep your head and shoulders steady and upright, and shift your weight by moving your hips.
- Your gaze should be level at the horizon. Avoid staring at your feet.
- Much like bicycling, when your forward momentum increases, your stability increases as well.

### SUP Stroke

- Once you're comfortable balancing on the board in flat water, it's time to take off on a longer excursion—where the real fun begins.





**What's the point of owning a SUP without having some rad accessories to go along with it?**

At Bestway, our SUPs are come with backpacks, air pumps, aluminum oars and seats for our boards that double as kayaks. We want you to leave your worries on the shore and have a Bestway experience out on the surf.



**Deluxe Backpack**



**Air Pump and Pressure Gauge**

**Paddling**

**Surfing**

**Aluminum Oars**







## 62100 NEW

### COIL LEASH

Length: 3.6 m [12']

#### SPECIFICATIONS

Case Pack (cb m/pkg)	0.02/12 pcs
kg (Lb.)	4.1 kg (9.0 Lbs.)
Packaging	Color box with opening

#### FEATURES

- Design of two part: coil and straight part
- Comfortable material fits your ankle
- Coil leash keeps the paddle tethered to you, providing additional safety in the event you fall off the board
- Color box with opening

#### CONTENTS

- One Leash



## 65087 NEW

### SUP STABILIZATION BRACE

Inflated: 1.5 m [59"]

#### SPECIFICATIONS

Material mm (Ga.)	0.73 (29.2)
Case Pack (cb m/pkg)	0.07/4 pcs
kg (Lb.)	11.8 kg (26.0 Lbs.)
Packaging	Full color box

#### FEATURES

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Quick inflation/deflation air valve
- Easy to set up
- Raises the buoyancy to keep the SUP steady

#### CONTENTS

- One Pair of Braces



MINI

LEISURE

- 335 cm (132 in.)
- 305 cm (120 in.)
- 274 cm (108 in.)
- 244 cm (96 in.)
- 213 cm (84 in.)
- 183 cm (72 in.)
- 152 cm (60 in.)
- 122 cm (48 in.)
- 91 cm (36 in.)
- 61 cm (24 in.)
- 30 cm (12 in.)



	WAVECREST	HIGHWAVE SUP LITE	HIGHWAVE SUP LITE	HIGHWAVE SUP	HIGHWAVE SUP	RIP TIDE SUP	RIP TIDE SUP
	65085	65081	65080	65066	65065	65068	65067
LENGTH	204 cm (6 ft. 8 in.)	274 cm (9 ft.)	274 cm (9 ft.)	285 cm (9 ft. 4 in.)	285 cm (9 ft. 4 in.)	305 cm (10 ft.)	305 cm (10 ft.)
WIDTH	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)
THICKNESS	10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)
USER WEIGHT CAPACITY	60 kg (132 lbs.)	75 kg (165 lbs.)	75 kg (165 lbs.)	75 kg (165 lbs.)	75 kg (165 lbs.)	90 kg (198 lbs.)	90 kg (198 lbs.)
INTERNAL VOLUME	125 L (33 Gal)	171 L (45 Gal)	171 L (45 Gal)	178 L (47 Gal)	178 L (47 Gal)	191 L (50 Gal)	191 L (50 Gal)
FINS	☞	☞☞	☞☞	☞☞	☞☞	☞☞	☞☞
SEATED OPTION			•		•		•
OVERALL PERFORMANCE	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █	MANOEUVRABILITY █ TRACKING █ STABILITY █ SURFING █



# SUP COMPARISON

PRO


SPORT



WHITE CAP SUP	WHITE CAP SUP	WAVE EDGE SUP	WAVE EDGE SUP	COAST LINER SUP LITE	COAST LINER SUP LITE	OCEANA SUP	OCEANA SUP	LONG TAIL SUP LITE	LONG TAIL SUP LITE
65070	65069	65055	65054	65079	65078	65074	65073	65083	65082
305 cm (10 ft.)	305 cm (10 ft.)	310 cm (10 ft. 2 in.)	310 cm (10 ft. 2 in.)	320 cm (10 ft. 6 in.)	320 cm (10 ft. 6 in.)	330 cm (10 ft. 10 in.)	330 cm (10 ft. 10 in.)	335 cm (11 ft.)	335 cm (11 ft.)
81 cm (32 in.)	81 cm (32 in.)	68 cm (27 in.)	68 cm (27 in.)	81 cm (32 in.)	81 cm (32 in.)	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)	76 cm (30 in.)
10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)	10 cm (4 in.)	12 cm (5 in.)	12 cm (5 in.)	12 cm (5 in.)	12 cm (5 in.)	15 cm (6 in.)	15 cm (6 in.)
95 kg (209 Lbs.)	95 kg (209 Lbs.)	100 kg (220 Lbs.)	100 kg (220 Lbs.)	120 kg (265 Lbs.)	120 kg (265 Lbs.)	115 kg (254 Lbs.)	115 kg (254 Lbs.)	145 kg (320 Lbs.)	145 kg (320 Lbs.)
201 L (53 Gal)	201 L (53 Gal)	177 L (47 Gal)	177 L (47 Gal)	260 L (69 Gal)	260 L (69 Gal)	245 L (65 Gal)	245 L (65 Gal)	311 L (82 Gal)	311 L (82 Gal)



**HYDRO  
FORCE™**





# 65085 WAVECREST

Inflated: 2.04 m x 76 cm x 10 cm (6' 8" x 30" x 4")

## SPECIFICATIONS

Weight Capacity	60 kg (132 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.07/1 pc
kg (Lb.)	7.4 kg (16.4 Lbs.)
Packaging	Full color box

## FEATURES

- Two molded side fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Quick inflation/deflation air valve
- Non-slip traction pad
- Convenient deck handle to easily pick up and carry the SUP
- Paddle not included

## CONTENTS

- One Paddle Board
- One Hand Pump
- One Travel Bag
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65085



Deck Inflation/Deflation Air Valve



Non-Slip Traction Pad



Built-In Deck Handle





Travel Bag and Hand Pump





**HYDRO  
FORCE™**





**65081****HIGHWAVE SUP LITE**

Inflated: 2.74 m x 76 cm x 10 cm (9' x 30" x 4")

**SPECIFICATIONS**

Weight Capacity	75 kg (165 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	15.0 kg (33.1 Lbs)
Packaging	Full color box

**FEATURES**

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.15 m (84 in.) Adjustable aluminum sur that can be used for surfing
- Convenient deck handle to help easily pick up and carry the SUP

**CONTENTS**

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65080 &amp; 65081



Quick Inflate/Deflate Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-In Deck Handle



Deluxe Backpack and Hand Pump

65080



Removable Seat

**65080****HIGHWAVE SUP LITE**

Inflated: 2.74 m x 76 cm x 10 cm (9' x 30" x 4")

**SPECIFICATIONS**

Weight Capacity	75 kg (165 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	16.5 kg (36.4 Lbs.)
Packaging	Full color box

**FEATURES**

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.21 m (87 in.) Adjustable aluminum sur that can be used for surfing or paddling
- Seat with backrest
- Convenient deck handle to help easily pick up and carry the SUP


**CONTENTS**

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- One Seat
- One Footrest
- Repair Kit





**HYDRO  
FORCE™**





# 65066

## HIGHWAVE SUP

Inflated: 2.85 m x 76 cm x 10 cm (9' 4" x 30" x 4")

### SPECIFICATIONS

Weight Capacity	75 kg (165 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	15.5 kg (34.1 Lbs.)
Packaging	Full color box

### FEATURES

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.15 m (84") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to help easily pick up and carry the SUP

### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65065 & 65066



Quick Inflate/Deflate Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-In Deck Handle



Deluxe Backpack and Hand Pump

65065



Removable Seat

# 65065

## HIGHWAVE SUP

Inflated: 2.85 m x 76 cm x 10 cm (9' 4" x 30" x 4")

### SPECIFICATIONS

Weight Capacity	75 kg (165 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	16.9 kg (37.3 Lbs.)
Packaging	Full color box

### FEATURES

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.21 m (87") Adjustable aluminum oar that can be used for surfing or paddling
- Seat with backrest
- Convenient deck handle to help easily pick up and carry the SUP


### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- One Seat
- One Footrest
- Repair Kit





**HYDRO  
FORCE™**





# 65068

## RIP TIDE SUP

Inflated: 3.05 m x 76 cm x 10 cm (10' x 30" x 4")

### SPECIFICATIONS

Weight Capacity	90 kg (198 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	16.0 kg (35.3 Lbs.)
Packaging	Full color box

### FEATURES

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.15 m (84") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to help easily pick up and carry the SUP

### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65067 & 65068



Quick Inflate/Deflate Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-in Deck Handle



Deluxe Backpack and Hand Pump

65067



Removable Seat

# 65067

## RIP TIDE SUP

Inflated: 3.05 m x 76 cm x 10 cm (10' x 30" x 4")

### SPECIFICATIONS

Weight Capacity	90 kg [198 Lbs.]
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	17.5 kg [38.5 Lbs.]
Packaging	Full color box

### FEATURES

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.21 m (87") Adjustable aluminum oar that can be used for surfing or paddling
- Seat with backrest
- Convenient deck handle to help easily pick up and carry the SUP


### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- One Seat
- One Footrest
- Repair Kit





**HYDRO  
FORCE™**





# 65070

## WHITE CAP SUP

Inflated: 3.05 m x 81 cm x 10 cm (10' x 32" x 4")

### SPECIFICATIONS

Weight Capacity	95 kg (209 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	16.4 kg (36.1 Lbs.)
Packaging	Full color box

### FEATURES

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.15 m (84") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to help easily pick up and carry the SUP

### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65069 & 65070



Quick Inflation/Deflation Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-In Deck Handle



Deluxe Backpack and Hand Pump

65069



Removable Seat

# 65069

## WHITE CAP SUP

Inflated: 3.05 m x 81 cm x 10 cm (10' x 32" x 4")

### SPECIFICATIONS

Weight Capacity	95 kg (209 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	17.8 kg (39.3 Lbs.)
Packaging	Full color box

### FEATURES

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.21 m (89") Adjustable aluminum oar that can be used for surfing or paddling
- Seat with backrest
- Convenient deck handle to help easily pick up and carry the SUP


### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- One Seat
- One Footrest
- Repair Kit





**HYDRO  
FORCE™**





# 65055

## WAVEEDGE SUP

Inflated: 3.10 m x 68 cm x 10 cm (10' 2" x 27" x 4")

### SPECIFICATIONS

Weight Capacity	100 kg (220 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.09/1 pc
kg (Lb.)	12.0 kg (26.4 Lbs.)
Packaging	Full color box

### FEATURES

- Two modeled side fins and one removable middle fin for directional stability
- Drop stitch material provides unparalleled strength and durability
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- (2.10m, 82") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 12.0kg (26.4lb.)

### CONTENTS

- One Paddle Board
- One Oar
- One Hand Pump
- One Pressure Gauge
- One Travel Bag
- Repair Kit
- One Leash



65055 & 65054



Quick Inflate/Deflate Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-In Deck Handle



Deluxe Backpack and Hand Pump

65054



Removable Seat

# 65054

## WAVEEDGE SUP

Inflated: 3.10 m x 68 cm x 10 cm (10' 2" x 27" x 4")

### SPECIFICATIONS

Weight Capacity	100 kg (220 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.09/1 pc
kg (Lb.)	13.5 kg (29.8 Lbs.)
Packaging	Full color box

### FEATURES

- Two modeled side fins and one removable middle fin for directional stability
- Drop stitch material provides unparalleled strength and durability
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- (2.10m, 82") Adjustable aluminum oar that can be used for surfing or paddling
- Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 13.5kg (29.8lb.)


### CONTENTS

- One Paddle Board
- One Oar
- One Hand Pump
- One Pressure Gauge
- One Travel Bag
- Repair Kit
- Seat With Backrest
- One Footrest
- One Leash





**HYDRO  
FORCE™**





# 65079

## COAST LINER SUP LITE

Inflated: 3.20 m x 81 cm x 12 cm (10' 6" x 32" x 5")

### SPECIFICATIONS

Weight Capacity	120 kg (265 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	17.2 kg (37.9 Lbs.)
Packaging	Full color box

### FEATURES

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- (2.95m, 84") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 17.2kg (37.9lb.)

### CONTENTS

- One Paddle Board
- One Oar
- One Hand Pump
- Repair Kit
- One Pressure Gauge
- One Deluxe Backpack
- One Leash



65079 & 65078



Quick Inflate/Deflate Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-In Deck Handle



Deluxe Backpack and Hand Pump

65078



Removable Seat

# 65078

## COAST LINER SUP LITE

Inflated: 3.20 m x 81 cm x 12 cm (10' 6" x 32" x 5")

### SPECIFICATIONS

Weight Capacity	120 kg (265 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	18.7 kg (41.7 Lbs.)
Packaging	Full color box

### FEATURES

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- (2.21m, 87") Adjustable aluminum oar that can be used for surfing or paddling
- Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 18.7kg (41.7lb.)



### CONTENTS

- One Paddle Board
- One Oar
- One Hand Pump
- Repair Kit
- One Pressure Gauge
- One Deluxe Backpack
- Seat With Backrest
- One Footrest
- One Leash





**HYDRO  
FORCE™**





# 65074

## OCEANA SUP

Inflated: 3.3 m x 76 cm x 12 cm (10' 10" x 30" x 5")

### SPECIFICATIONS

Weight Capacity	115 kg (254 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	16.6 kg (36.5 Lbs.)
Packaging	Full color box

### FEATURES

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.75 m (84") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to help easily pick up and carry the SUP

### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65073 & 65074



Quick Inflation/Deflation Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-In Deck Handle



Deluxe Backpack and Hand Pump

65073



Removable Seat

# 65073

## OCEANA SUP

Inflated: 3.3 m x 76 cm x 12 cm (10' 10" x 30" x 5")

### SPECIFICATIONS

Weight Capacity	115 kg (254 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	18.0 kg (39.7 Lbs.)
Packaging	Full color box

### FEATURES

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.71 m (87") Adjustable aluminum oar that can be used for surfing or paddling
- Seat with backrest
- Convenient deck handle to help easily pick up and carry the SUP


### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- One Seat
- One Footrest
- Repair Kit






**HYDRO  
FORCE™**







# 65083

## LONG TAIL SUP LITE

Inflated: 3.35 m x 76 cm x 15 cm (11' x 30" x 6")

### SPECIFICATIONS

Weight Capacity	145 kg (320 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	17.6 kg (38.7 Lbs.)
Packaging	Full color box

### FEATURES

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.15 m (84") Adjustable aluminum oar that can be used for surfing
- Convenient deck handle to help easily pick up and carry the SUP

### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- Repair Kit



65082 & 65083



Quick Inflate/Deflate Air Valve



Elastic Cord for Extra Storage



Non-Slip Traction Pad



Built-in Deck Handle



Deluxe Backpack and Hand Pump

65082



Removable Seat



# 65082

## LONG TAIL SUP LITE

Inflated: 3.35 m x 76 cm x 15 cm (11' x 30" x 6")

### SPECIFICATIONS

Weight Capacity	145 kg (320 Lbs.)
Passengers	1
Case Pack (cb m/pkg)	0.13/1 pc
kg (Lb.)	19.0 kg (42.0 Lbs.)
Packaging	Full color box

### FEATURES

- Three molded fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- 2.21 m (87") Adjustable aluminum oar that can be used for surfing or paddling
- Seat with backrest
- Convenient deck handle to help easily pick up and carry the SUP

### CONTENTS

- One Paddle Board
- One Paddle
- One Hand Pump
- One Deluxe Backpack
- One Pressure Gauge
- One Surf Leash
- One Seat
- One Footrest
- Repair Kit





**HYDRO-  
FORCE™**

THIS IS HOW YOU  
**RIDE**

When you want to get serious about spending the day  
on the water, Bestway® has just what you need.

It's time to get out and explore. Our kayaks, rafts and boats are  
designed with adventure in mind.





## 2.44 m (8 ft.) Planogram Store Display



Actual in-store displays may vary.



**HYDRO-FORCE™**





## KAYAK RANGE COMPARISON

396 cm (13 ft.)			
366 cm (12 ft.)			
335 cm (11 ft.)			
305 cm (10 ft.)			
274 cm (9 ft.)			
244 cm (8 ft.)			
213 cm (7 ft.)			
183 cm (6 ft.)			
152 cm (5 ft.)			
122 cm (4 ft.)			
91 cm (3 ft.)			
61 cm (2 ft.)			
30 cm (1 ft.)			
			
	<b>LITE-RAPID X2 KAYAK</b>	<b>KAYAKS VENTURA</b>	<b>BOLT X2 KAYAK</b>
	65077	65052	65061
<b>INFLATED LENGTH</b>	3.21 m (10.5 ft.)	3.30 m (10.5 ft.)	3.85 m (12.7 ft.)
<b>INFLATED WIDTH</b>	88 cm (35 in.)	94 cm (37 in.)	93 cm (37 in.)
<b>USER WEIGHT CAPACITY</b>	160 kg (350 lbs.)	200 kg (440 lbs.)	170 kg (374 lbs.)
<b>INTERNAL VOLUME</b>	379 L (100 Gal)	453 L (120 Gal)	411 L (108 Gal)
<b>OARS</b>	•	•	•
<b>PASSENGERS</b>	2	2	2



**HYDRO-FORCE™**





# 65077

## LITE-RAPID X2 KAYAK



Inflated: 3.21 m x 88 cm (126" x 35")

### SPECIFICATIONS

Material mm (Ga.)	0.57 (22.8)
Weight Capacity	160 kg (350 Lbs.)
Passengers	2
Case Pack (cb m/pkg)	0.06/1 pc
kg (Lb.)	13.8 kg (30.3 Lbs.)
Packaging	Full color box

### FEATURES

- Safety valves
- Sturdy pre-tested vinyl
- 2-person kayak
- Quick inflation/deflation screw valves
- Grab rope with built-in grommets
- Form-fitted construction prevents water from entering the cockpit
- Comfortable cockpit with inflatable seats
- One removable middle fin for directional stability
- Integrated drain valve
- Carrying handles
- Includes two 2.18 m (7.2') aluminum, two-bladed oars

### CONTENTS

- One Boat
- One Pair of Oars
- Heavy-duty Repair Patch

Comes with 2  
Aluminum Two-Bladed Oars





# HYDRO-FORCE™





# 65052

## KAYAKS VENTURA



Inflated: 3.30 m x 94 cm (130" x 37")

### SPECIFICATIONS

Material mm (Ga.)	0.60/0.40 (24.0/16.0)
Weight Capacity	200 kg (440 Lbs.)
Passengers	2
Case Pack (cb m/pkg)	0.11/1 pc
kg (Lb.)	17.4 kg (38.3 Lbs.)
Packaging	Full color box

### FEATURES

- Quick inflation/deflation screw valves
- Two removable side chambers & I-beam floor made from heavy gauge PVC
- Premium coated nylon hull that is resistant to sun, oil, and sea water
- Integrated drain valve
- Removable fins for directional stability
- 3 air chambers construction
- Includes two 2.18m (86") aluminum two-bladed oars and one 37cm (14.5") Air Hammer™ inflation pump
- Sporting boat
- Heavy-duty repair patch
- Full color box
- 1 Ea., 17.4kg (38.3Lb.)

### CONTENTS

- One Boat
- One Pair of Oars
- One Hand Pump
- Heavy-duty Repair Patch
- One Pressure Gauge

Comes with 2  
Aluminum Two-Bladed Oars



Length:  
3.30 m (130")





# HYDRO-FORCE™





# 65061

## BOLT X2 KAYAK

Inflated: 3.85 m x 93 cm (152" x 37")

### SPECIFICATIONS

Material mm (Ga.)	0.70/0.73 [28.0/29.2]
Weight Capacity	170 kg [374 Lbs.]
Passengers	2
Case Pack (cb m/pkg)	0.11/1 pc
kg (Lb.)	18.4 kg [40.5 Lbs.]
Packaging	Full color box

### FEATURES

- Quick inflation/deflation air valves
- Removable fins for directional stability
- Extra strength, 3-ply reinforced vinyl
- Two adjustable seats with storage compartments
- Integrated drain valve
- Carrying handles
- Includes two 2.18 m (7.2') aluminum two-bladed oars and one 37 cm (14.5") Air Hammer™ inflation pump (VP3045)
- Sporting boat

### CONTENTS

- One Boat
- One pair of Oars
- One Hand Pump
- One Pressure Gauge
- One Carrying Bag
- Heavy-duty Repair Patch

Comes with 2  
Aluminum Two-Bladed Oars



Length:  
3.85 m (152")



299 cm (10 ft.)  
 266 cm (8 ft.)  
 211 cm (6 ft.)  
 185 cm (6 ft.)  
 174 cm (5 ft.)  
 164 cm (5 ft.)  
 133 cm (4 ft.)  
 103 cm (3 ft.)  
 157 cm (5 ft.)  
 122 cm (4 ft.)  
 93 cm (3 ft.)  
 61 cm (2 ft.)  
 32 cm (1 ft.)



	RX-SERIES RAFT 61106	RX-SERIES RAFT 61103	RX-SERIES RAFT 61104	RX-SERIES RAFT 61105	RX-SERIES RAFT 61107	RAFT 61063	RAFT 61064
<b>INFLATED LENGTH</b>	1.55 m (51 in.)	1.88m (74 in.)	2.23 m (88 in.)	2.50 m (98 in.)	2.23 m (88 in.)	1.94 m (6.3 ft.)	2.28 m (7.5 ft.)
<b>INFLATED WIDTH</b>	93 cm (37 in.)	98 cm (39 in.)	1.18 m (43 in.)	1.18 m (46 in.)	1.10 m (43 in.)	1.18 m (43 in.)	1.21 m (48 in.)
<b>USER WEIGHT CAPACITY</b>	80 kg (178 Lbs.)	120 kg (264 Lbs.)	190 kg (418 Lbs.)	225 kg (495 Lbs.)	190 kg (418 Lbs.)	120 kg (264 Lbs.)	170 kg (374 Lbs.)
<b>INTERNAL VOLUME</b>	187 L (49 Gal)	257 L (68 Gal)	400 L (106 Gal)	474 L (125 Gal)	400 L (106 Gal)	275 L (72 Gal)	308 L (81 Gal)
<b>OARS</b>					•		
<b>PASSENGERS</b>	1	2	2	3	2	2	2



## CLASSIC BOAT RANGE COMPARISON



RAFT	RAFT	RAFT X2	VOYAGER 300	VOYAGER 500	NEVA III
61065	61066	65060	65051	65001	65008
2.55 m (8.3 ft.)	3.07 m (10.1 ft.)	2.55 m (100 in.)	2.43 m (96 in.)	3.48 m (137 in.)	3.16 m (124 in.)
1.27 m (50 in.)	1.26 m (50 in.)	1.30 m (43 in.)	1.02 m (40 in.)	1.41 m (56 in.)	1.24 m (49 in.)
225 kg (495 Lbs.)	270 kg (594 Lbs.)	190 kg (418 Lbs.)	170 kg (374 Lbs.)	260 kg (573 Lbs.)	300 kg (661 Lbs.)
481 L (127 Gal)	617 L (163 Gal)	386 L (102 Gal)	396 L (105 Gal)	700 L (185 Gal)	629 L (166 Gal)
3	4	2	2	3	3



**HYDRO-FORCE™**





# 61106 61103 61104 61105 61107

## RX-SERIES RAFT



### SPECIFICATIONS

Item Number	Deflated Size	Inflated Size	Material mm (Ga.)	Weight Capacity	Passengers	Oars	Pump	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
61106	1.65m x 1.07m (65" x 42")	1.55m x 93cm (61" x 37")	0.30 (12.0)	80 kg (178 Lbs.)	1			0.06/6pcs	13.8 kg (30.5 Lbs)	Full color box
61103	1.97m x 1.15m (77" x 45")	1.88m x 98cm (74" x 39")	0.35 (14.0)	120 kg (264 Lbs.)	2			0.05/4pcs	13.2 kg (29.1 Lbs)	Full color box
61104	2.34m x 1.35m (92" x 53")	2.23m x 1.10m (88" x 43")	0.42 (16.8)	190 kg (418 Lbs.)	2			0.06/3pcs	15.4 kg (34.0 Lbs)	Full color box
61105	2.62m x 1.47m (103" x 58")	2.50m x 1.18m (98" x 46")	0.47 (18.8)	225 kg (495 Lbs.)	3			0.05/2pcs	13.0 kg (28.6 Lbs)	Full color box
61107	2.34m x 1.35m (92" x 53")	2.23m x 1.10m (88" x 43")	0.42 (16.8)	190 kg (418 Lbs.)	2	•	•	0.06/2pcs	12.3 kg (27.1 Lbs)	Full color box

### FEATURES

- 3 air chambers construction
- Quick inflation/deflation screw valves
- All around grab rope with built-in grommets
- Inflatable floor for extra comfort
- Study carlocks
- Tow ring
- Includes one pair of 1.24m (49") oars (62015) and one 30cm (12") inflation pump (62002) for 61107

### CONTENTS


- One Boat
- Heavy-duty Repair Patch



61106	61103	61104	61105	61107
80KG 178Lb	120KG 264Lb	190KG 418Lb	225KG 495Lb	190KG 418Lb



**HYDRO-FORCE™**






# 61063 61064 61065 61066 61083 61068

## RAFT

OPTIONAL ACCESSORIES



62069



Heavy-Duty Handle

Grab Rope

Rope Grommet

Inflatable Seat Cushion

Inflatable Floor

Darlock

Oar Clasp

Safety Air-Chamber Construction

Screw Valve

### SPECIFICATIONS

Item Number	Deflated Size	Inflated Size	Material mm (Ga.)	Weight Capacity	Passengers	Oars	Pump	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
61063	1.98 m x 1.22 m (6.5' x 48")	1.94 m x 1.10 m (6.3' x 43")	0.37 (14.8)	120 kg (264 Lbs.)	2			0.05/4 pcs	13.5 kg (29.7 Lbs.)	Full color box
61064	2.34 m x 1.35 m (7.7' x 53")	2.28 m x 1.21 m (7.5' x 48")	0.42 (16.8)	170 kg (374 Lbs.)	2			0.06/3 pcs	15.5 kg (34.2 Lbs.)	Full color box
61065	2.62 m x 1.45 m (8.6' x 57")	2.55 m x 1.27 m (8.5' x 50")	0.47 (18.8)	225 kg (495 Lbs.)	3			0.05/2 pcs	15.8 kg (34.9 Lbs.)	Full color box
61066	3.18 m x 1.52 m (10.4' x 66")	3.07 m x 1.25 m (10.1' x 50")	0.52 (20.8)	270 kg (594 Lbs.)	4			0.04/1 pcs	10.4 kg (22.9 Lbs.)	Full color box
61083	2.34 m x 1.35 m (7.7' x 53")	2.28 m x 1.21 m (7.5' x 48")	0.42 (16.8)	170 kg (374 Lbs.)	2	•	•	0.07/2 pcs	12.6 kg (27.7 Lbs.)	Full color box
61068	2.62 m x 1.45 m (8.6' x 57")	2.55 m x 1.27 m (8.5' x 50")	0.47 (18.8)	225 kg (495 Lbs.)	3	•	•	0.08/2 pcs	17.9 kg (39.4 Lbs.)	Full color box

### FEATURES

- 3 air chambers construction
- Quick inflation/deflation screw valves
- Safety valves
- Sturdy pre-tested vinyl
- All around grab rope with built-in grommets
- Inflatable floor for extra comfort
- Inflatable seat cushions (for 61065, 61066)
- Includes motor mount grommets for use with Bestway motor mount (#62069) and motors (#65043, #65045). (motor and motor mount not included) (for 61065, 61066)
- Heavy-duty handle (except 61063)
- Sturdy darlocks
- Oar clasps (except 61063)
- Tow ring
- Max. power: 1.0 kw (1.4 hp) (for 61065, 61066)

### CONTENTS

- One Boat
- Heavy-duty Repair Patch

Length: 1.94 m (6.3')

61063



Length: 2.28 m (7.5')

61064




Length: 2.55 m (8.3')

61065



Length: 3.07 m (10.1')

61066



61063	61064	61065	61066	61083	61068



# HYDRO-FORCE™





# 65060

## RAFT X2



OPTIONAL  
ACCESSORIES



62069

Inflated: 2.55 m x 1.10 m (100" x 43")

### SPECIFICATIONS

Material mm (Ga.)	0.50 (20.0)
Weight Capacity	190 kg (418 Lbs)
Passengers	2
Case Pack (cb m/pkg)	0.05 / 2pcs
kg (Lb.)	13.8 kg (30.5 Lb.)
Packaging	Full color box

### FEATURES

- 3 air chambers construction
- Quick inflation/deflation screw valves
- All around grab rope with built-in grommets
- Includes motor mount grommets for use with Best way motor mount (62069) and motors (66043, 65045). (Motor and motor mount not included.)
- Tow ring
- Max. Power: 1.0kw (1.4hp)
- Heavy-duty repair patch

### CONTENTS

- One Boat
- Heavy-duty Repair Patch



Length:  
2.55 m (100")

CLASSIC RANGE - 49



**HYDRO-FORCE™**





# 65051

## VOYAGER 300



Inflated: 2.43 m x 1.02 m (96" x 40")

### SPECIFICATIONS

Material mm (Ga.)	0.42 (16.8)
Weight Capacity	170 kg (374 Lbs.)
Passengers	2
Case Pack (cb m/pkg)	0.08/2 pcs
kg (Lb.)	15.0 kg (33.0 Lbs.)
Packaging	Full color box

### FEATURES

- Quick inflation/deflation screw valves
- Safety valve
- Sturdy pre-tested vinyl
- 3 air chambers construction
- All around grab rope with built-in grommets
- Inflatable I-beam floor for comfort and rigidity
- Heavy-duty handles
- Sturdy overlocks
- Oar clasps
- Integrated fishing rod-holders
- Tow ring
- Includes two 1.45 m (57") sectional aluminum oars (62064)
- Heavy-duty Repair Patch

### CONTENTS

- One Boat
- One Pair of Oars
- Repair Patch



Length:  
2.43 m (96")



# HYDRO-FORCE™





# 65001

## VOYAGER 500



Inflated: 3.48 m x 1.41 m (137" x 56")

### SPECIFICATIONS

Material mm (Ga.)	0.55 (22.0)
Weight Capacity	260 kg (573 Lbs.)
Passengers	3
Case Pack (cb m/pkg)	0.08/1 pc
kg (Lb.)	15.4 kg (34.0 Lbs.)
Packaging	Full Color Box

### FEATURES

- Quick inflation/deflation screw valves
- Durable, pre-tested PVC material
- 360° grab rope with built-in grommets
- Convenient storage space
- Inflatable floor & seat cushions for extra comfort
- Includes motor mount grommets for use with #62069 motor mount and motors #65043, #65045 (Motor and motor mount not included)
- Heavy-duty handles
- Mounted fishing rod holders
- Sturdy earlocks, ear clasps, tow ring
- Includes two 1.45 m (57") sectional aluminum oars (#62064)

### CONTENTS


- One Boat
- One Pair of Oars
- Heavy-duty Repair Patch



Length:  
3.48 m (137")



# HYDRO-FORCE™







# 65008

## NEVA III

Inflated: 3.16 m x 1.24 m (124" x 49")

### SPECIFICATIONS

Material mm (Ga.)	0.50 (20 G)
Weight Capacity	300 kg (661 Lb.)
Passengers	3
Case Pack (cb m/pkg)	0.07/1 pc
kg (Lb.)	13.3 kg (29.4 Lbs.)
Packaging	Full Color Box

### FEATURES

- Quick inflation/deflation screw valves
- Safety valves
- Durable, pre-tested PVC Material
- 360° grab rope with built-in grommets
- Inflatable floor & seat cushions for extra comfort
- Heavy-duty handles
- Mounted fishing rod holders
- Sturdy oarlocks
- Heavy-duty repair patch

### CONTENTS

- One Boat
- Repair Patch





315 cm (11 ft.)

295 cm (10 ft.)

274 cm (9 ft.)

244 cm (8 ft.)

233 cm (7 ft.)

183 cm (6 ft.)

152 cm (5 ft.)

122 cm (4 ft.)

91 cm (3 ft.)

61 cm (2 ft.)

30 cm (1 ft.)



	VOYAGER 1000 RAFT	HYDRO-FORCE™ MARINE PRO	HYDRO-FORCE™ CASPIAN
	65056	65044	65046
INFLATED LENGTH	2.91 m (115 in.)	2.91 m (115 in.)	2.30 m (91 in.)
INFLATED WIDTH	1.27 m (50 in.)	1.27 m (50 in.)	1.30 m (51 in.)
INFLATED HEIGHT	46 cm (18 in.)	46 cm (18 in.)	33 cm (13 in.)
USER WEIGHT CAPACITY	270 kg (594 lbs.)	270 kg (594 lbs.)	258 kg (568.8 lbs.)
INTERNAL VOLUME	651 L (172 Gal)	661 L (172 Gal)	485 L (102 Gal)
OARS	•	•	•
PASSENGERS	3	3	2



## SPORT BOAT RANGE COMPARISON



### HYDRO-FORCE™ NAV RAPIDS

65064

2.70 m (106 in.)

1.37 m (54 in.)

37 cm (15 in.)

380 kg (837 lbs.)

558 L (147 Gal)



3

### HYDRO-FORCE™ CASPIAN PRO

65047

2.80 m (110 in.)

1.52 m (60 in.)

42 cm (16.5 in.)

480 kg (1058.2 lbs.)

773 L (204 Gal)



4

### HYDRO-FORCE™ MIROVIA PRO

65049

3.30 m (130 in.)

1.62 m (64 in.)

44 cm (17 in.)

640 kg (1411 lbs.)

1011 L (267 Gal)



5



# HYDRO-FORCE™





# 65056

## VOYAGER 1000 RAFT

Inflated: 2.91 m x 1.27 m x 46 cm (115" x 50" x 18")

### SPECIFICATIONS


Material mm (Ga.)	0.65 / 0.73 (26.0 / 29.2)
Weight Capacity	270 kg (594 Lb.)
Passengers	2 adults + 1 child
Case Pack (cb m/pkg)	0.09/1 pc
kg (Lb.)	15.0 kg (33.1 Lb.)
Packaging	Full color box

### FEATURES

- Safety valves
- Extra strength, 3-ply reinforced vinyl
- Quick inflation/deflation screw valves
- Omni-directional oarlocks
- Integrated Fishing Rod Holders
- Safety-grab rope
- Comfortable inflatable cushions
- High-pressure inflatable floor
- Includes motor mount grommets for use with Bestway motor mount (#62069) and motors (#65043, #65045). (Motor and motor mount not included)
- Package also includes:
  - 1.52m (60") aluminum oars that can be taken apart for convenient storage and transport
  - 37cm (14.5") Air Hammer™ inflation pump (#62086)
  - Heavy-duty repair patch
  - Storage bag

### CONTENTS

- One Boat
- One Pair of Oars
- One Hand Pump
- One Storage Bag
- Repair Patch



Height: 46 cm (18")



Length:  
2.91 m (115")





# HYDRO-FORCE™





# 65044

## MARINE PRO

Inflated: 2.91 m x 1.27 m x 46 cm (115" x 50" x 18")

### SPECIFICATIONS


Material mm (Ga.)	0.65 / 0.73 (26.0 / 29.2)
Weight Capacity	270 kg (594 Lb.)
Passengers	2 adults + 1 child
Case Pack (cb m/pkg)	0.09/1 pc
kg (Lb.)	15.0 kg (33.1 Lb.)
Packaging	Full color box

### FEATURES

- Safety valves
- Extra strength, 3-ply reinforced vinyl
- Quick inflation/deflation screw valves
- Omni-directional carlocks
- Integrated Fishing Rod Holders
- Safety Grab Rope
- Comfortable inflatable cushions
- High-pressure inflatable floor
- Includes motor mount grommets for use with Bestway motor mount (#62069E) and motors (#65043E, #65045E) (Motor and motor mount not included)
- Package also includes:
  - 1.52m (60") aluminum oars that can be taken apart for convenient storage and transport
  - 37cm (14.5") Air Hammer™ inflation pump (#62086)
  - Heavy-duty repair patch
  - Storage bag

### CONTENTS

- One Boat
- One Pair of Oars
- One Hand Pump
- One Storage Bag
- Repair Patch



Height: 46 cm (18")



Length:  
2.91 m (115")





# HYDRO-FORCE™





# 65046

## CASPIAN

Inflated: 2.30 m x 1.30 m x 33 cm (91" x 51" x 13")

### SPECIFICATIONS


Material mm (Ga.)	0.70 (28.0)
Weight Capacity	258 kg (568.8 Lb.)
Passengers	2
Case Pack (cb m/pkg)	0.17/1 pc
kg (Lb.)	25.0 kg (55.1 Lb.)
Packaging	Shelf box w/picture

### FEATURES

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- 2-air-chambers construction
- Marine-grade plywood floorboards and transom, durable and comfortable
- Metal steel tow rings
- Quick inflation/deflation air valves
- Extra tough strakes protects against impact and friction
- Molded motor mount (Motor not included)
- Light and easy to roll-up plywood floorboards
- Omni-directional earlocks
- Safety-grab ropes
- Integrated drain valve
- Package also includes:
  - 10m (33') towrope
  - 1.45m (57") aluminum oars that can be taken apart for convenient storage and transport
  - 37cm (14.5") Air Hammer™ inflation pump (#62086)
  - Repair kit

### CONTENTS

- One Boat
- One Pair of Oars
- One Hand Pump
- One Pressure Gauge
- Repair Kit



Height: 33 cm (13")



Length: 2.30 m (91")





# HYDRO-FORCE™





# 65064

## NAV RAPIDS

Inflated: 2.70 m x 1.37 m x 37 cm (106" x 54" x 15")

### SPECIFICATIONS


Material mm (Ga.)	0.70 (28.0)
Weight Capacity	380 kg (837 Lb.)
Passengers	3
Case Pack (cb m/pkg)	0.19/1 pc
kg (Lb.)	30.5 kg (67.2 Lb.)
Packaging	Shelf box w/picture

### FEATURES

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- 3-air-chamber construction
- Marine-grade plywood floorboards and transom, durable and comfortable
- Metal steel tow rings
- Carrying Handles
- Quick inflation/deflation air valves
- Extra tough strake protects against impacts and friction
- Molded metal motor mount (Motor not included; Max. Power: 3.7 KW /5 HP)
- Light and easy to roll-up plywood floorboards
- Omni-directional carlocks
- Safety-grab ropes
- Integrated drain valve
- Package also includes:
  - 10m (33') tow rope
  - 1.62 m (54") aluminum oars that can be taken apart for convenient storage and transport
  - 37cm (14.5") Air Hammer™ inflation pump (#62086)
  - Repair kit

### CONTENTS

- One Boat
- One pair of Oars
- One Hand Pump
- One Pressure Gauge
- One Carrying Bag
- Repair Kit



Height: 37 cm (15")



Length: 2.70 m (106")





# HYDRO-FORCE™





# 65047

## CASPIAN PRO

Inflated: 2.80 m x 1.52 m x 42 cm (110" x 60" x 16.5")

### SPECIFICATIONS

Material mm (Ga.)	0.85 (34.0)
Weight Capacity	480 kg (1058.2 Lb.)
Passengers	3 adults + 1 child
Case Pack (cb m/pkg)	0.26/1 pc
kg (Lb.)	47.4 kg (104.5 Lb.)
Packaging	Shelf box w/picture

### FEATURES

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- 4-air-chambers construction with high-pressure inflatable keel
- Marine-grade plywood floorboards and transom, durable and comfortable
- Metal steel tow rings
- Carrying Handles
- Quick inflation/deflation air valves
- Extra tough stroke protects against impacts and friction
- Molded metal motor mount (Motor not included)
- Easy to assemble floorboards and bench seats - no tools needed
- Omni-directional oarlocks
- Safety-grab ropes
- Integrated drain valve
- Package also includes:
  - 10m (33') tow rope
  - 1.62m (54") aluminum oars that can be taken apart for convenient storage and transport
  - 37cm (14.5") Air Hammer™ inflation pump (#62086)
  - Durable carrying bag

### CONTENTS

- One Boat
- One pair of Oars
- One Hand Pump
- One Pressure Gauge
- One Carrying Bag
- Repair Kit




Height: 42 cm (16.5")



Length: 2.80 m (110")

SPORT RANGE - b7





# HYDRO-FORCE™





# 65049

## MIROVIA PRO

Inflated: 3.30 m x 1.62 m x 44 cm (130" x 64" x 17")

### SPECIFICATIONS


Material mm (Ga.)	0.90 (36.0)
Weight Capacity	640 kg (1411 Lb.)
Passengers	4 adults + 1 child
Case Pack (cb m/pkg)	0.31/1 pc
kg (Lb.)	66.5 kg (146.6 Lb.)
Packaging	Shelf box w/picture

### FEATURES

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- 4-air-chambers construction with high-pressure inflatable keel
- Marine-grade aluminum alloy floorboards and plywood transom
- Metal steel tow rings
- Carrying handles
- Quick inflation/deflation air valves
- Extra tough strake protects against impact and friction
- Molded metal motor mount (Motor not included)
- Easy to assemble floorboards and bench seats – no tools needed
- Omni-directional outlocks
- Safety-grab ropes
- Integrated drain valve
- Package also includes:
  - 10m (33') tow rope
  - 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
  - 37cm (14.5") Air Hammer™ inflation pump (#62086)
  - Durable carrying bag
  - Fixed buckle for oil box

### CONTENTS

- One Boat
- One pair of Oars
- One Hand Pump
- One Pressure Gauge
- One Carrying Bag
- Repair Kit



Height: 44cm (17")



Length: 3.30 m (130")






## 65043 65045

312W MOTOR/624W MOTOR

### SPECIFICATIONS

Item No.	65043	65045
Thrust (N)	142.4	245
Thrust (lbs.)	32	55
Voltage (V)	12	12
Power (W)	312	624
Power (HP)	0.42	0.85
Handle Length (mm)	195/310	195/310
Handle Length (in)	7.68/12.2	7.68/12.2
Shaft Length (mm)	713.2	914
Shaft Length (in)	28	36
Propeller Blade	2	2
Motor Type	BRUSH MOTOR	BRUSH MOTOR
Speed	5 forward, 3 reverse	5 forward, 3 reverse
Net weight (kg)	7.1	9.5
Net weight (lbs.)	15.65	20.9
Gross Weight (kg)	9.0	11.6
Gross Weight (lbs.)	19.84	25.57
Package	Shelf box with picture	Shelf box with picture
Contents	One Motor	One Motor
Battery Meter	Battery not included.	Voltage Meter can warn the end-user when the voltage is low. Battery not included.





# 62069

## MOTOR MOUNT

### FEATURES

- Attaches to most inflatable boats
- Supports a motor
- Assemble easily
- Adjustable stainless steel tube
- Fits up to 3.0 HP gas outboard motors
- Suitable for electrical outboard motors
- Full color box
- 4 Ea., 11.5 kg (25.4 lb.)

Item No.	Description	Electric Outboard Motor	Maximum Power
65001	Voyager 500	•	1.0 kw (1.4 hp)
65044	Hydro-Force™ Marine Pro	•	1.0 kw (1.4 hp)
65056	Voyager 1000 Raft	•	1.0 kw (1.4 hp)
61065	Hydro-Force™ Raft	•	1.0 kw (1.4 hp)
61066	Hydro-Force™ Raft	•	1.0 kw (1.4 hp)
61068	Hydro-Force™ Raft Set	•	1.0 kw (1.4 hp)
65060	Hydro-Force™ Raft X2	•	1.0 kw (1.4 hp)





## 62015

### OARS

1.24 m (49")

#### SPECIFICATIONS

Material	Sections	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
x	x	0.06/12 pcs	8.6 kg (18.9 Lbs.)	Polybag with header card

#### FEATURES

- Three-section structure
- Easy to assemble and disassemble
- Ribbed blade
- Light and strong plastic material
- 12 Pcs., 8.6 kg (18.9 Lb.)



## 62064

### SECTIONAL ALUMINUM OARS

2.18 m (86") / 1.45 m (57")

#### SPECIFICATIONS

Material	Sections	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
x	x	0.05/6 pcs	8.6 kg (18.9 Lbs.)	Polybag with header card

#### FEATURES

- Multi-functional:
  - Use as two, 1.45 m (57") oars
  - Combine and use as a single, 2.18 m (86") twin blade paddle
- Aluminum pole sectionals
- Sturdy twist-locking section connectors and blades
- 6 Pcs., 8.6 kg (18.9 Lb.)



## 62095

### ALUMINUM OAR

2.15 m (84")

#### SPECIFICATIONS

Material	Sections	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
Nylon+GF/ Aluminum/ABS/ Stainless steel	3	0.04/6 pcs	7.1 kg (15.6 Lbs.)	Polybag with header card

#### FEATURES

- 2.15 m (84") retractable paddle
- Adjustable length from 1.7 m (67") to 2.15 m (84")
- Aluminum pole sections
- Easy to connect with spring button lock
- 6 Pieces, 7.1 kg (15.6 Lb.)





# 62096

## ALUMINUM OAR

2.21 m (87")

### SPECIFICATIONS

Material	Sections	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
Nylon + GF/ Aluminum/ABS/ Stainless steel	4	0.06/6 pcs	10.3 kg (22.6 Lbs)	Polybag with header card

### FEATURES

- 2.21 m (87") long, multi-functional paddle.
- Can be used as a single-blade paddle - the length can be adjusted from 1.7 m (67") to 2.15 m (84")
- Can also be used as a twin-blade paddle - 2.21 m (87") in length
- Aluminum pole sections
- Easy to connect with spring button lock
- 6 Pieces, 10.3 kg (22.6 Lb.)



# 65087

## SUP STABILIZATION BRACE


Length: 1.5 m (59")

### SPECIFICATIONS

Material mm (Ga.)	Sections	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
0.73 (29.2)	x	0.07/4 pcs	11.8 kg (26.0 Lbs.)	Full color box

### FEATURES

- Pre-tested materials and quality-tested construction
- Superior strength, high-density, sunlight resistant,ethylene supported PVC
- Quick inflation/deflation air valve
- Easy to set up
- Raises the buoyancy to keep the SUP steady



### CONTENTS

- One Pair of Braces

# 62100

## COIL LEASH

Inflated: 3.6 m (12')

### SPECIFICATIONS

Material	Sections	Case Pack (cb m/pkg)	kg (Lb.)	Packaging
x	x	0.02/12 pcs	4.1 kg (9.0 Lbs.)	Color box with opening

### FEATURES

- Design of two part: coil and straight part.
- Comfortable material fits your ankle
- Coil leash keeps the paddle tethered to you, providing additional safety in the event you fall off the board
- Color box with opening



### CONTENTS

- One Leash



# ACCESSORIES





# INDEX

## SUPS

62100	pg 11
65087	pg 11
65085	pg 15
65081	pg 17
65080	pg 17
65066	pg 19
65065	pg 19
65068	pg 21
65067	pg 21
65070	pg 23
65069	pg 23
65055	pg 25
65054	pg 25
65079	pg 27
65078	pg 27
65074	pg 29
65073	pg 29
65083	pg 31
65082	pg 31

## KAYAKS

65077	pg 37
65052	pg 39
65061	pg 41

## RAFTS

61106	pg 45
61103	pg 45
61104	pg 45
61105	pg 45
61107	pg 45
61063	pg 47
61064	pg 47
61065	pg 47
61066	pg 47
61083	pg 47
61068	pg 47
65060	pg 49

## BOATS

65051	pg 51
65001	pg 53
65008	pg 55
65056	pg 59
65044	pg 61
65046	pg 63
65064	pg 65
65047	pg 67
65049	pg 69

## ACCESSORIES

65043	pg 70
65045	pg 71
62069	pg 71
62015	pg 72
62064	pg 72
62095	pg 72
62096	pg 73
65087	pg 73
62100	pg 73



# 2017 COLLECTION

## — HYDRO-FORCE™ WATER SPORTS —

### SHANGHAI



Bestway Global Holding Inc.  
No. 3065 Cao An Road,  
Shanghai, 201812, China  
Tel: 86 21 6913 5588  
Fax: 86 21 5913 8383  
E-mail: [info@bestwaycorp.com](mailto:info@bestwaycorp.com)

### HONG KONG



Bestway (Hong Kong) International Ltd.  
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,  
66 Mody Road, Kowloon, Hong Kong  
Tel: 852 2997 7169  
Fax: 852 2997 7869  
E-mail: [info@bestwaycorp.hk](mailto:info@bestwaycorp.hk)

### EUROPE



Bestway (Europe) S.r.l.  
Via Resistenza, 5  
20098 San Giuliano M.se (MI), Italy  
Tel: 39 02 9884 881  
Fax: 39 02 9884 8828  
E-mail: [info@bestwaycorp.eu](mailto:info@bestwaycorp.eu)

### LATIN AMERICA



Bestway Central & South America Ltda  
Salar Ascotan 1282, Parque Enea,  
Pudahuel, Santiago, Chile  
Tel: 562 3203 6438  
Fax: 562 3203 6409  
E-mail: [info@bestwaycorp.lat](mailto:info@bestwaycorp.lat)

### U.S.A.



Bestway (USA) Inc.  
3411 E. Harbour Drive, Phoenix, Arizona  
85034, United States of America  
Tel: 1 480 838 3888  
Fax: 1 480 304 3349  
E-mail: [info@bestwaycorp.us](mailto:info@bestwaycorp.us)

### AUSTRALIA



Bestway Australia Pty Limited  
Unit 10/71-83 Asquith Street,  
Silverwater, NSW 2128, Australia  
Tel: 61 2 9837 1388  
Fax: 61 2 9737 9423  
E-mail: [info@bestwaycorp.com.au](mailto:info@bestwaycorp.com.au)

### BRAZIL



Bestway Brazil  
Rua São João, 1648 Maringá - PR - Brazil  
Zip Code: 87030-201  
Tel: 0800 001 8400  
E-mail: [info@bestwaycorp.com.br](mailto:info@bestwaycorp.com.br)

### FRANCE



Bestway France Sarl  
Espace Berlioz, 100 rue Albert Caquot  
06410 Biot France  
Tel: 33 4 97 04 92 99  
Fax: 33 4 97 04 91 07  
E-mail: [info@bestwaycorp.fr](mailto:info@bestwaycorp.fr)

### GERMANY



Bestway Deutschland GmbH  
Parkstraße 11  
24534 Neumünster, Germany  
Tel: 49 4321 555 05 - 0  
Fax: 49 4321 555 05 - 55  
E-mail: [info@bestwaycorp.de](mailto:info@bestwaycorp.de)

### RUSSIA



Bestway Rus Ltd  
Off.236, Leninskiy prospect 140,  
Saint-Petersburg, 198216 Russia  
Tel: 7 812 645 9041  
Fax: 7 812 645 9044  
E-mail: [info@bestwaycorp.ru](mailto:info@bestwaycorp.ru)



[www.bestwaycorp.com](http://www.bestwaycorp.com)

