



2021

ABOVE GROUND POOLS

ABOVE GROUND POOLS 2021

Bestway

ABOVE GROUND POOLS

SHANGHAI

Bestway Inflatables & Material Corp.
No. 208 Jin Yuan Wu Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing,
Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
E-mail: info@bestwaycorp.us

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (Mi), Italy
Tel: 39 02 9884 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.
Ul. Ekologiczna 24
05-080 Kludyn Poland
Tel: 48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL

Bestway Brazil
Av Cerro Azul, 2783 Maringa - PR - Brazil
Zip Code: 87010-055
Tel: 55 44 3046 2950 / 0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl
1681 route des Dolines
- Les Tairssounières - Belem
06560 VALBONNE
Tel: 33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
E-mail: info@bestwaycorp.de



[f](https://www.facebook.com/bestwaycorp) [i](https://www.instagram.com/bestwaycorp) [y](https://www.youtube.com/bestwaycorp) www.bestwaycorp.com

©2020 Bestway Inflatables & Material Corp. All rights reserved.
®™ Trademarks owned and managed by Bestway Inflatables & Material Corp.



20 | CATALOG
21 | COLLECTION



OUR VISION
We create fun, lasting experiences for everyone in the world through the products and service we provide.

MISSION
Happiness — Happy Consumers, Happy Employees, Happy World



Vertically integrated



Customer focused



Innovative



Sustainable



Consumer driven




Fully owned production facilities



Public stock exchange

BESTWAY WORLD



★ HEADQUARTER

◆ R&D CENTER

◆ OVERSEAS SUBSIDIARY

◆ PRODUCTION FACILITY




THE BESTWAY® CATALOG APP

Easily access all of our Bestway® catalogs while on the go with our brand new app. Download to see the conveniently portable, digital versions of our catalogs!

VIEW THE LATEST CATALOGS

QUICKLY FLIP THROUGH AND FIND ANY PRODUCT

REVIEW PRODUCT DETAILS AND PHOTOS





CONTENTS

- **1. Fast Set™ Pools** pg 10
- **2. Steel Pro™ Pools** pg 16
- **3. Steel Pro MAX™ Pools** pg 22
Round pg 26
- **4. Power Steel™ Pools** pg 32
Round pg 36
Rectangular pg 38
Oval pg 42

Power Steel™ Swim Vista Series™ II pg 46
Round pg 46
Oval pg 48

Power Steel™ Comfort Jet Series™ pg 50
- **Kiddie Pools** pg 52
- **Swimfinity™** pg 56
- **Hydro-Pro™** pg 58
- **5. Flowclear™ Accessories** pg 60
Filtration pg 62
Environment pg 74
Maintenance Equipment pg 78
Pool Covers/Ground Cloths pg 94

1



2



3



4



5



Customer Service


For Your Local Contact, Please Visit

BESTWAYCORP.COM

Provide your customers with the quality products and advanced customer service support they deserve. Bestway's online services and call centers allow customers to easily resolve any issues that may arise with their Bestway products. Our website is a great source of information, offering downloadable manuals, instructional videos, FAQ's and the ability to order spare parts. Regional call centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.


PT | POOL TECHNOLOGY HIGHLIGHTS

Taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.



STEEL FRAME DESIGN WITH ADVANCED SEAL & LOCK SYSTEM™

The advanced design of the Seal & Lock System™ is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.



NEW YEAR. NEW VIEW

SWIM VISTA built-in pool windows bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo. These windows are immediate conversation starters and enjoyable for all.

And they're built to last. Clear, durable plastic is welded onto the pool vinyl. They'll last all summer long - as will the fun!



STEEL FRAME CONNECTION WITH FRAMELINK SYSTEM™

The corrosion resistant steel frame is held together with the FrameLink System™ to ensure safe and secure connections. The Steel Pro MAX™ version features adaptors for add-ons, such as cup holders.



A HANDS-FREE SOLUTION FOR CHLORINE CLEANING

We've introduced the CHEMCONNECT™ chlorine dispenser. This device works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.




FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time!
No tools required for a Bestway® Fast Set Pool!



Technology Highlights

Product Design



Tritech™
3-layer puncture resistant liner material



Self-Supporting
Inflatable Top Ring




No Tools Required
Easy to Assemble



Planogram

Store Display



Actual in-store displays may vary.

Product Matrix

Pool Range

Depth	20 - 26 in. / 51 - 66 cm
	6 ft. x 20 in. / 1.83 m x 51 cm Fast Set™ Pool PG. 12
	8 ft. x 26 in. / 2.44 m x 66 cm Fast Set™ Pool PG. 12
30 - 33 in. / 76 - 84 cm	
	10 ft. x 30 in. / 3.05 m x 76 cm Fast Set™ Pool PG. 13
	12 ft. x 30 in. / 3.66 m x 76 cm Fast Set™ Pool PG. 13
	13 ft. x 33 in. / 3.96 m x 84 cm Fast Set™ Rattan Pool PG. 14
	15 ft. x 33 in. / 4.57 m x 84 cm Fast Set™ Pool PG. 13
	15 ft. x 33 in. / 4.57 m x 84 cm Fast Set™ Paradise Palms Pool PG. 15
42 in. / 1.07 m	
	15 ft. x 42 in. / 4.57 m x 1.07 m Fast Set™ Rattan Pool PG. 14



57315



Water Capacity (80%): 1,004 gal. (3,800 L)

10 ft. x 30 in. / 3.05 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57307E	US	1	18.2 (8.2)			
57307	North America	1	18.2 (8.2)			
57307	Oceania	1	18.2 (8.2)			
57266	Europe	1	18.2 (8.2)			
57269E	US	1	24.5 (11.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57269	N. America / Asia, Africa & Latin America	1	24.2 (11.0)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57269	Oceania	1	23.0 (10.4)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57270	Europe	1	22.1 (10.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (80%): 248 gal. (940 L)

6 ft. x 20 in. / 1.83 m x 51 cm

ITEM	REGION	PACK	LBS (KG)
57392E	US	4	28.3 (12.8)
57392	Europe	4	28.3 (12.8)

Water Capacity (80%): 555 gal. (2,100 L)

8 ft. x 26 in. / 2.44 m x 66 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57305E	US	1	12.8 (5.8)			
57305	North America	1	12.8 (5.8)			
57305	Oceania	1	12.8 (5.8)			
57265	Europe	1	12.7 (5.8)			
57267E	US	1	19.0 (8.6)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57267	N. America / Asia, Africa & Latin America	1	18.7 (8.5)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57267	Oceania	1	17.5 (8.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57268	Europe	1	16.6 (7.5)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (80%): 1,421 gal. (5,377 L)

12 ft. x 30 in. / 3.66 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57308E	US	1	27.2 (12.3)			
57308	North America	1	27.2 (12.3)			
57308	Oceania	1	27.2 (12.3)			
57273	Europe	1	27.1 (12.3)			
57275E	US	1	33.2 (15.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57275	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57275	Oceania	1	31.7 (14.4)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57274	Europe	1	30.8 (14.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (80%): 2,556 gal. (9,677 L)

15 ft. x 33 in. / 4.57 m x 84 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57315E	US	1	53.0 (24.0)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
57315	N. America / Asia, Africa & Latin America	1	51.5 (23.4)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
57315	Oceania	1	51.5 (23.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
57313	Europe	1	51.3 (23.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
57313	Asia, Africa & Latin America	1	50.1 (22.7)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

Features & Technologies


Self-Supporting Inflatable Top Ring

No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



Build

Color




Inner Liner

Tritech™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience



DRAIN VALVE



SUPER COMPACT - EASY TO TRANSPORT



NO TOOLS REQUIRED - EASY TO ASSEMBLE



EASY TO STORE

Packaging

Full Color Box



57371



Water Capacity (80%): 1,939 gal. (7,340 L)

13 ft. x 33 in. / 3.96 m x 84 cm



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57375E	US	1	40.3 (18.3)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
57375	N. America / Asia, Africa & Latin America	1	38.7 (17.6)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
57375	Oceania	1	38.7 (17.6)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
57376	Europe	1	38.1 (17.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
57376	Asia, Africa & Latin America	1	37.6 (17.1)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

Water Capacity (80%): 3,266 gal. (12,362 L)

15 ft. x 42 in. / 4.57 m x 1.07 m



New Generation

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
57371E	US	1	80.0 (36.3)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335
57371	N. America / Asia, Africa & Latin America	1	78.4 (35.6)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335
57371	Oceania	1	78.4 (35.6)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
57372	Europe	1	80.5 (36.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330
57372	Asia, Africa & Latin America	1	78.3 (35.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335



FAST SET™ PARADISE PALMS POOL

Water Capacity (80%): 2,556 gal. (9,677 L)

15 ft. x 33 in. / 4.57 m x 84 cm



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57415E	US	1	56.8 (25.7)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
57415	N. America / Asia, Africa & Latin America	1	55.2 (25.0)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
57415	Oceania	1	55.2 (25.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
57416	Europe	1	55.0 (24.9)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
57416	Asia, Africa & Latin America	1	54.3 (24.6)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

Features & Technologies

Self-Supporting
Inflatable Top Ring

No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



Build

Rattan

Pattern



Inner Liner



Paradise Palms

Pattern




Inner Liner



Tritech™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience




DRAIN VALVE



SUPER COMPACT - EASY TO TRANSPORT



NO TOOLS REQUIRED - EASY TO ASSEMBLE



EASY TO STORE

Packaging



Rattan
Sturdy Cardboard Box with Pictures



Paradise Palms
Full Color Box

STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.




Technology Highlights

Product Design



Framelink System™
Corrosion Prevention



DuraPlus™
3-layer puncture resistant liner material

Planogram




Store Display



Actual in-store displays may vary.

Product Matrix

Pool Range

Depth	17 in. / 43 cm
	7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm Steel Pro™ Pool PG. 20
	8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm Steel Pro™ Pool PG. 20
	9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm Steel Pro™ Pool PG. 21
	13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm Steel Pro™ Pool PG. 21

SP STEEL PRO™ PACKAGING

NEW DESIGNS FEATURE A CLEANER, MORE CONSUMER-FRIENDLY PACKAGING WITH A FOCUS ON POOL FEATURES AND DURABILITY.


Steel Pro™ packaging has been updated to take on a modern and fresh look that is sure to stand out on the shelf. The unique features of this pool are the main focal points, giving consumers the information they need to choose the right pool for them.



STEEL PRO™ PACKAGING
2020 VS REFRESHED 2021

Packaging Highlights


US examples



2.59 M x 1.70 M
**8 FT. 6 IN.
x 67 IN.**

24 IN.^{61 CM}

Multi-language examples



8' 6" x 67"
**2.59 M
x 1.70 M**

61 CM^{24"}

Clear, Bold Pool Dimensions
Sizing stands out

All New Photography
Highlights brand and pool as family-friendly



Multi-Language Packaging Example

GL Translations
Layout designed to be easy to find needed language and understand



US Packaging Example

Pool Wrap on Two Panels
Photography wraps around to the side panel to create billboard in store

Concise Callouts
Highlight the technology and durability of pool

Features and durability are highlighted in clear, concise fashion to quickly communicate value on-shelf.

REFRESH



56405



Water Capacity (90%): 317 gal. (1,200 L)

7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm

New Generation

ITEM	REGION	PACK	LBS (KG)
56545E	US	1	21.3 (9.6)
56545	North America	1	21.3 (9.6)
56545	Oceania	1	21.3 (9.6)
56401	Europe	1	21.2 (9.6)

Water Capacity (90%): 608 gal. (2,300 L)

8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm

ITEM	REGION	PACK	LBS (KG)
56496E	US	1	31.7 (14.4)
56496	North America	1	31.7 (14.4)
56496	Oceania	1	31.7 (14.4)
56403	Europe	1	31.7 (14.4)

Water Capacity (90%): 872 gal. (3,300 L)

9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56498E	US	1	40.4 (18.3)			
56498	North America	1	40.4 (18.3)			
56498	Oceania	1	40.4 (18.3)			
56404	Europe	1	40.5 (18.4)			
56412E	US	1	45.5 (20.6)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56412	N. America / Asia, Africa & Latin America	1	44.0 (20.0)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56412	Oceania	1	44.0 (20.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56411	Europe	1	44.4 (20.1)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56411	Asia, Africa & Latin America	1	43.5 (19.7)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (90%): 1,506 gal. (5,700 L)

13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56512E	US	1	70.9 (32.2)			
56512	North America	1	70.9 (32.2)			
56512	Oceania	1	70.9 (32.2)			
56405	Europe	1	70.9 (32.2)			
56425E	US	1	76.1 (34.5)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56425	N. America / Asia, Africa & Latin America	1	74.9 (34.0)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56425	Oceania	1	74.9 (34.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56424	Europe	1	75.0 (34.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56424	Asia, Africa & Latin America	1	74.2 (33.6)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Features & Technologies

FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



Build


Color



Inner Liner




Hardware



DuraPlus™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED - EASY TO ASSEMBLE

Packaging

Full Color Box



SPM | STEEL PRO MAX™

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the FrameLink System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!



Technology Highlights



Framelink System™
Corrosion Prevention



DuraPlus™
3-layer puncture resistant liner material



Prismatic Stone™
Inner Liner

Planogram












Store Display



Actual in-store displays may vary.

Product Matrix

Pool Range

Depth	30 - 33 in. / 76 - 84 cm
	10 ft. x 30 in. / 3.05 m x 76 cm Steel Pro MAX™ Pool PG. 26
	12 ft. x 30 in. / 3.66 m x 76 cm Steel Pro MAX™ Pool PG. 27
	14 ft. x 33 in. / 4.27 m x 84 cm Steel Pro MAX™ Pool PG. 29
39.5 - 42 in. / 1.00 - 1.07 m	
	12 ft. x 39.5 in. / 3.66 m x 1.00 m Steel Pro MAX™ Pool PG. 27
	14 ft. x 42 in. / 4.27 m x 1.07 m Steel Pro MAX™ Pool PG. 29
	15 ft. x 42 in. / 4.57 m x 1.07 m Steel Pro MAX™ Pool PG. 30
48 in. / 1.22 m	
	12 ft. x 48 in. / 3.66 m x 1.22 m Steel Pro MAX™ Pool PG. 27
	14 ft. x 48 in. / 4.27 m x 1.22 m Steel Pro MAX™ Pool PG. 29
	15 ft. x 48 in. / 4.57 m x 1.22 m Steel Pro MAX™ Pool PG. 31
	16 ft. x 48 in. / 4.88 m x 1.22 m Steel Pro MAX™ Pool PG. 31
	18 ft. x 48 in. / 5.49 m x 1.22 m Steel Pro MAX™ Pool PG. 31

SPM STEEL PRO MAX™ PACKAGING

NEW DESIGNS FEATURE A CLEANER, MORE CONSUMER-FRIENDLY PACKAGING WITH A FOCUS ON POOL FEATURES AND DURABILITY.


Steel Pro MAX™ packaging has been updated to take on a modern and fresh look that is sure to stand out on the shelf. The unique features of this pool are the main focal points, giving consumers the information they need to choose the right pool for them.



STEEL PRO MAX™ PACKAGING 2020 VS REFRESHED 2021

Packaging Highlights

US examples



3.66 M
12 FT.

76 CM
30 IN.

Multi-language examples



12'
3.66 M

30"
76 CM

Clear, Bold Pool Dimensions
Sizing stands out

All New Photography
Highlights brand and pool as family-friendly



EU Packaging Example

GL Translations
Layout designed to be easy to find needed language and understand



US Packaging Example

REFRESH

Pool Wrap on Two Panels
Photography wraps around the side panel to create billboard in store

Concise Callouts
Highlight the technology and durability of pool

Features and durability are highlighted in clear, concise fashion to quickly communicate value on-shelf.



56417

STEEL PRO MAX™ POOLSIDE CUP HOLDER **NEW**



ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58641E	7 in. x 4 in. x 1.6 in.	12	12.5 (5.7)	Full color box
58641	17.5 cm x 10 cm x 4 cm			

- Attaches to all Steel Pro MAX™ pools with FrameLink System™
- Cup holder built to fit cans, bottles or cups
- Convenient tray holds small essentials
- Built-in hook to hang towels

Water Capacity (90%): 1,236 gal. (4,678 L)

10 ft. x 30 in. / 3.05 m x 76 cm



New Generation

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56493E	US	1	38.9 (17.6)			
56493	North America	1	38.9 (17.6)			
56493	Oceania	1	38.9 (17.6)			
56406	Europe	1	38.8 (17.6)			
56407E	US	1	44.3 (20.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56407	N. America / Asia, Africa & Latin America	1	44.1 (20.0)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56407	Oceania	1	44.1 (20.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56408	Europe	1	42.4 (19.2)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (90%): 1,710 gal. (6,473 L)

12 ft. x 30 in. / 3.66 m x 76 cm



New Generation

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56417E	US	1	54.8 (24.9)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56417	N. America / Asia, Africa & Latin America	1	54.6 (24.8)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
56417	Oceania	1	54.6 (24.8)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56416	Europe	1	52.8 (23.9)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (90%): 2,417 gal. (9,150 L)

12 ft. x 39.5 in. / 3.66 m x 1.00 m



New Generation

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56419	N. America / Asia, Africa & Latin America	1	66.4 (30.1)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	
56419	Oceania	1	64.8 (29.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	
56418	Europe	1	84.2 (38.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330
56418	Asia, Africa & Latin America	1	82.0 (37.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
56260	Asia, Africa & Latin America	1	63.9 (29.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	

Water Capacity (90%): 2,708 gal. (10,250 L)

12 ft. x 48 in. / 3.66 m x 1.22 m



New Generation

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56421	N. America / Asia, Africa & Latin America	1	101.7 (46.1)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58037	58336
56421	Oceania	1	101.7 (46.1)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58037	58336
56420	Europe	1	108.1 (49.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58037	58331
56420	Asia, Africa & Latin America	1	100.8 (45.7)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58037	58336

Features & Technologies

FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



Build


Color



Hardware




Inner Liner



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED - EASY TO ASSEMBLE

Packaging
Full Color Box



SPM | STEEL PRO MAX™

ROUND



56950

Water Capacity (90%): 2,700 gal. (10,220 L)

14 ft. x 33 in. / 4.27 m x 84 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56597E	US	1	76.4 (34.7)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
56597	N. America / Asia, Africa & Latin America	1	76.2 (34.6)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
56597	Oceania	1	76.2 (34.6)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
56595	Europe	1	74.5 (33.8)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
56595	Asia, Africa & Latin America	1	73.9 (33.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

Water Capacity (90%): 3,440 gal. (13,030 L)

14 ft. x 42 in. / 4.27 m x 1.07 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56948E	US	1	115.6 (52.4)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58248	58335
56949	N. America / Asia, Africa & Latin America	1	114.4 (51.9)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58248	58335
56949	Oceania	1	114.4 (51.9)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335
56950	Europe	1	116.1 (52.7)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58330
56950	Asia, Africa & Latin America	1	112.6 (51.1)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335

Water Capacity (90%): 4,024 gal. (15,232 L)

14 ft. x 48 in. / 4.27 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5613HE	US	1	128.8 (58.4)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58248	58336
5612Y	N. America / Asia, Africa & Latin America	1	127.8 (58.0)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58248	58336
5612Y	Oceania	1	127.8 (58.0)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58336
5612X	Europe	1	132.5 (60.1)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58331
5612X	Asia, Africa & Latin America	1	126.0 (57.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58336

Features & Technologies

FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



Build


Color



Hardware




Inner Liner



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED -EASY TO ASSEMBLE

Packaging

Sturdy Cardboard Box with Pictures





56463

Water Capacity (90%): 3,955 gal. (14,970 L)

15 ft. x 42 in. / 4.57 m x 1.07 m

New Generation									
ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	
56687E	US	1	123.6 (56.1)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58038	58335	
56686	N. America / Asia, Africa & Latin America	1	122.4 (55.5)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58038	58335	
56686	Oceania	1	122.4 (55.5)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58335	
56488	Europe	1	126.1 (57.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58330	
56488	Asia, Africa & Latin America	1	122.8 (55.7)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58335	

Water Capacity (90%): 4,231 gal. (16,015 L)

15 ft. x 48 in. / 4.57 m x 1.22 m

New Generation									
ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	
56690E	US	1	136.7 (62.0)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58038	58336	
56439	N. America / Asia, Africa & Latin America	1	135.5 (61.5)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58038	58336	
56439	Oceania	1	135.5 (61.5)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58336	
56438	Europe	1	140.0 (63.5)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58331	
56438	Asia, Africa & Latin America	1	130.3 (59.1)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58336	

Water Capacity (90%): 5,145 gal. (19,480 L)

16 ft. x 48 in. / 4.88 m x 1.22 m

NEW									
ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	
5613AE	US	1	153.9 (69.8)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58249	58336	
5613A	N. America / Asia, Africa & Latin America	1	153.6 (69.7)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58249	58336	
5613A	Oceania	1	153.6 (69.7)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58336	
5612Z	Europe	1	160.5 (72.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58331	
5612Z	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58336	

Water Capacity (90%): 6,092 gal. (23,062 L)

18 ft. x 48 in. / 5.49 m x 1.22 m

New Generation									
ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	
56463E	US	1	172.1 (78.0)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336	
56463	N. America / Asia, Africa & Latin America	1	171.8 (77.9)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336	
56463	Oceania	1	171.8 (77.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336	
56462	Europe	1	178.1 (80.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58331	
56462	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336	

Features & Technologies

FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



Build


Color



Hardware




Inner Liner



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED -EASY TO ASSEMBLE


Packaging

Sturdy Cardboard Box with Pictures



PS | POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.



Technology Highlights Product Design



Seal & Lock System™
Superior Steel Frame Design

Tritech™
3-layer puncture resistant liner material

1



STANDARD SERIES

The Power Steel™ Standard Series pools are perfect for a summer full of fun in the sun. With lasting durability and minimal-tool assembly, these pools are the ultimate choice for families.

2



SWIM VISTA SERIES™ II

The Power Steel™ Swim Vista Series™ II pools offer an incredibly unique swimming experience. With built-in windows, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!

3



COMFORT JET SERIES™

The Power Steel™ Comfort Jet Series™ has two built-in nozzles that spray concentrated water jetstreams for a soothing massage that provides users with the ideal combination of fun and relaxation.
























Planogram Store Display








Actual in-store displays may vary.


Power Steel™
Pool Range

Type	Round	Rectangular	Oval
	18 ft. x 52 in. / 5.49 m x 1.32 m Power Steel™ Stone-look Pattern PG. 37		
	20 ft. x 52 in. / 6.10 m x 1.32 m Power Steel™ Stone-look Pattern PG. 37		
	22 ft. x 52 in. / 6.71 m x 1.32 m Power Steel™ Stone-look Pattern PG. 37		
			
			
			
			
			
			

Power Steel™
Swim Vista Series™ II
Pool Range

Round	Oval
	
	
	

Power Steel™
Comfort Jet Series™
Pool Range

Oval






56884

Water Capacity (90%): 6,869 gal. (26,000 L)

18 ft. x 52 in. / 5.49 m x 1.32 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56884E	US	1	229.4 (104.1)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58337	✓
56884	N. America / Asia, Africa & Latin America	1	228.4 (103.6)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58337	✓
56884	Oceania	1	228.4 (103.6)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58337	✓
56886	Europe	1	232.9 (105.6)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58332	✓
56886	Asia, Africa & Latin America	1	228.6 (103.7)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58337	✓

Water Capacity (90%): 8,781 gal. (33,240 L)

20 ft. x 52 in. / 6.10 m x 1.32 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56881E	US	1	270.5 (122.7)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	58356	58337	✓
56881	N. America / Asia, Africa & Latin America	1	269.8 (122.4)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	58356	58337	✓
56881	Oceania	1	269.8 (122.4)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	58356	58337	✓
56883	Europe	1	277.1 (125.7)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	58356	58332	✓
56883	Asia, Africa & Latin America	1	270.4 (122.7)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	58356	58337	✓

Water Capacity (90%): 10,668 gal. (40,377 L)

22 ft. x 52 in. / 6.71 m x 1.32 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56887E	US	1	293.6 (133.2)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	✓	58337	✓
56887	N. America / Asia, Africa & Latin America	1	292.7 (132.8)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	✓	58337	✓
56887	Oceania	1	292.7 (132.8)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58337	✓
56889	Europe	1	299.9 (136.0)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58332	✓
56889	Asia, Africa & Latin America	1	294.6 (133.7)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58337	✓

Features & Technologies

Seal & Lock System™

Superior Steel Frame Design
Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Pattern



Inner Liner




Hardware



Tritech™

3-layer puncture-resistant liner material



ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED -EASY TO ASSEMBLE

Packaging

Sturdy Cardboard Box with Pictures



RECTANGULAR



Water Capacity (90%): 967 gal. (3,662 L)

9 ft. 3 in. x 6 ft. 5 in. x 33 in. / 2.82 m x 1.96 m x 84 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	CHEMCONNECT™ DISPENSER
56631E	US	1	89.5 (40.6)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I	✓
56631	N. America / Asia, Africa & Latin America	1	88.0 (39.9)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I	✓
56631	Oceania	1	88.0 (39.9)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I	✓
56629	Europe	1	87.5 (39.7)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I	✓
56629	Asia, Africa & Latin America	1	87.0 (39.4)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I	✓

Water Capacity (90%): 1,711 gal. (6,478 L)

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56441	Europe	1	135.2 (61.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330	✓
56441	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335	✓
56660	N. America / Asia, Africa & Latin America	1	147.4 (66.9)	58516 (800 gal. /3,028 L)	110-120V	SAND FILTER	58335	✓
56660	Oceania	1	147.4 (66.9)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58335	✓
56442	Europe	1	149.9 (68.0)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58330	✓
56442	Asia, Africa & Latin America	1	147.6 (66.9)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58335	✓

Water Capacity (90%): 2,146 gal. (8,124 L)

13 ft. 6 in. x 6 ft. 7 in. x 48 in. / 4.12 m x 2.01 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56458E	US	1	160.7 (72.9)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58336	✓
56458	N. America / Asia, Africa & Latin America	1	157.3 (71.3)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58336	✓
56458	Oceania	1	157.3 (71.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58336	✓
56456	Europe	1	162.0 (73.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58331	✓
56456	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58336	✓
56661	N. America / Asia, Africa & Latin America	1	172.3 (78.1)	58516 (800 gal. /3,028 L)	110-120V	SAND FILTER	58336	✓
56661	Oceania	1	172.3 (78.1)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58336	✓
56457	Europe	1	178.6 (81.0)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58331	✓
56457	Asia, Africa & Latin America	1	172.4 (78.2)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58336	✓

Water Capacity (90%): 3,046 gal. (11,532 L)

16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56672	N. America / Asia, Africa & Latin America	1	204.6 (92.8)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56672	Oceania	1	204.6 (92.8)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58336	✓
56670	Europe	1	210.4 (95.5)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58331	✓
56670	Asia, Africa & Latin America	1	203.8 (92.4)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58336	✓
56673	N. America / Asia, Africa & Latin America	1	220.5 (100.0)	58516 (800 gal. /3,028 L)	110-120V	SAND FILTER	✓	58336	✓
56673	Oceania	1	220.5 (100.0)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	58336	✓
56671	Europe	1	226.8 (102.9)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	58331	✓
56671	Asia, Africa & Latin America	1	220.6 (100.1)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	58336	✓

Water Capacity (90%): 3,913 gal. (14,812 L)

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56536E	US	1	227.7 (103.3)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56467	N. America / Asia, Africa & Latin America	1	226.7 (102.8)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56467	Oceania	1	226.7 (102.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56465	Europe	1	236.8 (107.4)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58331	✓
56465	Asia, Africa & Latin America	1	226.8 (102.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56468	N. America / Asia, Africa & Latin America	1	242.9 (110.2)	58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	✓	58336	✓
56468	Oceania	1	242.9 (110.2)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58336	✓
56466	Europe	1	251.0 (113.9)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58331	✓
56466	Asia, Africa & Latin America	1	244.3 (110.8)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58336	✓

Features & Technologies


Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.



Build

Color Hardware



Tritech™
3-layer puncture-resistant liner material




Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



Packaging

Sturdy Cardboard Box with Pictures





56542

Water Capacity (90%): 5,094 gal. (19,281 L)

21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m



NEW

ITEM	REGION	CASE PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
5611YE	US	1 Ea., 2 boxes	287.4 (130.3)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58337	✓
5611Y	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	286.4 (129.9)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58337	✓
5611Y	Oceania	1 Ea., 2 boxes	286.4 (129.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58337	✓
5611Z	Europe	1 Ea., 2 boxes	290.0 (131.5)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58332	✓
5611Z	Asia, Africa & Latin America	1 Ea., 2 boxes	286.7 (130.1)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58337	✓
5612AE	US	1 Ea., 2 boxes	305.4 (138.5)	58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	✓	58337	✓
5612A	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	304.2 (138.0)	58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	✓	58337	✓
5612A	Oceania	1 Ea., 2 boxes	304.2 (138.0)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58337	✓
5612B	Europe	1 Ea., 2 boxes	308.7 (140.0)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58332	✓
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	305.7 (138.6)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58337	✓

Water Capacity (90%): 7,937 gal. (30,045 L)

24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m



ITEM	REGION	CASE PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56542E	US	1 Ea., 2 boxes	372.1 (168.8)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	✓	58337	✓
56476	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	371.2 (168.4)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	✓	58337	✓
56476	Oceania	1 Ea., 2 boxes	371.2 (168.4)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58337	✓
56474	Europe	1 Ea., 2 boxes	378.4 (171.7)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58332	✓
56474	Asia, Africa & Latin America	1 Ea., 2 boxes	371.9 (168.7)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58337	✓
56477	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	373.0 (169.2)	58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	✓	58337	✓
56477	Oceania	1 Ea., 2 boxes	373.0 (169.2)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58337	✓
56475	Europe	1 Ea., 2 boxes	377.1 (171.1)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58332	✓
56475	Asia, Africa & Latin America	1 Ea., 2 boxes	374.5 (169.9)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	58337	✓

Water Capacity (90%): 13,798 gal. (52,231 L)

31 ft. 4 in. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m




ITEM	REGION	CASE PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56625	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal. /8,327 L)	110-120V	SAND FILTER	✓	58337	✓
56625	Oceania	1 Ea., 2 boxes	491.2 (222.8)	58499 (2,200 gal. /8,327 L)	220-240V	SAND FILTER	✓	58337	✓
56623	Europe	1 Ea., 2 boxes	494.9 (224.5)	58499 (2,200 gal. /8,327 L)	220-240V	SAND FILTER	✓	58332	✓
56623	Asia, Africa & Latin America	1 Ea., 2 boxes	492.7 (223.5)	58499 (2,200 gal. /8,327 L)	220-240V	SAND FILTER	✓	58337	✓

Features & Technologies

Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.



Build


Color




Hardware



Inner Liner



Tritech™
3-layer puncture-resistant liner material




Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



Packaging

Sturdy Cardboard Box with Pictures



OVAL



56655

Water Capacity (90%): 969 gal. (3,668 L)

10 ft. x 6 ft. 7 in. x 33 in. / 3.05 m x 2.00 m x 84 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	CHEMCONNECT™ DISPENSER
5613ZE	US	1	69.4 (31.5)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I	✓
5613Z	North America	1	69.2 (31.4)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I	✓
5614A	Europe	1	68.6 (31.1)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I	✓
5614A	Asia, Africa & Latin America	1	67.7 (30.7)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I	✓

NEW

Water Capacity (90%): 1,915 gal. (7,250 L)

14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56622E	US	1	112.9 (51.2)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335	✓
56622	N. America / Asia, Africa & Latin America	1	111.3 (50.5)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335	✓
56622	Oceania	1	111.3 (50.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335	✓
56620	Europe	1	113.4 (51.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330	✓
56620	Asia, Africa & Latin America	1	110.6 (50.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335	✓

New Generation

Water Capacity (90%): 2,893 gal. (10,949 L)

16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56655E	US	1	149.2 (67.7)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	✓	58335	✓
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	✓	58335	✓
56450	Oceania	1	146.6 (66.5)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58335	✓
56448	Europe	1	148.2 (67.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58330	✓
56448	Asia, Africa & Latin America	1	145.9 (66.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58335	✓

Water Capacity (90%): 3,548 gal. (13,430 L)

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56711E	US	1	187.9 (85.2)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56711	Oceania	1	186.8 (84.7)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56710	Europe	1	193.3 (87.7)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58331	✓
56710	Asia, Africa & Latin America	1	187.0 (84.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓

Features & Technologies


Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.



Build

Color Hardware



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

- DRAIN VALVE
- CORROSION RESISTANT STEEL FRAME
- 3-PLY PVC WALL SUPPORT BAND
- NO TOOLS REQUIRED -EASY TO ASSEMBLE



Packaging
Sturdy Cardboard Box with Pictures



OVAL



5611U



Water Capacity (90%): 5,347 gal. (20,241 L)

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m



NEW

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
5611SE	US	1	212.4 (96.4)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
5611S	Oceania	1	211.4 (95.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
5611R	Europe	1	217.6 (98.7)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58331	✓
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓

Water Capacity (90%): 6,735 gal. (25,495 L)

24 ft. x 12 ft. x 48 in. / 7.32 m x 3.66 m x 1.22 m



NEW


ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
5611UE	US	1	276.4 (125.4)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	✓	58336	✓
5611U	N. America / Asia, Africa & Latin America	1	275.4 (124.9)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	✓	58336	✓
5611U	Oceania	1	275.4 (124.9)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58336	✓
5611T	Europe	1	283.6 (128.6)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58331	✓
5611T	Asia, Africa & Latin America	1	278.6 (126.4)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	✓	58336	✓

Features & Technologies

Seal & Lock System™

Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.



Build


Pattern



Hardware



Inner Liner



Tritech™

3-layer puncture-resistant liner material



Frosted Finish

Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED -EASY TO ASSEMBLE



T-CONNECTOR

Packaging

Sturdy Cardboard Box with Pictures





SWIM VISTA

Built-in pool windows bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo.



56976

Water Capacity (90%): 5,145 gal. (19,480 L) **4 Swim Vista Windows**

16 ft. x 48 in. / 4.88 m x 1.22 m



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56726E	US	1	171.4 (77.7)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58249	58336	✓
56726	N. America / Asia, Africa & Latin America	1	170.4 (77.3)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58249	58336	✓
56726	Oceania	1	170.4 (77.3)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58336	✓
56725	Europe	1	177.6 (80.6)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58331	✓
56725	Asia, Africa & Latin America	1	170.6 (77.4)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58336	✓

Water Capacity (90%): 6,092 gal. (23,062 L) **4 Swim Vista Windows**

18 ft. x 48 in. / 5.49 m x 1.22 m



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56976E	US	1	210.1 (95.3)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336	✓
56976	N. America / Asia, Africa & Latin America	1	209.2 (94.9)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336	✓
56976	Oceania	1	209.2 (94.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336	✓
56977	Europe	1	216.4 (98.1)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58331	✓
56977	Asia, Africa & Latin America	1	209.4 (95.0)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336	✓

Features & Technologies

Seal & Lock System™

Superior Steel Frame Design
Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Pattern



Inner Liner




Hardware



Tritech™

3-layer puncture-resistant liner material



ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED -EASY TO ASSEMBLE



SWIM VISTA WINDOWS

Packaging
Sturdy Cardboard Box with Pictures





BUILT-IN WINDOWS!



56717



Water Capacity (90%): 1,915 gal. (7,250 L) **2 Swim Vista Windows**

14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m



New Generation



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56715E	US	1	121.2 (55.0)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58425	58335	✓
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58425	58335	✓
56715	Oceania	1	119.6 (54.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58425	58335	✓
56714	Europe	1	121.8 (55.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58425	58330	✓
56714	Asia, Africa & Latin America	1	118.7 (53.8)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58425	58335	✓

Water Capacity (90%): 3,548 gal. (13,430 L) **4 Swim Vista Windows**

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m




ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56717E	US	1	197.7 (89.7)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓
56717	Oceania	1	196.7 (89.2)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56716	Europe	1	202.9 (92.0)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58331	✓
56716	Asia, Africa & Latin America	1	196.9 (89.3)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓

Features & Technologies


Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.



Build

Pattern



Hardware



Inner Liner



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



3-PLY PVC WALL SUPPORT BAND



NO TOOLS REQUIRED -EASY TO ASSEMBLE



T-CONNECTOR



SWIM VISTA WINDOWS

Packaging

Sturdy Cardboard Box with Pictures



OVAL



56719



BUILT-IN SPA JETS!
Two built-in massage nozzles with easy to use control station



Multi-colored LED light


Features & Technologies

Seal & Lock System™
Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.



Build




Tritech™
3-layer puncture-resistant liner material




Frosted Finish
Prevents pool liner from sticking in a hot environment



LED Light
Up to 7 changing colors



Convenience



Packaging
Sturdy Cardboard Box with Pictures



Water Capacity (90%): 5,347 gal. (20,241 L)

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	LED LIGHT
56720E	US	1	225.6 (102.4)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	58336	✓
56720	N. America / Asia, Africa & Latin America	1	224.0 (101.6)	58392 (2,500 gal. /9,463 L)	110-120V	58095, TYPE: IV - B	58336	✓
56720	Oceania	1	224.0 (101.6)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	58336	✓
56719	Europe	1	230.5 (104.6)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	58331	✓
56719	Asia, Africa & Latin America	1	225.8 (102.4)	58391 (2,500 gal. /9,463 L)	220-240V	58095, TYPE: IV - B	58336	✓

1ST MY FIRST POOL



Water Capacity (90%): 96 gal. (365 L)

New Generation

MY FIRST FRAME POOL

ITEM	SIZE	AGE	PACK	LBS (KG)	PACKAGING
56217E	48 in. x 48 in. x 12 in.	2+	3	27.2 (12.4)	Full color box
56217	1.22 m x 1.22 m x 30.5 cm				

- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



Water Capacity (90%): 153 gal. (580 L)

MY FIRST FRAME POOL

ITEM	SIZE	AGE	PACK	LBS (KG)	PACKAGING
56283	5 ft. x 15 in. / 1.52 m x 38 cm	2+	6	62.2 (28.2)	Full color box

- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support
- Underwater adhesive repair patch



Water Capacity (80%): 126 gal. (477 L)

New Generation

MY FIRST FAST SET™ POOL

ITEM	SIZE	AGE	PACK	LBS (KG)	PACKAGING
57241E	5 ft. x 15 in. / 1.52 m x 38 cm	2+	6	26.9 (12.2)	Full color box
57241					

- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage
- Underwater adhesive repair patch




Water Capacity (90%): 446 gal. (1,688 L)

SPLASH-IN-SHADE PLAY POOL

ITEM	REGION	SIZE	PACK	LBS (KG)	PACKAGING
56543E	US				
56543	North America	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	Oceania				
56432	Europe				

- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Easy to disassemble when preparing for off-season storage
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch

Easy Set-up



1ST MY FIRST POOL



Built-in Sprayer



30007
Global Example
of Display



Water Capacity (80%): 126 gal. (477 L)

MY FIRST FAST SET™ SPRAY POOL

ITEM	SIZE	AGE	PACK	LBS (KG)	PACKAGING
57326E	5 ft. x 15 in. / 1.52 m x 38 cm	2+	6	26.9 (12.2)	Full color box
57326					
30007E			1	109.4 (49.6)	Display shelf 24 pcs included
30007					

- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Pool provides a fun, cooling spray
- Animal sprays water by connecting to a standard garden hose
- 2 assorted colors
- Easy to take down for off-season storage
- Underwater adhesive repair patch

Water Capacity (80%): 833 gal. (3,153 L)

OCTOPOOL

ITEM	REGION	SIZE	PACK	LBS (KG)	PACKAGING
57396E	US	9 ft. x 30 in. / 2.74 m x 76 cm	1	18.0 (8.2)	Full Color Box
57396	North America				
57396	Oceania				
57397	Europe				

- Quick 10 minute setup
- Tritech™ side walls - 3-ply heavy-duty PVC and polyester
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Four tentacles with two built-in sprayers
- Inflatable tentacles spray water when garden hose is connected
- Built-in flow control valve attaches to garden hose (with included adapter) to drain water
- Easy to pack up for off-season storage
- Underwater adhesive repair patch

Built-in Sprayers



SWIM SMARTER

Take water workouts up a notch with the brand new Swimfinity™ Swim Fitness System! Now, anyone can simulate swimming laps in any size pool. Similar to the way a treadmill works, the Swimfinity uses an integrated axial flow motor to create a resistance swimming experience, even though the swimmer stays in one place. For both recreational and serious swimmers, speed and strength of the water flow can be adjusted based on ability. With the Swimfinity, water aerobics will never be the same!

Challenge Yourself

Set goals based on time, calories or distance. Swim until you reach your goal.

NextGen Water Aerobics

Bring aqua yoga, jogging and other aerobics to the comfort of your own home.

Designed For You

Adjust the depth and angle of water flow for a personalized experience.

Improve Your Skill

With 8 available intensity levels, work your way up and change speeds with ease.



INTENSITY LEVEL	1	2	3	4	5	6	7	8
FLOW RATE (FT./M PER MIN)	128.0 FT 39.0 M	145.7 FT 44.4 M	163.4 FT 49.8 M	181.1 FT 55.2 M	198.8 FT 60.6 M	216.5 FT 66.0 M	234.3 FT 71.4 M	255.9 FT 78.0 M



swimfinity™

ITEM	REGION	RATING	SIZE	REC. POOL LENGTH & DEPTH	PACK	LBS (KG)	PACKAGING
58517	EUROPE	220-240V~ (PRCD)	28.35 in. x 18.90 in. x 32.87 in. / 72 cm x 48 cm x 83.5 cm	L: 15 ft. / 4.57 m D: 39.5 in. / 1.00 m	1	118.0 (53.5)	Sturdy Cardboard Box With Pictures


- Digital LED display indicates distance, time and calories burned
- 8 variable speeds, flow speeds range from 128 ft./min (39 m/min)-255.9 ft./min (78 m/min)
- The depth and angle of water flow is adjustable
- Built-in LED light for illumination during the night
- Includes remote control
- Easy to set up and operate
- Suitable for both in-ground & above ground pools
- Pool Size Requirements: Depth ≥ 39.5 in. (1.00 m), Length ≥ 15 ft. (4.57 m), Width ≥ 8 ft. (2.44 m)
- Output Voltage: ±12 V DC 35 A
- Input Power: 1000 W



SWIMULATOR RESISTANCE TRAINER

ITEM	REGION	PACK	LBS (KG)	PACKAGING
26033/E	US/GL	12	10.7 (4.9)	Full Color Box

- Waistline Range: 26 in. to 43 in. / 65 cm to 110 cm
- Adjustable padded belt with fastener
- 13.1 ft. (4 m) Elastic Strap
- Resistance Strength 90 lbf/m (27.4 lbf/ft.)
- Compatible with all above ground pools (with frame)



HYDRO-PRO™

FC | FLOWCLEAR™

Flowclear™ offers a range of pool products that can handle cleaning, maintenance, and mood. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.

FILTRATION

Made to keep pools sparkling clean, Flowclear filter pumps and sand filter pumps come in many different sizes to give each pool owner the options they need.



MAINTENANCE EQUIPMENT

A wide variety of items - from pool vacuums to skimming nets - help pool owners maintain crystal clear water without floating debris or dirt.



POOL COVERS & GROUND CLOTHS

Protect the pool and the yard with Flowclear items made specifically for covering the water and the grass.



ENVIRONMENT

From lights to fountains, Flowclear environment items are made to add to the ambiance around the pool. Each unique item is sure to up the wow-factor.



Planogram Store Display



US Display




Actual in-store displays may vary.

GL Display

A look at the build of Bestway® SAND FILTERS

Bestway sand filters are truly a “no fuss” option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The five models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.





Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools
 Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

1 SAND FILTER - 800 GAL. (3,028 L)

ITEM	CERTIFICATION	RATING	TANK DIAMETER IN. (CM)	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY - LBS (G)	PACK	LBS (KG)
58515	CE	220-240V~, 85W	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.1 (8.2)
58515GS	CE/GS	220-240V~, 85W	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.5 (8.4)
58516	C-ETL	110-120V~, 1A	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.2 (8.3)
58516E	ETL-US	110-120V~, 1A	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.5 (8.4)

Pump Flow Rate: 800 gal./h (3,028 L/h)
System Flow Rate: 600 gal./h (2,271 L/h)
System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)
 • Durable, corrosion-resistant filter tank
 • 6-position valve allows for easy filter control
 • Top flange clamp allows 360° rotation for quick and smooth installation
 • Easy-to-read pressure gauge
 • Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance

- Includes a strainer for separating leaves and other rough debris
- This product is preassembled for added convenience
- Recommended hose size for this product is a diameter 1.25 in. / 3.2 cm with proper thread size
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Sand not included
- Full Color Box

Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools
 Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

2 SAND FILTER - 1,500 GAL. (5,678 L)

ITEM	CERTIFICATION	RATING	TANK DIAMETER IN. (CM)	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY - LBS (G)	PACK	LBS (KG)
58497	CE	220-240V~, 230W	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.9 (12.2)
58497GS	CE/GS	220-240V~, 230W	15 (38.5)	79.4 (36.0)	2.20 (1,000)	1	33.1 (15.0)
58498	C-ETL	110-120V~, 3.2A	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.5 (12.0)
58498E	ETL-US	110-120V~, 3.2A	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.7 (12.1)

Pump Flow Rate: 1,500 gal./h (5,678 L/h)
System Flow Rate: 1,400 gal./h (5,300 L/h)
System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)
 • Durable, corrosion-resistant filter tank
 • 6-position valve allows for easy filter control
 • **Built-in timer** lets you set an automated working period (For 58497/GS only)
 • Top flange clamp design allows 360° rotation for quick and smooth installation
 • Easy-to-read pressure gauge
 • Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance

- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full Color Box

Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools
 Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

3 SAND FILTER - 2,200 GAL. (8,327 L)

ITEM	CERTIFICATION	RATING	TANK DIAMETER IN. (CM)	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY - LBS (G)	PACK	LBS (KG)
58499	CE	220-240V~, 280W	12.5 (32)	44.1 (20.0)	1.23 (560)	1	31.2 (14.1)
58499GS	CE/GS	220-240V~, 280W	17 (43.7)	99.2 (45.0)	2.78 (1,260)	1	36.9 (16.7)
58500	C-ETL	110-120V~, 3.5A	12.5 (32)	44.1 (20.0)	1.23 (560)	1	30.5 (13.9)
58500E	ETL-US	110-120V~, 3.5A	12.5 (32)	44.1 (20.0)	1.23 (560)	1	30.8 (14.0)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)
System Flow Rate: 1,800 gal./h (6,813 L/h)
System Flow Rate: 1,700 gal./h (6,435 L/h) (For GS only)
 • Durable, corrosion-resistant filter tank
 • 6-position valve allows for easy filter control
 • **Built-in timer** lets you set an automated working period (For 58499/GS only)
 • Top flange clamp design allows 360° rotation for quick and smooth installation
 • Easy-to-read pressure gauge
 • Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance

- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full Color Box

Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools
 Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

4 SAND FILTER - 3,000 GAL. (11,355 L)

ITEM	CERTIFICATION	RATING	TANK DIAMETER IN. (CM)	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY - LBS (G)	PACK	LBS (KG)
58486	CE	220-240V~, 500W	15 (38.5)	79.4 (36.0)	2.20 (1,000)	1	38.1 (17.3)
58486GS	CE/GS	220-240V~, 500W	19 (48.5)	121.3 (55.0)	3.40 (1,540)	1	44.5 (20.2)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)
System Flow Rate: 2,200 gal./h (8,327 L/h)
System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)
 • Durable, corrosion-resistant filter tank
 • 6-position valve allows for easy filter control
 • **Built-in timer** lets you set an automated working period
 • Top flange clamp design allows 360° rotation for quick and smooth installation
 • Easy-to-read pressure gauge
 • Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance

- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full Color Box

POLYSHERE™

ITEM	PACK	LBS (KG)	PACKAGING
58475/E	6	12.5 (5.7)	Full Color Box
30014/E	1	28.0 (12.7)	Display Shelf

- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand



Flowclear™ Polysphere quantity is as follow:

SAND FILTER	REGION	WEIGHT IF USING SAND LBS (KG)	WEIGHT IF USING POLYSHERE LBS (KG)
800 gal. /h (3,028 L/h)	All	18.74 (8.5)	0.53 (240)
1,500 gal. /h (5,678 L/h)	Except GS	19.84 (9)	0.55 (250)
1,500 gal. /h (5,678 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal. /h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal. /h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal. /h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal. /h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)

12 Ea. Included



- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Product has a long life
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non-toxic

ENHANCED PUMP EFFICIENCY

Lower pressure allows for a higher flow rate and a longer product lifespan.

LIGHTER MATERIAL

1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand.

SUPERIOR FILTRATION

Clean and clear water is reached in a short time.

ECO-FRIENDLY

100% recyclable and non-toxic PET material.



58475E Full Color Box



APP CONTROLLED WIFI FILTER PUMP

BESTWAY SMART HUB™ APP | CONTROL AT YOUR FINGERTIPS



On/OFF Switch



Set Timer (10 Hour Max)



Maintenance Status
Low Flow Rate & Filter Cleaning/
Replacement Indicator

SMART TOUCH WIFI FILTER PUMP

NEW

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58614E	2,000 (7,570)	1,500 (5,678)	For use with 300-12,000 gal. (1,100-45,424 L) pools	ETL-US	110-120V~, 1.45A	1	21.8 (9.9)	58095 - TYPE IV

- Pump's water flow rate (pump capacity): 2,000 gal./h (7,570 L/h)
- Integrated pool system water flow rate (system flow rate): 1,500 gal./h (5,678 L/h)
- Compatible with 1.5 in. / 3.8 cm valves using the included adaptors
- Can be connected to 1.25 in. / 3.2 cm threaded valves
- Built-in WIFI modules controlled by the Bestway Smart Hub APP



6 Control Panel



2 Air Pressure Release Valve



3 Pump Motor

1 Pump Filter Cartridge

4 Pool Water Intake Valve

5 Pool Water Outlet Valve





FILTER PUMP - 330 GAL. (1,249 L)

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V~, 0.2A	4	25.0 (11.3)
58511	330 (1,249)	280 (1,060)		C-ETL	110-120V~, 0.2A	4	24.7 (11.2)
58381	330 (1,249)	280 (1,060)		CE	220-240V~, 16W	4	18.5 (8.4)

New Generation

58093 - TYPE I
58093 - TYPE I
58093 - TYPE I



FILTER PUMP - 530 GAL. (2,006 L)

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58384E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V~, 0.6A	4	32.9 (14.9)
58384	530 (2,006)	480 (1,817)		C-ETL	110-120V~, 0.6A	4	32.0 (14.5)
58383	530 (2,006)	480 (1,817)		CE	220-240V~, 29W	4	29.4 (13.3)

New Generation

58012 - TYPE III - A/C
58012 - TYPE III - A/C
58094 - TYPE II



FILTER PUMP - 800 GAL. (3,028 L)

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V~, 32W	4	30.8 (14.0)
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V~, 0.6A	4	31.5 (14.3)

New Generation

58094 - TYPE II
58012 - TYPE III - A/C



FILTER PUMP - 1,000 GAL. (3,785 L)

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V~, 1.1A	4	38.1 (17.3)

New Generation

58012 - TYPE III - A/C



FILTER PUMP - 1,500 GAL. (5,678 L)

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	14.2 (6.4)
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	14.0 (6.3)
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	14.1 (6.4)

New Generation

58012 - TYPE III - A/C
58012 - TYPE III - A/C
58012 - TYPE III - A/C



FILTER PUMP - 2,500 GAL. (9,463 L)

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V~, 3.3A	1	24.2 (11.0)
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V~, 3.3A	1	24.0 (10.9)
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V~, 350W	1	24.5 (11.1)

New Generation

58095 - TYPE IV - B
58095 - TYPE IV - B
58095 - TYPE IV - B



Anatomy of a FILTER PUMP



Pool Compatibility: For use with 300-5,400 gal. (1,100-20,500 L) pools (For 58463E; 58463; 58462)
 Pool Compatibility: For use with 300-8,400 gal. (1,100-31,700 L) pools (For 58470E; 58470; 58469)

SKIMATIC™ FILTER PUMP

ITEM	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)
58463E	680 (2,574)	680 (2,574)	For use with 300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V~, 0.75A	1	17.6 (8.0)
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V~, 0.75A	1	17.4 (7.9)
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V~, 48W	1	17.5 (7.9)

58470E	1,050 (3,974)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.4A	1	22.0 (10.0)
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V~, 1.4A	1	21.8 (9.9)
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V~, 73W	1	21.4 (9.7)

- Large capacity tank sucks in floating leaves and other debris
- Not compatible with steel wall pools
- Easy installation
- No additional hoses or adaptors needed
- Automatic filtration and cleaning
- Uses 58012 filter cartridge III
- Works quietly
- For use only with battery powered and manual pool cleaning appliances
- Connected by self-contained 1.2 in. / 32 mm connector, can work in conjunction with Bestway® 58212 and 58234 Pool Cleaning Kit

FILTER CARTRIDGE
58012 - TYPE III - A/C
58012 - TYPE III - A/C
58012 - TYPE III - A/C





58012 - TYPE III - A/C
58012 - TYPE III - A/C
58012 - TYPE III - A/C



COMBO
Filter and Surface Skimmer!




FILTER CARTRIDGES

ITEM	58093/E	58094	58012/E	58095/E
PRODUCT	 TWIN PACK	 TWIN PACK	 TYPE III TYPE A/C	 TYPE IV TYPE B
SIZE	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
PUMP TYPE	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V~)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V~) 1,500 gal. (5,678 L) (220-240 V~)	2,500 gal. (9,463 L)
PACK	12	12	12	6
LB. (KG)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.3 (2.4)
PACKAGING	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

HOSE

ITEM	PACK	LBS (KG)	PACKAGING
58368	6	16.6 (7.6)	Full Color Box

- 9.8 ft. / 3 m long, 1.5 in. / 3.8 cm diameter
- Suitable for filter pumps and sand filters that use 1.5 in. / 3.8 cm hoses



HOSE

ITEM	PACK	LBS (KG)	PACKAGING
58369	6	9.9 (4.5)	Full Color Box

- 9.8 ft. / 3 m long, 1.25 in. / 3.2 cm diameter
- Suitable for filter pumps, sand filters and heaters that use 1.25 in. / 3.2 cm hoses



HOSE ADAPTORS

ITEM	PACK	LBS (KG)	PACKAGING
58236/E	12	4.5 (2.0)	Blister Card

- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8 cm) to pool valves (Diameter 3.2 cm)
- Easy to install
- Instructional manual included!



POOL PUMP RANGE

ITEM	58511/E	58381	58384/E	58383	58387	58386	58388E	58390/E	58389	58392/E	58391	58614E NEW
PRODUCT												
HOSE SIZE	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm
ADAPTERS INCLUDED								1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.25 in. / 3.2 cm
FILTER CARTRIDGE OR SAND GRAIN	58093(I)	58012(III-A/C)		58094(II)	58012(III-A/C)	58094(II)	58012(III-A/C)	58012(III-A/C)		58095(IV-B)		58095(IV-B)
PUMP FLOW RATE GAL. (L) / HR	330 (1,249)	530 (2,006)		800 (3,028)		1,000 (3,785)	1,500 (5,678)	2,500 (9,463)		2,000 (7,570)		
SYSTEM FLOW RATE GAL. (L) / HR	280 (1,060)	480 (1,817)		580 (2,195)		780 (2,952)	1,050 (3,974)	2,050 (7,760)		1,500 (5,678)		
POOL COMPATIBILITY	For use with 300-2,200 gal. (1,100-8,300 L) pools	For use with 300-3,800 gal. (1,100-14,300 L) pools		For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-16,400 gal. (1,100-62,000 L) pools		For use with 300-12,000 gal. (1,100-45,424 L) pools		
RATING	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A	220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 3.3A	220-240V~, 350W	110-120V~, 1.45A

58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58486	58486GS
										
1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm	
			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. / 3.8 / 3.2 cm			1.5 in. / 3.8 cm	
Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 36 kg	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 45 kg	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 36 kg	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 55 kg
800 (3,028)			1,500 (5,678)			2,200 (8,327)			3,000 (11,355)	
600 (2,271)		550 (2,082)	1,400 (5,300)		1,300 (4,920)	1,800 (6,813)		1,700 (6,435)	2,200 (8,327)	2,000 (7,570)
For use with 300-4,800 gal. (1,100-18,100 L) pools		For use with 300-4,400 gal. (1,100-16,600 L) pools	For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-10,400 gal. (1,100-39,300 L) pools	For use with 300-14,400 gal. (1,100-54,500 L) pools		For use with 300-13,600 gal. (1,100-51,400 L) pools	For use with 300-17,600 gal. (1,100-66,600 L) pools	For use with 300-16,000 gal. (1,100-60,500 L) pools
110-120V~, 1A	220-240V~, 85W		110-120V~, 3.2A	220-240V~, 230W		110-120V~, 3.5A	220-240V~, 280W		220-240V~, 500W	



SOOTHING LED WATERFALL

NEW

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58619/E	13.6 in. x 10 in. x 11.8 in. / 34.5 cm x 26 cm x 30 cm	3	16.2 (7.3)	Full Color Box

- Quick and easy installation
- Compatible with all filtration systems with 530 ~ 3,000 gal. / h (2,006 - 11,355 L / h) flow rate
- Serene waterfall maintains continuous flow
- Detachable LED light with:
 - 8 modes (7 fixed colors and 1 rotating)
 - 2-hour auto power off
 - Powered by 3 x AA batteries (batteries not included)
- IP67 waterproof rating: second highest rating!



DETACHABLE
LED LIGHT!



**SHOOTS UP TO
3 FT./1 M
HIGH!**

SOLAR-PRO SHOWER™

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58224	16 in. x 23 in. 41 cm x 58 cm	24	26.8 (12.2)	Full Color Box

- Solar-heated
- Easy to read temperature strip
- Compact and easy to use
- Reinforced handle is convenient for hanging and transporting the shower
- Heats up to 5.3 gal. (20 L) of water for multiple showers
- Great for outdoor adventures



LED FLOATING POOL FOUNTAIN

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58493/E	Ø7.3 in. / Ø18.5 cm	6	14.0 (6.3)	Full Color Box

- Illuminate your backyard pool with multi-color water fountain light show!
- Built-in lithium battery can be recharged and reused repeatedly, lasts 2-3 hours after fully charged
- Coverage area of light: diameter 8 ft. / 2.43 m, height 5 ft. / 1.52 m
- Simple operation and easy to use button panel
- Lightshow and water fountain function can be used independently, controlled by two different buttons
- Colorful lightshow projects toward the bottom of the pool and projects through the fountain. There are 3 different lighting modes with 3 colors: red, green and blue
- Max. height of water fountain can reach up to 1 m
- Has two spraying modes: Pulse and High Beam
- IP67 waterproof rating
- Automatic shut-off in 1 hour



LED FLOATING POOL LIGHT

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58419/E	Ø5.5 in. / Ø14 cm	12	9.9 (4.5) 9.5 (4.3)	Full Color Box

- Beautiful display: super bright LED light alternates between 4 colors (yellow, red, blue and green) in 7 different patterns
- Easy to operate: simply press the button on the top of the light
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8 ft. / 2.43 m wide and 5 ft. / 1.52 m deep
- Power saving: shuts off automatically after one hour when not in use



SOLAR-FLOAT LAMP

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58111/E	Ø7 in. / Ø18 cm	24	22.3 (10.1)	Full Color Box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard light up
- Extra-long 8-hour runtime
- 1.2 V





ITEM	58013/E Maintenance Kit 80 in. (2.03 m)	58212/E AquaCrawl Pool Vacuum	58234/E AquaClean Pool Cleaning Kit
PRODUCT			
RECOMMENDED POOLS			
	Any model		
	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter
	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter
	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter
	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model
	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model
DETAILS			
OPERATING SYSTEM	Garden Hose - Venturi Effect	Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2.0 to 9.4 m³/h	
HANDLING	Manual	Manual	Manual
POLE LENGTH	65.7 in. (1.67 m)	74.6 in. (1.90 m)	110 in. (2.79 m)
HOSE LENGTH		19.7 ft. (6.00 m)	24.5 ft. (7.50 m)
VALVE COMPATIBILITY		1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included
INNER WALL CLEANING			
MINIMUM FLOW		Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)
MINIMUM WATTAGE			
HIGHLIGHTS	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net included 	<ul style="list-style-type: none"> • Reusable debris bag • Two angled conversion nozzles, one with brush 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net included

ITEM	58340 AquaScan Electric Pool Vacuum	58628/E AquaSweeper	58624/E AquaReach™	58622 -58623/E Aquaover™
PRODUCT				
RECOMMENDED POOLS				
	Any model		Any model	
	Up to 10 ft. (3.05 m) diameter	Up to 22 ft. (6.70 m) diameter	Any model	Any model
	Up to 10 ft. (3.05 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 10 ft. (3.05 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 42 in. (1.07 m) height	Any model	Any model	Any model
		Any model	Any model	Any model
	Any model		Any model	
DETAILS				
OPERATING SYSTEM	AA Battery, Independent from filtration device	Filter Pumps - from 1,000 to 2,500 gal./h., from 3.7 to 9.4 m³ Sand Filters - from 800 to 3,000 gal./h, from 3 to 11.4 m³/h	Rechargeable lithium battery	Rechargeable lithium battery
HANDLING	Manual	Automatic	Manual	Automatic
POLE LENGTH	49.6 in. (1.26 m)		7.3 ft. (2.22 m)	
HOSE LENGTH		24.5 ft. - 7.50 m		
VALVE COMPATIBILITY		1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included		
INNER WALL CLEANING				
MINIMUM FLOW		Filter Pump Outlet 1,000 gal. (3,785 L/h) Sand Filter Outlet 800gal. (3,028 L/h)		
MINIMUM WATTAGE		50 w		
HIGHLIGHTS	<ul style="list-style-type: none"> • AA battery x 8 (not included) • Up to 1.5 hrs operating time • Reusable debris bag • Brushes 	<ul style="list-style-type: none"> • Pre-filter bag • Adjustable pressure regulator • Working quietly 	<ul style="list-style-type: none"> • Cleaner body • Large head • Flat brush • Filter bag • USB cable • 5-section 19.7 in. (50 cm) aluminum pole 	<ul style="list-style-type: none"> • Waterproof Magnetic Switch • On / Off LED light • Drop / Retrieval kit • Locking Clips • Clip-On Brush • Head Locking Flap for 180-Degree Turns • Standard 1 gal. (4 L) Filter



AQUAROVER™

NEW

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58623/E	15.9 in. x 15.5 in. x 11.2 in.	1	14.8 (6.7)	Full Color Box
58622	(40.5 cm x 39.3 cm x 28.5 cm)	1	14.8 (6.7)	Full Color Box

- Autonomous pool cleaning robot
- Cordless design for full range motion; eliminates tangled cords
- Long-lasting rechargeable lithium battery: 90 minutes cycle run time
- Standard filter traps up to 1 gal. (4 L) of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Included drop retrieval kit to easily locate and remove robot
- Recommended for flat bottom pools
 - Round Pools: up to 24 ft. (7.32 m) in diameter or 484 ft.² (45 m²) in total area
 - Rectangular pools: up to 31 ft. 4 in. (9.56 m) in length or 463 ft.² (43 m²) in total area
- Recharge time: 5-6 hours
- Built-in water sensors activate the device when fully submerged in water and deactivate when out of the water for motor protection
- Components:
 - Automatic On / Off Sensor
 - Waterproof Magnetic Switch
 - On / Off LED light
 - Drop / Retrieval kit
 - Locking Clips
 - Clip-On Brush
 - Head Locking Flap for 180-Degree Turns
 - Standard 1 gal. (4 L) Filter






AQUAREACH™

ITEM	PACK	LBS (KG)	PACKAGING
58624/E	4	17.6 (8.0)	Full Color Box

- Recommended for pools and spas up to 20 ft. (6.10 m)
- Rechargeable lithium battery, no memory interruption and constant performance
- Automatic ON/OFF with water sensor
- Safety On/Off switch for storage
- Works continuously for up to 40 minutes
- Charges in 4-6 hours
- Charges with USB cable
- LED charging light
- Suction head with wheels and brushes
- Flat brush to clean edges
- Transparent body allows user to see when filter is full of debris
- Can be connected to telescopic pole for use in larger pools (telescopic pole not included)

NEW




AQUASWEEPER

ITEM	PACK	LBS (KG)	PACKAGING
58628/E	2	21.4 (9.7)	Full Color Box

- Patented design specifically for above ground pools with filter pumps 1,000 gal./h (3,785 L/h) or sand filters 800 gal./h (3,028 L/h) flow rate and above
- Adjustable pressure regulator regulates the water flow for use with high power pumps
- Easy to operate. Turn on the pump and cleaner will start automatically
- The cleaner runs quietly, quickly cleaning the pool
- Integrated pre-filter collects debris such as dirt, leaves and sand to prevent pump filter clogging
- Wide clip system on the bottom plate provides easy access to the debris compartment balancing weight provide optimum maneuverability
- Recommended for soft wall pools up to 22 ft. / 6.7 m
- Includes hoses with total length of 24 ft. 5 in. / 7.5 m
- Includes connectors compatible with most leading pool brands on the market


NEW



AQUASCAN ELECTRIC POOL VACUUM

ITEM	PACK	LBS (KG)	PACKAGING
58340	6	18.4 (8.4)	Full Color Box

- Battery-powered pump creates suction, without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Compatible with pools up to 10 ft. / 3.05 m in diameter
- Requires 8 AA batteries (not included)
- Underside wheels for easy gliding
- Telescopic pole reaches up to 5 in. / 1.5 m when fully extended
- Simple press-button operation
- Includes an easy-to-empty debris collection bag




MAINTENANCE KIT

ITEM	PACK	LBS (KG)	PACKAGING
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m
Cleans Inner Wall

- Includes a lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- Compatible with pools up to 13 ft. / 3.96 m in diameter



POOL ACCESSORIES SET


ITEM	PACK	LBS (KG)	PACKAGING
58195/E	4	12.0 (5.5)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- For use with 13 ft. / 3.96 m and below pools

Kit Includes:

- 58013 - Maintenance Kit, 1 Piece
- 58071 - Chemical Floater, 1 Piece
- 58072 - Floating Pool Thermometer, 1 Piece
- 58142 - Pool and Spa Test Strips, 1 Piece
- 62068 - Heavy-duty Repair Patch, 1 Piece



AQUACRAWL POOL VACUUM

ITEM	PACK	LBS (KG)	PACKAGING
58212/E	6	30.1 (13.7)	Full Color Box

Pole Length: 74.6 in. / 1.90 m
Cleans Inner Wall

- Four section aluminum poles are easy to assemble
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7 ft. / 6.00 m long, 1.25 in. / 3.2 cm diameter
- Attach to the filter pump for light cleaning for your pool
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Compatible with above ground pools up to 15 ft. / 4.57 m in diameter




AQUACLEAN POOL CLEANING KIT

ITEM	PACK	LBS (KG)	PACKAGING
58234/E	4	32.5 (14.8)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Vacuum has a one-piece cleaning head
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Skimmer has a durable mesh netting
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above




DELUXE MAINTENANCE KIT

ITEM	PACK	LBS (KG)	PACKAGING
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Attach to the filter pump for skimming and vacuuming
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Multi-functional
 - Pool surface skimmer: working with the filter pump cleans floating leaves and other debris
 - Pool vacuum: working with the filter pump cleans pool walls and floor
 - Pool skimmer: manually clean floating debris



POOL SURFACE SKIMMER

ITEM	PACK	LBS (KG)	PACKAGING
58233/E	4	19.3 (8.7)	Full Color Box


- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- For use with above ground pools (not compatible with steel wall pools)
- Easy to clean



CLEANCAST SKIMMER

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58277	12.5 in. x 12 in. 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting



AQUASCOOP SKIMMER SET

NEW

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58635/E	64 in. / 163 cm	12	12.2 (5.5)	Header Card

- Durable mesh netting
- Angled scoop easily collects debris from hard-to-reach bottom and tough corners
- Removes floating debris quickly and easily
- Lightweight, extendable, 3-segmented aluminum shaft
- Collapsible shaft contracts into net for easy carry and storage
- Compatible with pools up to 13 ft. / 3.96 m in diameter



Self Repairing Mesh



AQUABROOM

New Generation

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card


- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- Quickly removes algae and grime from pool walls and pool floor
- Curved brush head easily cleans the corners of the pool
- Push pins make brush compatible with different sized poles



AQUANET

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58278/E	16.9 in. x 8.3 in. 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



E-Z-BROOM POLE

ITEM	SIZE	PACK	LBS (KG)	PACKAGING
58279/E	142 in. / 3.60 m	24	43.7 (19.8)	Polybag With Labels

- Inner diameter 1.2 in. / 3 cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



HEAVY-DUTY REPAIR PATCH

ITEM	PACK	LBS (KG)	PACKAGING
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches



UNDERWATER ADHESIVE REPAIR PATCH

ITEM	PACK	LBS (KG)	PACKAGING
62091/E	36	3.0 (1.4)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches



POOL & SPA TEST STRIPS

ITEM	PACK	LBS (KG)	PACKAGING
58142/E	24	2.7 (1.2)	Blister Card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
 - Free Chlorine
 - pH
 - Total Alkalinity
- Easy Color-Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life





FC

POOL + DRAIN PUMP

ITEM	PUMP FLOW RATE GAL. (L) / HR	CERTIFICATION	RATING	PACK	LBS (KG)	PACKAGING
58261/E	800 (3,028)	cTUVus	110-120V~, 0.8A	4	28.6 (13.0)	Full Color Box
58230	800 (3,028)	CE	220-240V~, 80W	4	30.5 (13.8)	Full Color Box

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4 ft. / 5.00 m long, 1.25 in. / 3.2 cm diameter
- Includes adaptor to connect to a garden hose



16.4 ft. / 5 m Long Drain Hose



CLEAN SUN POWERED POOL PAD

ITEM	PACK	LBS (KG)	PACKAGING
58423/E	4	58.5 (26.5)	Full Color Box

- 43 in. x 67 in. / 1.10 m x 1.71 m
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,200 gal./h (8,327 L/h) sand filter and below
- Compatible with all above ground pools
- Easy setup with included adaptors compatible with 1.25 in. / 3.2 cm and 1.5 in. / 3.8 cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 ~ 5°C (5 ~ 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9 mm PVC
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72 ft.² (1.46 m²)
- Can be used in multiples to work together for different size pools



POOL HEATER

ITEM	PACK	LBS (KG)	PACKAGING
58259	4	51.0 (23.1)	Full Color Box

- Compatible with above ground pools with water capacities between 1,520-17,035 L (400-4,500 gal.)
- Compatible with filter pumps with flow rates up to 3,785 L (1,000 gal.)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA



CHEMICAL FLOATER

ITEM	PACK	LBS (KG)	PACKAGING
58210	24	4.7 (2.1)	Shrink Wrapped With Insert Card

- Dispenses 1 in. / 2.5 cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction



CHEMICAL FLOATER

ITEM	PACK	LBS (KG)	PACKAGING
58071/E	12	9.0 (4.1)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets
- Clear top design to easily monitor tablets
- Adjustable dial to control the sanitizer level
- No tablets included



CHEMICAL FLOATER

ITEM	PACK	LBS (KG)	PACKAGING
58209/E	12	9.7 (4.4)	Corrugated Sleeve Box

- Dispenses 3 in. / 7.6 cm chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors



FLOATING POOL THERMOMETER

ITEM	PACK	LBS (KG)	PACKAGING
58072/E	36	6.7 (3.1)	Blister Card

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius



ASSORTED ANIMAL POOL THERMOMETER

ITEM	PACK	LBS (KG)	PACKAGING
58595/E	24	8.6 (3.9)	Blister Card

- String attached to keep thermometer in place
- Float-on-water design
- Easy-to-read temperature scale
- Displays in both Fahrenheit and Celsius




CHEMICAL FLOATER WITH CHEMGUARD™ GLOVE

New Generation

ITEM	PACK	LBS (KG)	PACKAGING
58474/E	4	6.7 (3.0)	Corrugated Sleeve Box

- Dispenses 7.6 cm / 3 in. chlorine or bromine tablets
- Lid includes built-in glove for safe handling of chemical tablets
- Dual-action child safe lock secures lid to chemical float
- Adjustable dial to control the release of chemicals
- Tablets not included
- 2 assorted colors





42 IN. / 1.07 M POOL LADDER

ITEM	PACK	LBS (KG)	REGION
58335E	1	16.9 (7.7)	US
58335	1	16.9 (7.7)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58330	1	19.4 (8.8)	EUROPE UNION

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58330 only)
- Sturdy Cardboard Box With Pictures



33 IN. / 84 CM POOL LADDER

ITEM	PACK	LBS (KG)	REGION
58430	1	12.8 (5.8)	EXCEPT NORTH AMERICA

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy Cardboard Box With Pictures



48 IN. / 1.22 M POOL LADDER

ITEM	PACK	LBS (KG)	REGION
58336E	1	21.1 (9.6)	US
58336	1	21.1 (9.6)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58331	1	26.2 (11.9)	EUROPE UNION

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58331 only)
- Sturdy Cardboard Box With Pictures



52 IN. / 1.32 M POOL LADDER

ITEM	PACK	LBS (KG)	REGION
58337E	1	26.2 (11.9)	US
58337	1	26.2 (11.9)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58332	1	29.0 (13.1)	EUROPE UNION

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58332 only)
- Sturdy Cardboard Box With Pictures





FC FLOWCLEAR™
COVERS & CLOTHS

SOLAR POOL COVERS

ITEM	SIZE DIAMETER	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58060/E	6 ft.10 in. / 2.10 m	- 8 ft. (2.44 m) Fast Set™ Pools	4	4.5 (2.0)
58241/E	9 ft.6 in. / 2.89 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	2	4.0 (1.8)
58242/E	11 ft.8 in. / 3.56 m	- 12 ft. (3.66 m) / 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252/E	13 ft.8 in. / 4.17 m	- 15 ft. (4.57 m) Fast Set™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Power Steel™ Pools	2	8.0 (3.6)
58253/E	15 ft.2 in. / 4.62 m	- 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. (4.57 m) / 16 ft. (4.88 m) Steel Pro MAX™ Pools	2	9.1 (4.1)
58173/E	17 ft.3 in. / 5.27 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	1	6.4 (2.9)
58240	12 ft.5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft.3 in. x 6 ft.7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) - 13 ft.6 in. x 6 ft.7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) Power Steel™ Pools	2	4.2 (1.9)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 21 ft. x 9 ft. x 52 in. (6.40 m x 2.74 m x 1.32 m) - 24 ft. x 12 ft. x 52 in. (7.32 m x 3.66 m x 1.32 m) Power Steel™ Pools	1	6.8 (3.1)

- PE material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris
- Carry Bag With Insert Card



POOL COVERS

New Generation

ITEM	SIZE DIAMETER	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58032/E	7 ft.3 in. / 2.20 m	- 8 ft. (2.44 m) Fast Set™ Pools	6	17.3 (7.9)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	6	26.3 (12.0)
58037/E	12 ft.1 in. / 3.70 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	6	37.1 (16.8)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools	6	46.8 (21.2)
58038/E	15 ft.5 in. / 4.70 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools	4	35.9 (16.3)
58249/E	16 ft.2 in. / 4.93 m	- 16 ft. (4.88 m) Steel Pro MAX™ Pools - 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	39.1 (17.8)
58039/E	18 ft.2 in. / 5.55 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	4	47.8 (21.7)
58356E	20 ft.2 in. / 6.15 m	- 20 ft. (6.10 m) Power Steel™ Pools	4	57.5 (26.1)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



POOL COVERS

ITEM	SIZE DIAMETER	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58103	7 ft.4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft.3 in. x 59 in. x 17 in. (2.21 m x 1.50 m x 43 cm) Steel Pro™ Pools	8	9.3 (4.2)
58105	8 ft.8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft.6 in. x 67 in. x 24 in. (2.59 m x 1.70 m x 61 cm) Steel Pro™ Pools	8	11.1 (5.0)
58106	10 ft. x 6 ft.9 in. / 3.04 m x 2.05 m	- 9 ft.10 in. x 6 ft.7 in. x 26 in. (3.00 m x 2.01 m x 66 cm) Steel Pro™ Pools	6	10.3 (4.7)
58107	13 ft.5 in. x 7 ft.5 in. / 4.10 m x 2.26 m	- 13 ft.1 in. x 6 ft.11 in. x 32 in. (4.00 m x 2.11 m x 81 cm) Steel Pro™ Pools	6	14.9 (6.8)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



POOL COVERS

New Generation

ITEM	SIZE DIAMETER	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58424	10 ft. x 6 ft. / 3.05 m x 1.84 m	- 10 ft. x 6 ft.7 in. x 33 in. (3.05 m x 2.00 m x 84 cm) Power Steel™ Oval Pools	6	20.4 (9.3)
58425	13 ft.8 in. x 7 ft.5 in. / 4.18 m x 2.30 m	- 14 ft. x 8 ft.2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Oval Pools	6	30.4 (13.8)
58442	8 ft.10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft.3 in. x 6 ft.5 in. x 33 in. (2.82 m x 1.96 m x 84 cm) Power Steel™ Pools	6	19.0 (8.6)
58232	13 ft. x 6 ft.1 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) - 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) Power Steel™ Pools	6	27.3 (12.4)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box





ROUND POOL DOME

ITEM	SIZE	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58612/E	19 ft. 8 in. x 19 ft. 8 in. x 9 ft. 8 in. / 6 m x 6 m x 2.95 m	Up to 16 ft. / 4.88 m	1	45.0 (20.4)

- Two Layers
- 16 Stakes/Pegs
- Flysheet: 190T Polyester, PU2000mm Coated + UPF 50+
- Inner/outer walls: 190T Polyester, PA300mm Coated + B3 Polyester Mesh
- Poles: Fiberglass - Ø 11 mm / Ø 12.7 mm
- Carry Bag: 210 D Polyester oxford with PU450 mm coated
- Product Weight: 40.5 lbs (18.4 kg)
- Polyester guy ropes
- Flysheet with UV protection, B3 Polyester mesh inner roof
- 2 entryways, 8 large transparent PVC windows
- Setup time: 30 min



GROUND CLOTHS

ITEM	SIZE DIAMETER	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- 8 ft. (2.44 m) Fast Set™ Pools - 8 ft. (2.44 m) Steel Pro™ Pools	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools - 10 ft. x 48 in. (3.00 m x 1.20 m) Hydrium™ Pools	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	4	11.8 (5.4)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	16.8 (7.6)


- PE material
- Provides extra protection for the bottom of the pool
- Full Color Box



POOL FLOOR PROTECTOR

ITEM	SIZE	CONTENT	COLORS	PACK	LBS (KG)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces	●	30	50.3 (22.8)
NEW 58636/E	31 in. x 31 in. / 78 cm x 78 cm	9 Pieces	●	8	33.4 (15.1)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pool floors
- Shrink Wrapped With Insert Card



INDEX

26033/E	Swimulator Resistance Trainer	P 58
30007/E	My First Fast Set™ Spray Pool	P 54
30014/E	Polysphere™ Display	P 65
5611R	Power Steel™ Oval Pool Set	P 45
5611S/E	Power Steel™ Oval Pool Set	P 45
5611T	Power Steel™ Oval Pool Set	P 45
5611U/E	Power Steel™ Oval Pool Set	P 45
5611Y/E	Power Steel™ Rectangular Pool Set	P 40
5611Z	Power Steel™ Rectangular Pool Set	P 40
5612A/E	Power Steel™ Rectangular Pool Set	P 40
5612B	Power Steel™ Rectangular Pool Set	P 40
5612X	Steel Pro MAX™ Pool Set	P 29
5612Y	Steel Pro MAX™ Pool Set	P 29
5612Z	Steel Pro MAX™ Pool Set	P 31
5613A/E	Steel Pro MAX™ Pool Set	P 31
5613HE	Steel Pro MAX™ Pool Set	P 29
5613Z/E	Power Steel™ Oval Pool Set	P 42
5614A	Power Steel™ Oval Pool Set	P 42
56217/E	My First Frame Pool	P 52
56260	Steel Pro MAX™ Pool Set	P 27
56283	My First Frame Pool	P 52
56401	Steel Pro™ Pool	P 20
56403	Steel Pro™ Pool	P 20
56404	Steel Pro™ Pool	P 21
56405	Steel Pro™ Pool	P 21
56406	Steel Pro MAX™ Pool	P 26
56407/E	Steel Pro MAX™ Pool Set	P 26
56408	Steel Pro MAX™ Pool Set	P 26
56411	Steel Pro™ Pool Set	P 21
56412/E	Steel Pro™ Pool Set	P 21
56416	Steel Pro MAX™ Pool Set	P 27
56417/E	Steel Pro MAX™ Pool Set	P 27
56418	Steel Pro MAX™ Pool Set	P 27
56419	Steel Pro MAX™ Pool Set	P 27
56420	Steel Pro MAX™ Pool Set	P 27
56421	Steel Pro MAX™ Pool Set	P 27
56424	Steel Pro™ Pool Set	P 21
56425/E	Steel Pro™ Pool Set	P 21
56432	Splash-In-Shade Play Pool	P 53
56438	Steel Pro MAX™ Pool Set	P 31
56439	Steel Pro MAX™ Pool Set	P 31
56441	Power Steel™ Rectangular Pool Set	P 38

56442	Power Steel™ Rectangular Pool Set	P 38
56448	Power Steel™ Oval Pool Set	P 43
56450	Power Steel™ Oval Pool Set	P 43
56456	Power Steel™ Rectangular Pool Set	P 38
56457	Power Steel™ Rectangular Pool Set	P 38
56458/E	Power Steel™ Rectangular Pool Set	P 38
56462	Steel Pro MAX™ Pool Set	P 31
56463/E	Steel Pro MAX™ Pool Set	P 31
56465	Power Steel™ Rectangular Pool Set	P 39
56466	Power Steel™ Rectangular Pool Set	P 39
56467	Power Steel™ Rectangular Pool Set	P 39
56468	Power Steel™ Rectangular Pool Set	P 39
56474	Power Steel™ Rectangular Pool Set	P 41
56475	Power Steel™ Rectangular Pool Set	P 41
56476	Power Steel™ Rectangular Pool Set	P 41
56477	Power Steel™ Rectangular Pool Set	P 41
56488	Steel Pro MAX™ Pool Set	P 30
56493/E	Steel Pro MAX™ Pool	P 26
56496/E	Steel Pro™ Pool	P 20
56498/E	Steel Pro™ Pool	P 21
56512/E	Steel Pro™ Pool	P 21
56536E	Power Steel™ Rectangular Pool Set	P 39
56542E	Power Steel™ Rectangular Pool Set	P 41
56543/E	Splash-In-Shade Play Pool	P 53
56545/E	Steel Pro™ Pool	P 20
56595	Steel Pro MAX™ Pool Set	P 29
56597/E	Steel Pro MAX™ Pool Set	P 29
56620	Power Steel™ Oval Pool Set	P 43
56622/E	Power Steel™ Oval Pool Set	P 43
56623	Power Steel™ Rectangular Pool Set	P 41
56625	Power Steel™ Rectangular Pool Set	P 41
56629	Power Steel™ Rectangular Pool Set	P 38
56631/E	Power Steel™ Rectangular Pool Set	P 38
56655E	Power Steel™ Oval Pool Set	P 43
56660	Power Steel™ Rectangular Pool Set	P 38
56661	Power Steel™ Rectangular Pool Set	P 38
56670	Power Steel™ Rectangular Pool Set	P 39
56671	Power Steel™ Rectangular Pool Set	P 39
56672	Power Steel™ Rectangular Pool Set	P 39
56673	Power Steel™ Rectangular Pool Set	P 39
56686	Steel Pro MAX™ Pool Set	P 30
56687E	Steel Pro MAX™ Pool Set	P 30

56690E	Steel Pro MAX™ Pool Set	P 31
56710	Power Steel™ Oval Pool Set	P 43
56711/E	Power Steel™ Oval Pool Set	P 43
56714	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56715/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56716	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56717/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56719	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 51
56720/E	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 51
56725	Power Steel™ Swim Vista Series™ II Pool Set	P 47
56726/E	Power Steel™ Swim Vista Series™ II Pool Set	P 47
56881/E	Power Steel™ Pool Set	P 37
56883	Power Steel™ Pool Set	P 37
56884/E	Power Steel™ Pool Set	P 37
56886	Power Steel™ Pool Set	P 37
56887/E	Power Steel™ Pool Set	P 37
56889	Power Steel™ Pool Set	P 37
56948E	Steel Pro MAX™ Pool Set	P 29
56949	Steel Pro MAX™ Pool Set	P 29
56950	Steel Pro MAX™ Pool Set	P 29
56976/E	Power Steel™ Swim Vista Series™ II Pool Set	P 47
56977	Power Steel™ Swim Vista Series™ II Pool Set	P 47
57241/E	My First Fast Set™ Pool	P 52
57265	Fast Set™ Pool	P 12
57266	Fast Set™ Pool	P 13
57267/E	Fast Set™ Pool Set	P 12
57268	Fast Set™ Pool Set	P 12
57269/E	Fast Set™ Pool Set	P 13
57270	Fast Set™ Pool Set	P 13
57273	Fast Set™ Pool	P 13
57274	Fast Set™ Pool Set	P 13
57275/E	Fast Set™ Pool Set	P 13
57305/E	Fast Set™ Pool	P 12
57307/E	Fast Set™ Pool	P 13
57308/E	Fast Set™ Pool	P 13
57313	Fast Set™ Pool Set	P 13
57315/E	Fast Set™ Pool Set	P 13
57326/E	My First Fast Set™ Spray Pool	P 54
57371/E	Fast Set™ Pool Set	P 14
57372	Fast Set™ Pool Set	P 14
57375/E	Fast Set™ Pool Set	P 14
57376	Fast Set™ Pool Set	P 14

57392/E	Fast Set™ Pool	P 12
57396/E	OctoPool	P 55
57397	OctoPool	P 55
57415/E	Fast Set™ Paradise Palms Pool Set	P 15
57416	Fast Set™ Paradise Palms Pool Set	P 15
58000	Ground Cloths	P 97
58001/E	Ground Cloths	P 97
58002/E	Ground Cloths	P 97
58003/E	Ground Cloths	P 97
58012/E	Filter Cartridges	P 71
58013/E	Maintenance Kit	P 84
58032/E	Pool Covers	P 95
58036/E	Pool Covers	P 95
58037/E	Pool Covers	P 95
58038/E	Pool Covers	P 95
58039/E	Pool Covers	P 95
58060/E	Solar Pool Covers	P 94
58071/E	Chemical Floater	P 90
58072/E	Floating Pool Thermometer	P 90
58093/E	Filter Cartridges	P 71
58094	Filter Cartridges	P 71
58095/E	Filter Cartridges	P 71
58103	Pool Covers	P 95
58105	Pool Covers	P 95
58106	Pool Covers	P 95
58107	Pool Covers	P 95
58111/E	Solar-Float Lamp	P 77
58142/E	Pool & Spa Test Strips	P 87
58173/E	Solar Pool Covers	P 94
58195/E	Pool Accessories Set	P 84
58209/E	Chemical Floater	P 90
58210	Chemical Floater	P 90
58212/E	Aquacrawl Pool Vacuum	P 84
58220/E	Pool Floor Protector	P 97
58224	Solar-Pro Shower™	P 76
58228	Solar Pool Covers	P 94
58230	Pool + Drain Pump	P 88
58232	Pool Covers	P 95
58233/E	Pool Surface Skimmer	P 86
58234/E	AquaClean Pool Cleaning Kit	P 85
58236/E	Hose Adapters	P 71
58237/E	Deluxe Maintenance Kit	P 85

58240	Solar Pool Covers	P 94
58241/E	Solar Pool Covers	P 94
58242/E	Solar Pool Covers	P 94
58248/E	Pool Covers	P 95
58249/E	Pool Covers	P 95
58252/E	Solar Pool Covers	P 94
58253/E	Solar Pool Covers	P 94
58259	Pool Heater	P 89
58261/E	Pool + Drain Pump	P 88
58277	Cleancast Skimmer	P 86
58278/E	Aquanet	P 86
58279/E	E-Z-Broom Pole	P 87
58280/E	Aquabroom	P 86
58330	Pool Ladder	P 92
58331	Pool Ladder	P 93
58332	Pool Ladder	P 93
58335/E	Pool Ladder	P 92
58336/E	Pool Ladder	P 93
58337/E	Pool Ladder	P 93
58340	AquaScan Electric Pool Vacuum	P 83
58356E	Pool Covers	P 95
58368	Hose	P 71
58369	Hose	P 71
58381	Filter Pump	P 68
58383	Filter Pump	P 68
58384E	Filter Pump	P 68
58384	Filter Pump	P 68
58386	Filter Pump	P 68
58387	Filter Pump	P 68
58388E	Filter Pump	P 68
58389	Filter Pump	P 68
58390E	Filter Pump	P 68
58390	Filter Pump	P 68
58391	Filter Pump	P 68
58392E	Filter Pump	P 68
58392	Filter Pump	P 68
58419/E	LED Floating Pool Light	P 77
58423/E	Clean Sun Powered Pool Pad	P 89
58424	Pool Covers	P 95
58425	Pool Covers	P 95
58430	Pool Ladder	P 92
58442	Pool Covers	P 95

58462	Skimatic™ Filter Pump	P 70
58463E	Skimatic™ Filter Pump	P 70
58463	Skimatic™ Filter Pump	P 70
58469	Skimatic™ Filter Pump	P 70
58470E	Skimatic™ Filter Pump	P 70
58470	Skimatic™ Filter Pump	P 70
58474/E	Chemical Floater With Chemguard™ Glove	P 91
58475/E	Polysphere™	P 65
58486	Sand Filter	P 65
58486GS	Sand Filter	P 65
58493/E	Led Floating Pool Fountain	P 76
58497	Sand Filter	P 64
58497GS	Sand Filter	P 64
58498	Sand Filter	P 64
58498E	Sand Filter	P 64
58499	Sand Filter	P 65
58499GS	Sand Filter	P 65
58500	Sand Filter	P 65
58500E	Sand Filter	P 65
58511E	Filter Pump	P 68
58511	Filter Pump	P 68
58515	Sand Filter	P 64
58515GS	Sand Filter	P 64
58516	Sand Filter	P 64
58516E	Sand Filter	P 64
58517	Swim Fitness System	P 57
58595/E	Assorted Animal Pool Thermometer	P 90
58612/E	Round Pool Dome	P 96
58614E	Smart Touch Wifi Filter Pump	P 66
58619/E	Soothing Led Waterfall	P 74
58622	Aquarover™	P 80
58623/E	Aquarover™	P 80
58624/E	AquaReach™	P 82
58628/E	AquaSweeper	P 83
58635/E	AquaScoop Skimmer Set	P 86
58636/E	Pool Floor Protector	P 97
58641/E	Steel Pro MAX™ Poolside Cup Holder	P 26
62068/E	Heavy-Duty Repair Patch	P 87
62091/E	Underwater Adhesive Repair Patch	P 87