

SPECIAL EDITION **2021** *Collection*

2021 BESTWAY SPECIAL EDITION

SPECIAL EDITION **2021** *Collection*

SHANGHAI

Bestway Inflatables & Material Corp.
No. 208 Jin Yuan Wu Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing,
Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
E-mail: info@bestwaycorp.us

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (MI), Italy
Tel: 39 02 9884 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.
Ul. Ekologiczna 24
05-080 Klaudyn Poland
Tel: 48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL

Bestway Brazil
Av Cerro Azul, 2783 Maringa - PR - Brazil
Zip Code: 87010-055
Tel: 55 44 3046 2950 / 0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Camarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl
1681 route des Dolines
Les Tairssounières - Belem
06560 VALBONNE
Tel: 33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
E-mail: info@bestwaycorp.de

Bestway

   www.bestwaycorp.com

©2020 Bestway Inflatables & Material Corp. All rights reserved.
™ Trademarks owned and managed by Bestway Inflatables & Material Corp.



Bestway

OUR VISION MISSION

We create fun, lasting experiences for everyone in the world through the products and service we provide.

Happiness — Happy Consumers, Happy Employees, Happy World




Vertically integrated


Customer focused


Innovative


Sustainable


Consumer driven


Fully owned production facilities


Public stock exchange

W E L C O M E

Dear Customer,

For the 2021 Season, we are excited to once again bring you our Special Edition Catalog by Bestway!

This program has been launched to offer selected partners a variety of articles that are not included in our standard catalogs.

All of the items are designed to offer you something extra, such as new price points, a larger assortment of sizes and designs, and special set compositions.

These products offer the following benefits:

- A broader, more innovative range
- A guaranteed return on your investment for your own advertising of this exclusive range of products
- The ability to set your own prices due to product differentiation
- An offering of alternative products in the same range at attractive prices for your customers

These items will be subject to special conditions. If you are interested in anything you see on the pages before you, please contact the Bestway team or your Sales Rep for more information.

We look forward to making this the best sales season yet!

*The
Bestway
Team*

C O N T E N T S

AGP

Bestway Above Ground Pools

LAY-Z-SPA®

First Premium Inflatable Spa

HYDRO-FORCE™

Inflatable Stand-up Paddle boards

SUMMER

Inflatable Leisure Products



This summer, cool off with a big splash in a Bestway® Above Ground Pool. Built for long-lasting durability, pool owners can relax knowing that they'll have a nice pool to dip their toes in for many summers to come. Perfect for families, there's a Bestway pool for every backyard!

- 08 - Fast Set™ Pools
- 10 - Steel Pro™ Pools
- 16 - Steel Pro MAX™ Pools
- 20 - Power Steel™ Rectangular Pools
- 22 - Power Steel™ Swim Vista Series™ II Pools
- 24 - Power Steel™ Round Pools
- 26 - Power Steel™ Pool Set with Canopy
- 28 - Hydrium™ Round Pools
- 30 - Hydrium™ Oval Pools
- 32 - Hydrium™ Splasher Pools
- 34 - Aquatronix™

AGP

FAST SET™ POOLS

Fast and simple to assemble. Just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time!
No tools required for a Bestway® Fast Set™ Pool!



Water Capacity (80%): 3,648 gal. (13,807 L)


15 ft. x 48 in. / 4.57 m x 1.22 m

New Generation

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
57289	Europe	1	99.6 (45.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58331

Features & Technologies


Build



Color



Bottom



Tritech™ Construction

Convenience



Drain Valve



Super compact
Easy to transport



No Tools
Required



Easy
to store



Packaging: Sturdy
Cardboard Box with Pictures

AGP

STEEL PRO™ POOLS

Easy to assemble and very affordable, with a strong, steel frame. You get a lot of pool for your money with a Bestway® Steel Pro™ Pool.



Water Capacity (90%): 1,236 gal. (4,678 L)

10 ft. x 30 in. / 3.05 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56677	Europe	1	37.3 (16.9)			
56678	Oceania	1	42.7 (19.4)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56679	Europe	1	41.0 (18.6)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56678	Asia, Africa & Latin America	1	42.0 (19.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I

Water Capacity (90%): 1,710 gal. (6,473 L)

12 ft. x 30 in. / 3.66 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56706	Europe	1	46.3 (21.0)			
56680	Oceania	1	51.7 (23.5)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56681	Europe	1	50.0 (22.7)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56680	Asia, Africa & Latin America	1	51.0 (23.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I

Water Capacity (90%): 2,293 gal. (8,680 L)

13 ft. x 33 in. / 3.96 m x 84 cm NEW

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
5612D	Oceania	1	61.8 (28.1)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
5612E	Europe	1	60.1 (27.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
5612E	Asia, Africa & Latin America	1	61.1 (27.7)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
5612D	Asia, Africa & Latin America	1	61.1 (27.7)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C

Features & Technologies

FrameLink System™

Build

Color

Bottom

Hardware

DuraPlus™ Construction

Convenience

Drain Valve

Super compact
Easy to transport

No Tools
Required

Easy to
store

Packaging:
Full Color Box

AGP

STEEL PRO™ POOLS

Easy to assemble and very affordable, with a strong, steel frame. You get a lot of pool for your money with a Bestway® Steel Pro™ Pool.



Water Capacity (90%): 851 gal. (3,221 L)

9 ft. x 26 in. / 2.74 m x 66 cm

NEW


ITEM	REGION	PACK	LBS (KG)
5612G	Oceania	1	31.2 (14.1)
5612F	Europe	1	31.0 (14.1)

Features & Technologies

FrameLink System™



Build




Pattern



Bottom



Hardware



DuraPlus™ Construction

Convenience



Drain Valve



Super compact
Easy to transport



No Tools
Required



Easy to store

Packaging:
Full Color Box



AGP

STEEL PRO™ POOLS

Easy to assemble and very affordable, with a strong, steel frame. You get a lot of pool for your money with a Bestway® Steel Pro™ Pool.



Water Capacity (90%): 1,073 gal. (4,062 L)

10 ft. x 26 in. / 3.05 m x 66 cm


ITEM	REGION	PACK	LBS (KG)
56986	Oceania	1	35.0 (15.9)
56985	Europe	1	34.9 (15.8)

Features & Technologies

FrameLink System™



Build




Pattern



Bottom



Hardware



DuraPlus™ Construction

Convenience



Drain Valve



Super compact
Easy to transport



No Tools
Required



Easy to store

Packaging:
Full Color Box



AGP

STEEL PRO MAX™ POOLS

The Steel Pro MAX™ family of pools is designed with an extremely rigid oval shaped frame for increased strength and durability. With the FrameLink System™ included, the Steel Pro MAX™ provides options for amazing pools that are durable and long-lasting.



Water Capacity (90%): 2,417 gal. (9,150 L)

12 ft. x 39.5 in. / 3.66 m x 1.00 m

New Generation




ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56709	Europe	1	84.1 (38.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330
56709	Asia, Africa & Latin America	1	82.0 (37.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
56731	Asia, Africa & Latin America	1	82.0 (37.2)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335

Features & Technologies

FrameLink System™



Build




Pattern



Bottom



Hardware



DuraPlus™ Construction

Convenience



Drain Valve



Corrosion Resistant



3-Ply PVC



No Tools Required

Packaging:
Full Color Box



AGP

STEEL PRO MAX™ POOLS

The Steel Pro MAX™ family of pools is designed with an extremely rigid oval shaped frame for increased strength and durability. With the FrameLink System™ included, the Steel Pro MAX™ provides options for amazing pools that are durable and long-lasting.



Water Capacity (90%): 2,417 gal. (9,150 L)

12 ft. x 39.5 in. / 3.66 m x 1.00 m **NEW**



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
5614W	Oceania	1	82.4 (37.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
5614X	Europe	1	84.2 (38.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330
5614X	Asia, Africa & Latin America	1	82.0 (37.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
5614W	Asia, Africa & Latin America	1	82.0 (37.2)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335

Water Capacity (90%): 3,440 gal. (13,030 L)

14 ft. x 42 in. / 4.27 m x 1.07 m **NEW**

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5614Y	Oceania	1	114.4 (51.9)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335
5614Z	Europe	1	116.1 (52.7)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58330
5614Z	Asia, Africa & Latin America	1	112.6 (51.1)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335
5614Y	Asia, Africa & Latin America	1	112.6 (51.1)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58248	58335

Features & Technologies




Packaging:
12ft x 39.5in = Full Color Box
14ft x 42in = Sturdy Cardboard Box with Pictures

AGP

POWER STEEL™ RECTANGULAR POOLS

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel™ Pool the smart choice for families.




Features & Technologies



Seal & Lock System™
Superior Steel Frame Design



Tritech™ Construction



ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



Drain Valve




Corrosion Resistant



C-Connector

Build



Packaging

Packaging: Sturdy Cardboard Box with Pictures



Water Capacity (90%): 1,711 gal. (6,478 L)

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56721	Europe	1	135.2 (61.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330	✓
56721	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335	✓
56727	Asia, Africa & Latin America	1	133.2 (60.4)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335	✓

Water Capacity (90%): 2,146 gal. (8,124 L)

13 ft. 6 in. x 6 ft. 7 in. x 48 in. / 4.12 m x 2.01 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56728	Oceania	1	157.3 (71.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58336	✓
56722	Europe	1	162.0 (73.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58331	✓
56722	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58336	✓
56728	Asia, Africa & Latin America	1	156.4 (70.9)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58336	✓

Water Capacity (90%): 3,046 gal. (11,532 L)

16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56995	Oceania	1	204.6 (92.8)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58336	✓
56996	Europe	1	210.4 (95.5)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58331	✓
56996	Asia, Africa & Latin America	1	203.8 (92.4)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58336	✓
56995	Asia, Africa & Latin America	1	203.8 (92.4)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓

Water Capacity (90%): 3,913 gal. (14,812 L)

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56997	Oceania	1	226.7 (102.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56998	Europe	1	236.8 (107.4)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58331	✓
56998	Asia, Africa & Latin America	1	226.8 (102.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56997	Asia, Africa & Latin America	1	226.8 (102.9)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓

AGP

POWER STEEL™ SWIM VISTA SERIES™ II POOLS

With the durability and technology of our Power Steel™ pool range, we've created a new model of pools with a more natural and luxurious look and are excited to present the Power Steel™ Swim Vista Series™ II!



Water Capacity (90%): 2,893 gal. (10,949 L)

16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m


ITEM	REGION	PACK	LBS (KG)	SAND FILTER	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56946	Europe	1	167.5 (76.0)	58515 (800 gal. / 3,028 L)	220-240V	SAND FILTER	✓	58330	✓

Features & Technologies

Seal & Lock System™
Superior Steel Frame Design



Build



Pattern



Bottom



Hardware

Tritech™ Construction



Convenience



Drain Valve



Corrosion Resistant



3-Ply PVC



No Tools Required

ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Packaging: Sturdy Cardboard Box with Pictures

AGP POWER STEEL™ ROUND POOLS

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly and realistic stone printing make a Bestway® Power Steel™ Pool the smart choice for families.



Water Capacity (90%): 4,024 gal. (15,232 L)

14 ft. x 48 in. / 4.27 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56993	Europe	1	114.1 (51.7)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58331	✓


Water Capacity (90%): 5,145 gal. (19,480 L)

16 ft. x 48 in. / 4.88 m x 1.22 m


ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56966	Europe	1	165.3 (75.0)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58331	✓

Features & Technologies

Seal & Lock System™
Superior Steel Frame Design



Build



Pattern




Bottom



Hardware

Tritech™ Construction



Convenience



Drain Valve



Corrosion Resistant



3-Ply PVC



No Tools Required

ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Packaging: Sturdy Cardboard Box with Pictures

AGP

POWER STEEL™ POOL SET WITH CANOPY

The strength and security of rigid, super strong steel tube framing, plus a relaxing shaded corner and new realistic wicker printing make this Bestway® Power Steel™ Pool a new smart choice for families.




Water Capacity (90%): 2,941 gal. (11,133 L)

13 ft. x 42 in. / 3.96 m x 1.07 m **NEW**



ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER	CANOPY
5614U	Oceania	1	111.2 (50.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58292	58335	✓	✓
5614V	Europe	1	112.9 (51.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58292	58330	✓	✓
5614V	Asia, Africa & Latin America	1	110.3 (50.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58292	58335	✓	✓
5614U	Asia, Africa & Latin America	1	110.3 (50.0)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58292	58335	✓	✓

Features & Technologies



Seal & Lock System™
Superior Steel Frame Design

Build



Pattern




Bottom



Hardware

Tritech™ Construction



Convenience



Drain Valve



Corrosion Resistant



3-Ply PVC



No Tools Required

ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Packaging: Sturdy Cardboard Box with Pictures



POOL COVER **New Generation**

PVC material
Includes ropes to secure cover
Drain holes to prevent water from accumulating
Full color box

ITEM	SIZE DIAMETER	CORRESPONDING POOL-FITS:	PACK	LBS (KG)
58292	13 ft. 2 in. / 4.01 m	-13 ft. (3.96 m) Steel Pro™ Pools -13 ft. (3.96 m) Power Steel™ Pools -13 ft. (3.96 m) Fast Set™ Pools -12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	6	41.4 (18.8)

AGP

HYDRIMUM™ ROUND POOLS

Easy to assemble and maintain, a Bestway® Hydrium™ Pool is really built to last. It's an investment in your family's future fun.



Water Capacity (90%): 2,018 gal. (7,630 L)

10 ft. x 48 in.
3.00 m x 1.20 m

ITEM	REGION	PACK	LBS (KG)	SAND FILTER	VOLTAGE	CARTRIDGE	COVER	Ground Cloth	LADDER	CHEMCONNECT™ DISPENSER
56566	Europe	1	218.0 (98.8)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	58001	58331	✓

Water Capacity (90%): 2,906 gal. (10,990 L)

12 ft. x 48 in.
3.60 m x 1.20 m

ITEM	REGION	PACK	LBS (KG)	SAND FILTER	VOLTAGE	CARTRIDGE	COVER	Ground Cloth	LADDER	CHEMCONNECT™ DISPENSER
56575	Oceania	1	244.0 (110.6)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58292	58002	58336	✓
56574	Europe	1	244.0 (110.6)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58292	58002	58331	✓


Water Capacity (90%): 4,605 gal. (17,430 L)

15 ft. x 48 in.
4.60 m x 1.20 m

ITEM	REGION	PACK	LBS (KG)	SAND FILTER	VOLTAGE	CARTRIDGE	COVER	Ground Cloth	LADDER	CHEMCONNECT™ DISPENSER
56385	Oceania	1	312.0 (141.4)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58249	58003	58336	✓
56384	Europe	1	312.0 (141.4)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58249	58003	58331	✓


Features & Technologies

Build



-  Color
-  Bottom
-  Hardware

Convenience

-  Reinforced Steel Sidewalls
-  Shipped On Pallet
-  Premium Pool Liner
-  Integrated Surface Skimmer



Packaging: Sturdy Cardboard Box with Pictures

AGP

HYDRUM™ OVAL POOLS

Easy to assemble and maintain, a Bestway® Hydrium™ Pool is really built to last. It's an investment in your family's future fun.



Water Capacity (90%): 4,305 gal. (16,296 L)

16 ft. 5 in. x 12 ft. x 48 in. / 5.00 m x 3.60 m x 1.20 m

ITEM	REGION	PACK	LBS (KG)	SAND FILTER	VOLTAGE	CARTRIDGE	COVER	Ground Cloth	LADDER	CHEMCONNECT™ DISPENSER
56587	Oceania	1	375.6 (170.2)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	✓	58336	✓
56586	Europe	1	375.6 (170.2)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	✓	58331	✓


Water Capacity (90%): 5,265 gal. (19,929 L)

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.60 m x 1.20 m

ITEM	REGION	PACK	LBS (KG)	SAND FILTER	VOLTAGE	CARTRIDGE	COVER	Ground Cloth	LADDER	CHEMCONNECT™ DISPENSER
56370	Oceania	1	462.5 (209.6)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	✓	58336	✓
56369	Europe	1	462.5 (209.6)	58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	✓	✓	58331	✓

Features & Technologies

Build



- Color
- Bottom
- Hardware

Convenience

- Reinforced Steel Sidewalls
- Shipped On Pallet
- Premium Pool Liner
- Integrated Surface Skimmer



Packaging: Sturdy Cardboard Box with Pictures

AGP HYDRUM™ SPLASHER POOLS

Easy to assemble and maintain, a Bestway® Hydrium™ Pool is really built to last.
It's an investment in your family's future fun.




Water Capacity (95%): 1,785 gal. (6,757 L)

10 ft. 10 in. x 33 in.
3.30 m x 84 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56669	Oceania	1	97.9 (44.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
56668	Europe	1	97.2 (44.1)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
56669	Asia, Africa & Latin America	1	98.8 (44.8)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C

Features & Technologies

Build




Color



Bottom

Convenience



Reinforced
Steel
Sidewalls



Premium
Pool
Liner



Packaging: Sturdy
Cardboard Box with Pictures

AGP accessories

AQUATRONIX™

58482

Your pool is for relaxing, not labor. Aquatronix™ is the autonomous pool cleaning robot doing the dirty work to keep your pool clean and pristine. This cordless robot has a full range of motion and is compatible with any flat bottom pool.




Main features:

- Autonomous & cordless pool cleaning robot
- Compatible with any flat bottom pool (above ground or in-ground)
- Built-in rechargeable lithium battery
- Recharge time: 5-6 hours
- Cycle use time: 90 minutes
- Included retrieval kit
- Built-in sensors activate the device when fully submerged in water, and deactivate when outside of the water for motor protection
- Easy-to-clean stainless steel filter traps up to 4.5 L of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Recommended for flat bottom pools
 - Round Pools: up to 24 ft. (7.32 m) in diameter or 484 ft.² (45 m²) in total area
 - Rectangular pools: up to 31 ft. 4 in. (9.56 m) in length or 463 ft.² (43 m²) in total area

Item #	Size	Pack	LBS (KG)
58482	45 cm x 33 cm x 30.5 cm	1	16.3 (7.4)

Packaging

Full Color Box



Components:

- 1 Retrieval Kit
- 2 Head Locking Flap For 180-Degree Turns
- 3 Handle
- 4 On/Off Led Light
- 5 Optional Bumpers
- 6 Underside Debris Agitators
- 7 Adjustable Wheel Axle
- 8 New: Stainless Steel Mesh Filter



The Bestway® Lay-Z-Spa® is the world's first premium inflatable spa, offering an affordable experience that's easy to use, easy to set up and provides ultimate relaxation. Taking on both a classic and modern look, the branding for the Lay-Z-Spa® line was updated to a sleek layout that answers consumer questions before they even realize they have them.



- 38 - Havana AirJet™
- 42 - Bali AirJet™
- 46 - Paris AirJet™
- 50 - Palm Spring AirJet™

HOT TUBS

HAVANA AIRJET™

60035

NEW
GENERATION!



FREEZE
SHIELD™
TECHNOLOGY



BESTWAY
SMART HUB™
APP



CAPACITY
2-4
PEOPLE



Main features:

- Inflated walls are made of DuraPlus™ material, providing premium durability and comfort
- Soothing AirJet™ system (120 AirJets)
- Power-saving, automatic timer-controlled heating system
- Integrated water filtration system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Soft insulated floor

Contents: 1 pool liner, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40° C (104 F)*



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED




POWER
SAVING TIMER



MASSAGE
REGULATION
2 Intensity Levels


PACKAGING

Packaging: Sturdy
Cardboard Box
with Pictures



DURAPLUS™ CONSTRUCTION

The spa retains its shape no matter how many times it's inflated and deflated, always providing a comfortable, cushioned spa environment. Outer, inner walls and bottom are DuraPlus.



BEAM CONSTRUCTION

DELIVERING STRENGTH AND COMFORT

Lay-Z-Spa's Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

ITEM NUMBER	60035
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	696 KG (1,534 LBS)
RATING	220-240V - 50HZ, 2050W AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/ GROSS WEIGHT	1 EA., 33.86 KG (74.65 LBS)



AIRJET™ MASSAGE SYSTEM

Sooth your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



BESTWAY SMART HUB™ APP


This innovation makes the Lay-Z-Spa compatible with smart devices. The Spa Control section of the app lets users set their spa to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!



FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

DIGITAL CONTROL PANEL



HOT TUBS

BALI AIRJET™

60009

NEW
GENERATION!



FREEZE
SHIELD™
TECHNOLOGY



WIRELESS
LED REMOTE
CONTROL



CAPACITY
2-4
PEOPLE



Main features:

- Inflated walls are made of DuraPlus™ material, providing premium durability and comfort
- Soothing AirJet™ system (120 AirJets)
- Remote-controlled multicolored LED light strip system (7 colors)
- Power saving, automatic timer-controlled heating system
- Integrated water filtration system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Soft insulated floor

Contents: 1 pool liner, 1 pool cover, 1 spa pump, 1 LED light strip, wireless LED remote control, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



7 colors LED light strip





SPA FEATURES



WARM AIR



MAX TEMP
40° C (104 F)*



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED




LED
LIGHT



POWER
SAVING TIMER


PACKAGING

Packaging: Sturdy
Cardboard Box
with Pictures



DURAPLUS™ CONSTRUCTION

The spa retains its shape no matter how many times it's inflated and deflated, always providing a comfortable, cushioned spa environment. Outer, inner walls and bottom are DuraPlus.



BEAM CONSTRUCTION

**DELIVERING STRENGTH
AND COMFORT**
Lay-Z-Spa's Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

ITEM NUMBER	60009
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	696 KG (1,534 LBS)
RATING	220-240V - 50HZ, 2050W AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/ GROSS WEIGHT	1 EA., 35.44 KG (78.13 LBS)



AIRJET™ MASSAGE SYSTEM



Sooth your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

DIGITAL CONTROL PANEL



HOT TUBS

PARIS AIRJET™

60013

NEW
GENERATION!



FREEZE
SHIELD™
TECHNOLOGY



WIRELESS
LED REMOTE
CONTROL



CAPACITY
4-6
PEOPLE



Main features:

- Soothing AirJet™ system (140 AirJets)
- Remote-controlled multicolored LED light strip system (7 colors)
- Power-saving, automatic timer-controlled heating system
- Integrated water filtration system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Soft insulated floor

Contents: 1 pool liner, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), 1 LED light strip, wireless LED remote control, repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



7 colors LED light strip





SPA FEATURES



WARM AIR



MAX TEMP
40° C (104 F*)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED




LED
LIGHT



POWER
SAVING TIMER


PACKAGING

Packaging: Sturdy
Cardboard Box
with Pictures



DURAPLUS™ CONSTRUCTION

The spa retains its shape no matter how many times it's inflated and deflated, always providing a comfortable, cushioned spa environment.



BEAM CONSTRUCTION

DELIVERING STRENGTH
AND COMFORT
Lay-Z-Spa's Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

ITEM NUMBER	60013
WATER CAPACITY (80%)	806 L (213 GAL.)
INFLATED SIZE	1.96 M X 66 CM (77" X 26")
INNER SIZE	1.46 M (57")
FILLED WEIGHT	840 KG (1,851 LBS)
RATING	220-240V-50HZ, 2050W AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE, GS
PACK/ GROSS WEIGHT	1 EA., 40.29 KG (88.82 LBS)



AIRJET™ MASSAGE SYSTEM



Sooth your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

DIGITAL CONTROL PANEL



HOT TUBS

PALM SPRINGS AIRJET™

60017

NEW
GENERATION!



FREEZE
SHIELD™
TECHNOLOGY



CAPACITY
4-6
PEOPLE



Main features:

- Inflated walls are made of DuraPlus™ material, providing premium durability and comfort
- Soothing AirJet™ system (140 AirJets)
- Power-saving, automatic timer-controlled heating system
- Integrated water filtration system
- Reinforced cover with safety lock clips and built-in air chamber for insulation

Contents: 1 pool liner, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40° C (104 F*)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).




NO TOOLS
REQUIRED



POWER
SAVING TIMER


PACKAGING

Packaging: Sturdy
Cardboard Box
with Pictures



DURAPLUS™ CONSTRUCTION

The spa retains its shape no matter how many times it's inflated and deflated, always providing a comfortable, cushioned spa environment. Outer, inner walls, bottom and beams are DuraPlus.



Y-BEAM CONSTRUCTION

DELIVERING STRENGTH AND COMFORT

Lay-Z-Spa's Y-Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.



AIRJET™ MASSAGE SYSTEM

Sooth your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.





FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60017
WATER CAPACITY (80%)	916 L (242 GAL.)
INFLATED SIZE	1.96 M X 71 CM (77" X 28")
INNER SIZE	1.46 M (57")
FILLED WEIGHT	954 KG (2,103 LBS)
RATING	220-240V-50HZ, 2050W AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE, GS
PACK/ GROSS WEIGHT	1 EA., 41.25 KG (90.93 LBS)

DIGITAL CONTROL PANEL





The engineering team at Bestway® has crafted and fine-tuned each stand-up paddleboard year after year to offer consumer's the most premium option at an affordable price. This year, both packaging and overall board design have been refreshed to a more modern, sleek and athletic look. Built on the concept of wings and flight, the Hydro-Force™ logo was also given a brand new look, specifically for SUP. Year after year, Hydro-Force™ continues to rule the lineup!

56 - Sea Breeze Set

58 - White Cap Convertible Set

HYDRO-FORCE™

SEA BREEZE SET

65340

NEW!



- Inflated Size** 10' x 33" x 4.75"
(3.05 m x 84 cm x 12 cm)
- Category** All-Around
- Features** Drop stitch
1 removable fin
- Contents** Board, hand pump, backpack,
leash, paddle, repair kit



- Weight capacity** 265 lbs (120 kg)
- Passengers** 1
- Case Pack** 1 pcs
- Lb. (kg)** 28.9 lbs (13.1 kg)
- Packaging** Full color box



HYDRO-FORCE™

WHITE CAP CONVERTIBLE SET

65341

NEW!



Inflated Size 10' x 33" x 4.75"
(3.05 m x 84 cm x 12 cm)
Category All-Around
Features Drop stitch
1 removable fin
Contents Board, hand pump, backpack,
leash, paddle, kayak seat,
footrest, repair kit



Weight capacity 265 lbs (120 kg)
Passengers 1
Case Pack 1 pcs
Lb. (Kg) 32.5 lbs (14.7 kg)
Packaging Full color box





Bestway® has all the makings for summertime fun with a large assortment of inflatable leisure products, water sports products, and giant party inflatables. Make it the best summer ever for your customers. Make it a Bestway® summer!

- 62 - Aqua Lounge
- 63 - Aqua Hammock
- 64 - Plesiosaur Ride-On
- 64 - Giant Swan Party Island

Aqua Lounge

43103

- 1.60 m x 84 cm / 63" x 33"
- Two air chambers
- Comfortable headrest
- Mesh bottom
- Two assorted colors
- Repair patch
- Full color box
- User capacity: 90 kg (198.4 lbs)
- Number of users: 1 adult
- 8 Ea., 6.1 kg (13.4 lbs)



Comfortable headrest



Mesh bottom



Aqua Hammock

43300

- 1.60 m x 84 cm / 63" x 33"
- Two air chambers
- Comfortable headrest
- Mesh bottom
- Repair patch
- Full color box
- User capacity: 90 kg (198.4 lbs)
- Number of users: 1 adult
- 8 Ea., 5.8 kg (12.8 lbs)



Comfortable headrest



Mesh bottom



Plesiosaur Ride-On

41128

- 1.45 m x 1.90 m / 57" x 6'3"
- Heavy-duty handles
- Repair patch
- Full color box
- User capacity: 45 kg (99.2 lbs)
- Number of users: 1 child
- 8 Ea., 10.8 kg (23.9 lbs)

AGE 3+



Giant Swan Party Island

43281

- 4.29 m x 3.30 m / 14'1" x 10'10"
- Interlocking quick release valves
- Wraparound safety grab rope
- Six cup holders
- Six air chambers
- Four heavy-duty handles
- Inflatable tail serves as detachable swim-up platform
- Heavy-duty repair patch
- Full color box
- User capacity: 540 kg (1190.4 lbs)
- Numbers of users: 6 adults
- 1 Ea., 20.1 kg (44.2 lbs)



**FLOAT'N
FASHION**



**SUPERSIZED
GIANT**
4.29 M X 3.30 M
14'1" X 10'10"

Collection
SPECIAL EDITION 2021

Bestway