



Bestway

# ABOVE GROUND POOLS

2023 CATALOG



# Bestway

2023 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
  - Air Mattresses
  - Spa
  - Summer & License
  - Watersports
  - Camping Gear\*
- \*Only available for 2023.


### Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos







## VISION & MISSION

Since 1994, our vision has been to create fun, memorable experiences for everyone in the world through our innovative, dependable products.

Now, just over 25 years later, Bestway has forged a global presence in more than 100 countries by developing an extensive product line and becoming forward thinkers about sustainable business practices. Today, we manufacture and sell more than 1,100 different products within four core categories: above ground pools and portable spas, recreational products, sporting goods, and camping products.

## SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. That's why every department in Bestway works closely together - from our technology and quality assurance centers to our laboratories, vertically integrated manufacturing systems and after-sales service centers around the globe.

Bestway's advanced online services and regional call centers allow customers to easily resolve issues that arise with their products, offering downloadable manuals, instructional videos, and 24/7 call support.



## GLOBAL FACTORIES



JIANGSU



YANCHENG



HAIAN



NANTONG



SHANGHAI



VIETNAM

## AROUND THE WORLD



CHANDLER, U.S.A.  
R&D • SUBSIDIARY



SANTIAGO, CHILE  
SUBSIDIARY



SAN PAULO, BRAZIL  
SUBSIDIARY



HAMBURG, GERMANY  
SUBSIDIARY



NICE, FRANCE  
SUBSIDIARY



MILAN, ITALY  
R&D • SUBSIDIARY



COPENHAGEN, DENMARK  
SUBSIDIARY



WARSAW, POLAND  
SUBSIDIARY



DUBAI, U.A.E.  
SUBSIDIARY



MOSCOW, RUSSIA  
SUBSIDIARY



HONG KONG, CHINA  
R&D • SUBSIDIARY



SHANGHAI, CHINA  
HQ • PRODUCTION



SYDNEY, AUSTRALIA  
SUBSIDIARY



# CONTENTS

**Fast Set™ Pools** pg 12

**Steel Pro™ Pools** pg 18

**Steel Pro MAX™ Pools** pg 22

**Power Steel™ Pools** pg 30

Power Steel™ Swim Vista Series™ II pg 42

Power Steel™ Comfort Jet Series™ pg 46

**Hydrium™ Pools** pg 48

**Kiddie Pools** pg 56

**Flowclear™ Accessories** pg 62

Filtration pg 64

Environment pg 76

Maintenance Equipment pg 84

Pool Covers – Ground Cloths pg 112

**Index** pg 118





# POOL TECHNOLOGY HIGHLIGHTS

We're taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.




## STEEL FRAME DESIGN WITH ADVANCED SEAL & LOCK SYSTEM™

The advanced design of the Seal & Lock System™ is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.



## STEEL FRAME CONNECTION WITH FRAMELINK SYSTEM™ & CLICKCONNECT SYSTEM™

The corrosion-resistant steel frames are held together with either the FrameLink System™ or the ClickConnect System™ to ensure safe and secure connections.



## A VIEW INTO THE FUN

Swim Vista built-in pool portholes bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo. These portholes are immediate conversation starters and enjoyable for all.

And they're built to last. Clear, durable plastic is welded onto the pool vinyl. They'll last all summer long - and so will the fun!



## A HANDS-FREE SOLUTION FOR CHLORINE CLEANING

The ChemConnect™ chlorine dispenser works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.



## PERFECT FROSTED FINISH - POOL FRAMES

Our pool frames feature a textured, frosted finish that not only looks great, but also has many benefits for the consumer. The coating serves as an extra barrier to damage, while the texture prevents the liner from sticking to the frame. This makes set-up and takedown even easier than it was before!



# BESTWAY ABOVE GROUND POOLS PACKAGING

With a modern and informational design, our packaging looks great on the shelf. Prospective pool owners will get a feel for our different lines of above ground pools with a quick glance. And, don't forget the pool accessories!

## PLANOGRAM

Actual in-store displays may vary.

US DISPLAY



INTL DISPLAY







# FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!

## PRODUCT HIGHLIGHTS



**Self-Supporting  
Inflatable Top Ring**



**DuraPlus™  
3-Layer Puncture  
Resistant Liner Material**



**Easy Setup  
Unpack - Inflate - Fill**



**Bestway  
Fast Set™**

## PRODUCT MATRIX

20 - 26 in. / 51 - 66 cm			30 - 33 in. / 76 - 84 cm				42 in. / 1.07 m
6 ft. x 20 in. / 1.85 m x 51 cm PG. 14	8 ft. x 24 in. / 2.44 m x 61 cm PG. 15	10 ft. x 26 in. / 3.05 m x 66 cm PG. 15	12 ft. x 30 in. / 3.66 m x 76 cm PG. 15	12 ft. x 30 in. / 3.66 m x 76 cm PG. 16	13 ft. x 33 in. / 3.96 m x 84 cm PG. 17	15 ft. x 33 in. / 4.57 m x 84 cm PG. 17	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 17





### 6 ft. x 20 in. / 1.83 m x 51 cm

Water Capacity (80%): 248 gal. (940 L)

Item #	Region	Pack	Res. (kg)
57392E	US	4	27.2 (12.4)
57392	Europe	4	27.2 (12.4)

### 8 ft. x 24 in. / 2.44 m x 61 cm

Water Capacity (80%): 497 gal. (1,880 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
57447E	US	1	12.1 (5.5)			
57447	North America	1	12.1 (5.5)			
57447	Oceania	1	12.1 (5.5)			
57448	Europe	1	12.1 (5.5)			
57449E	US	1	18.3 (8.3)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	N. America / Asia, Africa & Latin America	1	18.1 (8.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	Oceania	1	16.9 (7.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Europe	1	17.7 (8.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Asia, Africa & Latin America	1	16.0 (7.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

### 10 ft. x 26 in. / 3.05 m x 66 cm

Water Capacity (80%): 845 gal. (3,200 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
57455E	US	1	17.2 (7.8)			
57455	North America	1	17.2 (7.8)			
57455	Oceania	1	17.2 (7.8)			
57456	Europe	1	17.2 (7.8)			
57457E	US	1	23.4 (10.6)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57457	N. America / Asia, Africa & Latin America	1	23.1 (10.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57457	Oceania	1	21.9 (9.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57458	Europe	1	22.7 (10.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57458	Asia, Africa & Latin America	1	21.0 (9.5)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

### 12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
57308E	US	1	27.2 (12.3)			
57308	North America	1	27.2 (12.3)			
57308	Oceania	1	27.2 (12.3)			
57273	Europe	1	27.1 (12.3)			
57275E	US	1	33.2 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

## FEATURES & TECHNOLOGIES

### SELF-SUPPORTING INFLATABLE TOP RING

No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



### BUILD



### DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



### CONVENIENCE



### PACKAGING

Full Color Box







### 12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge
57442E	US	1	27.2 (12.3)			
57442	North America	1	27.2 (12.3)			
57442	Oceania	1	27.2 (12.3)			
57443	Europe	1	27.1 (12.3)			
57444E	US	1	33.2 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



### 13 ft. x 33 in. / 3.96 m x 84 cm

Water Capacity (80%): 1,939 gal. (7,340 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge
57375E	US	1	41.9 (19.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	N. America / Asia, Africa & Latin America	1	41.7 (18.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	Oceania	1	40.3 (18.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Europe	1	40.2 (18.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Asia, Africa & Latin America	1	39.5 (17.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

### 15 ft. x 33 in. / 4.57 m x 84 cm

Water Capacity (80%): 2,556 gal. (9,677 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge
57315E	US	1	53.0 (24.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	N. America / Asia, Africa & Latin America	1	51.5 (23.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	Oceania	1	51.5 (23.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Europe	1	51.3 (23.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Asia, Africa & Latin America	1	50.1 (22.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

### 15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (80%): 3,266 gal. (12,362 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge	Ladder
57371E	US	1	79.5 (36.1)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	N. America / Asia, Africa & Latin America	1	78.0 (35.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	Oceania	1	78.0 (35.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
57372	Europe	1	80.3 (36.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
57372	Asia, Africa & Latin America	1	77.8 (35.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

## FEATURES & TECHNOLOGIES

### SELF-SUPPORTING INFLATABLE TOP RING

No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.




### BUILD



### DURAPLUS™

#### Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



### CONVENIENCE



### PACKAGING

Full Color Box







# STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

## PRODUCT HIGHLIGHTS



**FrameLink System™**  
Corrosion Prevention



**DuraPlus™**  
3-Layer Protective  
Resistant Liner Material



## PRODUCT MATRIX

17 in. / 43 cm	24–26 in. / 61–66 cm	32 in. / 81 cm
7 ft. 5 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm PG. 21	8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm PG. 21	9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm PG. 21
<b>NEW DES.</b> 	<b>NEW DES.</b> 	<b>NEW DES.</b> 
		<b>NEW DES.</b> 





### 7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm

Water Capacity (90%): 317 gal. (1,200 L)

Item #	Region	Pack	Wt. (kg)
56545E	US	1	21.3 (9.6)
56545	North America	1	21.3 (9.6)
56545	Oceania	1	21.3 (9.6)
56401	Europe / Asia, Africa & Latin America	1	21.2 (9.6)

### 8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm

Water Capacity (90%): 608 gal. (2,300 L)

Item #	Region	Pack	Wt. (kg)
56496E	US	1	29.7 (13.5)
56496	North America	1	29.7 (13.5)
56496	Oceania	1	29.7 (13.5)
56403	Europe / Asia, Africa & Latin America	1	29.7 (13.5)

### 9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm

Water Capacity (90%): 872 gal. (3,300 L)

Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge
56498E	US	1	38.7 (17.6)			
56498	North America	1	38.7 (17.6)			
56498	Oceania	1	38.7 (17.6)			
56404	Europe / Asia, Africa & Latin America	1	38.8 (17.6)			
56412E	US	1	43.8 (19.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	N. America / Asia, Africa & Latin America	1	42.4 (19.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	Oceania	1	42.4 (19.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Europe	1	42.7 (19.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Asia, Africa & Latin America	1	41.8 (19.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

### 13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm

Water Capacity (90%): 1,506 gal. (5,700 L)

Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge
56512E	US	1	67.0 (30.4)			
56512	North America	1	67.0 (30.4)			
56512	Oceania	1	67.0 (30.4)			
56405	Europe / Asia, Africa & Latin America	1	67.0 (30.4)			
56425E	US	1	72.3 (32.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	N. America / Asia, Africa & Latin America	1	71.0 (32.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	Oceania	1	71.0 (32.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Europe	1	71.2 (32.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Asia, Africa & Latin America	1	70.3 (31.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

## FEATURES & TECHNOLOGIES

### FRAMELINK SYSTEM™

#### Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



### BUILD



### DURAPLUS™

#### Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



### CONVENIENCE



Drain Valve



Corrosion Resistant Steel Frame



No Tools Required  
Easy to Assemble

### PACKAGING

Full Color Box



STEEL PRO™ | 21

NEW DES.

NEW DES.

NEW DES.

NEW DES.





# STEEL PRO MAX™

The Steel Pro MAX above ground pool is designed with durability, strength and family fun in mind. Built with enhanced materials, these pools will last for many summers to come.

## PRODUCT HIGHLIGHTS



**Prismatic Stone™**  
Inner Liner



**FrameLink System™**  
Corrosion Prevention



**ClickConnect System™**  
Corrosion Prevention,  
Quick-Click Technology for  
Easy Setup



**DuraPlus™**  
3-Layer Puncture  
Resistant Liner Material



## PRODUCT MATRIX

30-33 in. / 76-84 cm			39.5-42 in. / 1.00-1.07 m				48 in. / 1.22 m				
10 ft. x 30 in. / 3.05 m x 76 cm PG. 24	12 ft. x 30 in. / 3.66 m x 76 cm PG. 25	14 ft. x 33 in. / 4.27 m x 84 cm PG. 27 <b>NEW GEN</b>	12 ft. x 39.5 in. / 3.66 m x 1.00 m PG. 25	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 27 <b>NEW GEN</b>	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 28 <b>NEW GEN</b>	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 25	13 ft. x 48 in. / 3.96 m x 1.22 m PG. 25 <b>NEW GEN</b>	14 ft. x 48 in. / 4.27 m x 1.22 m PG. 27 <b>NEW GEN</b>	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 29 <b>NEW GEN</b>	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 29 <b>NEW GEN</b>	18 ft. x 48 in. / 5.49 m x 1.22 m PG. 29 <b>NEW GEN</b>





### 10 ft. x 30 in. / 3.05 m x 76 cm

Water Capacity (90%): 1,236 gal. (4,678 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56493E	US	1	38.9 (17.6)			
56493	North America	1	38.9 (17.6)			
56493	Oceania	1	38.9 (17.6)			
56406	Europe	1	38.8 (17.6)			
56407E	US	1	44.3 (20.1)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56407	N. America / Asia, Africa & Latin America	1	44.1 (20.0)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56407	Oceania	1	44.1 (20.0)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56408	Europe	1	43.5 (19.8)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56408	Asia, Africa & Latin America	1	42.4 (19.2)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I



### 12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (90%): 1,710 gal. (6,473 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56417E	US	1	54.8 (24.9)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56417	N. America / Asia, Africa & Latin America	1	54.6 (24.8)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56417	Oceania	1	54.6 (24.8)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56416	Europe	1	53.8 (24.4)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56416	Asia, Africa & Latin America	1	52.8 (23.9)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I

### 12 ft. x 39.5 in. / 3.66 m x 1.00 m

Water Capacity (90%): 2,417 gal. (9,150 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder
56419	N. America / Asia, Africa & Latin America	1	65.9 (29.9)	S8384 (530 gal./2,006 L)	110-120 V	S8012, Type: III - A/C	
56419	Oceania	1	64.8 (29.4)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	
56418	Europe	1	83.5 (37.9)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8330
56418	Asia, Africa & Latin America	1	82.0 (37.2)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8335
56260	Asia, Africa & Latin America	1	63.9 (29.0)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	

### 12 ft. x 48 in. / 3.66 m x 1.22 m

Water Capacity (90%): 2,708 gal. (10,250 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56421	N. America / Asia, Africa & Latin America	1	104.8 (47.5)	S8384 (530 gal./2,006 L)	110-120 V	S8012, Type: III - A/C	S8037	S8336
56421	Oceania	1	104.8 (47.5)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8037	S8336
56420	Europe	1	108.7 (49.3)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8037	S8331
56420	Asia, Africa & Latin America	1	100.8 (45.7)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8037	S8336

### 13 ft. x 48 in. / 3.96 m x 1.22 m

Water Capacity (90%): 3,352 gal. (12,690 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5618UE	US	1	120.8 (54.8)	S8388 (1,000 gal./3,785 L)	110-120 V	S8012, Type: III - A/C	S8248	S8336
5618V	N. America / Asia, Africa & Latin America	1	119.6 (54.3)	S8387 (800 gal./3,028 L)	110-120 V	S8012, Type: III - A/C	S8248	S8336
5618V	Oceania	1	119.6 (54.3)	S8386 (800 gal./3,028 L)	220-240 V	S8094, Type: II	S8248	S8336
5618W	Europe	1	124.3 (56.4)	S8386 (800 gal./3,028 L)	220-240 V	S8094, Type: II	S8248	S8331
5618W	Asia, Africa & Latin America	1	120.0 (54.4)	S8386 (800 gal./3,028 L)	220-240 V	S8094, Type: II	S8248	S8336


## FEATURES & TECHNOLOGIES

### FRAMELINK SYSTEM™ & CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the FrameLink System and ClickConnect System both ensure remarkable strength and durable frame connection - all with a protective coating that prevents damage.

All 12 ft. / 3.66 m diameter and under pools are built with FrameLink, while larger pools are built with ClickConnect.

### BUILD



### DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



### CONVENIENCE



### PACKAGING

Full Color Box & Sturdy Cardboard Box with Pictures



NEW GEN.





### 14 ft. x 33 in. / 4.27 m x 84 cm

Water Capacity (90%): 2,700 gal. (10,220 L)



Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge	NEW GEN
56597E	US	1	78.4 (35.6)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	
56597	N. America / Asia, Africa & Latin America	1	78.3 (35.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	
56597	Oceania	1	78.3 (35.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	
56595	Europe	1	76.5 (34.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	
56595	Asia, Africa & Latin America	1	76.3 (34.6)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	

### 14 ft. x 42 in. / 4.27 m x 1.07 m

Water Capacity (90%): 3,440 gal. (13,030 L)



Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEN
56948E	US	1	115.1 (52.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58335	
56949	N. America / Asia, Africa & Latin America	1	113.9 (51.7)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58335	
56949	Oceania	1	113.9 (51.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335	
56950	Europe	1	116.3 (52.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58330	
56950	Asia, Africa & Latin America	1	112.2 (50.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335	

### 14 ft. x 48 in. / 4.27 m x 1.22 m

Water Capacity (90%): 4,024 gal. (15,232 L)



Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEN
5613HE	US	1	128.8 (58.4)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336	
5612Y	N. America / Asia, Africa & Latin America	1	127.8 (58.0)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336	
5612Y	Oceania	1	127.8 (58.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336	
5612X	Europe	1	132.5 (60.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331	
5612X	Asia, Africa & Latin America	1	126.0 (57.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336	

## FEATURES & TECHNOLOGIES

### CLICKCONNECT SYSTEM™

#### Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



### BUILD



### DURAPLUS™

Puncture-Resistant Liner  
This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



### CONVENIENCE



### PACKAGING

Full Color Box & Sturdy Cardboard Box with Pictures







### 15 ft. x 48 in. / 4.57 m x 1.22 m

Water Capacity (90%): 4,231 gal. (16,015 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
56690E	US	1	136.7 (62.0)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58336	
56439	N. America / Asia, Africa & Latin America	1	135.5 (61.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58336	
56439	Oceania	1	135.5 (61.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336	
56438	Europe	1	140.0 (63.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58331	
56438	Asia, Africa & Latin America	1	133.9 (60.8)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336	

### 16 ft. x 48 in. / 4.88 m x 1.22 m

Water Capacity (90%): 5,145 gal. (19,480 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
5613AE	US	1	153.9 (69.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	
5613A	N. America / Asia, Africa & Latin America	1	153.6 (69.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	
5613A	Oceania	1	153.6 (69.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	
5612Z	Europe	1	160.5 (72.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331	
5612Z	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	

### 18 ft. x 48 in. / 5.49 m x 1.22 m

Water Capacity (90%): 6,092 gal. (23,062 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
56463E	US	1	172.1 (78.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	
56463	N. America / Asia, Africa & Latin America	1	171.8 (77.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	
56463	Oceania	1	171.8 (77.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	
56462	Europe	1	178.1 (80.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331	
56462	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	

### 15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (90%): 3,955 gal. (14,970 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
56687E	US	1	122.9 (55.8)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58335	
56686	N. America / Asia, Africa & Latin America	1	121.7 (55.2)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58335	
56686	Oceania	1	121.7 (55.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	
56488	Europe	1	123.9 (56.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58330	
56488	Asia, Africa & Latin America	1	120.1 (54.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	



## FEATURES & TECHNOLOGIES

### CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



### BUILD



### DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



### CONVENIENCE



### PACKAGING

Sturdy Cardboard Box with Pictures







# POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel pool the smart choice for families.

## PRODUCT MATRIX

### NEW DES. STANDARD SERIES


#### RECTANGULAR

9 ft. x 6 ft. x 5 in. x 33 in. / 2.82 m x 1.96 m x 54 cm PG. 34	13 ft. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m PG. 34	13 ft. 6 in. x 6 ft. 7 in. x 48 in. / 4.12 m x 2.01 m x 1.22 m PG. 34	16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m PG. 35	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 35	21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m PG. 37	24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m PG. 37	31 ft. 4 in. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m PG. 37
-----------------------------------------------------------------------	-------------------------------------------------------------------------	-----------------------------------------------------------------------------	-----------------------------------------------------------------	-----------------------------------------------------------------	-----------------------------------------------------------------	------------------------------------------------------------------	------------------------------------------------------------------------



#### OVAL

10 ft. x 6 ft. 7 in. x 33 in. / 3.05 m x 2.00 m x 84 cm PG. 38	14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m PG. 38	16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m PG. 38	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 39	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 41	24 ft. x 12 ft. x 48 in. / 7.32 m x 3.66 m x 1.22 m PG. 41
----------------------------------------------------------------------	-------------------------------------------------------------------------	------------------------------------------------------------------	-----------------------------------------------------------------	------------------------------------------------------------------	------------------------------------------------------------------



### SWIMVISTA SERIES™ II

#### ROUND

16 ft. x 48 in. / 4.88 m x 1.22 m PG. 43
------------------------------------------------



#### OVAL

14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m PG. 45	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 45
-------------------------------------------------------------------------	-----------------------------------------------------------------



### COMFORT JET SERIES™

#### OVAL

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 47
------------------------------------------------------------------





## POWER STEEL™ RANGE



### Standard Series

The Power Steel™ Standard Series pools are perfect for a summer full of fun in the sun. With lasting durability and minimal-tool assembly, these pools are the ultimate choice for families.



### Swim Vista Series™ II

The Power Steel™ Swim Vista Series™ pools offer an incredibly unique swimming experience. With built-in portholes, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!



### Comfort Jet Series™

The Power Steel™ Comfort Jet Series™ has two built-in nozzles that spray concentrated water jet streams for a soothing massage to provide users with the ideal combination of fun and relaxation.

## PRODUCT HIGHLIGHTS



### Tritech™

3-Layer Puncture Resistant Liner Material



### Swim Vista

Built-in Portholes

### Seal & Lock System™

Superior Steel Frame Design



### ClickConnect System™

Corrosion Prevention; Quick-Click Technology for Easy Setup







9 ft. 3 in. x 6 ft. 5 in. x 33 in. /  
2.82 m x 1.96 m x 84 cm

Water Capacity (90%): 967 gal. (3,662 L)

NEW  
DES.

Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
56631E	US	1	88.2 (40.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	-
56631	N. America / Asia, Africa & Latin America	1	83.8 (38.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	-
56631	Oceania	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	-
56629	Europe	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	-
56629	Asia, Africa & Latin America	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	-

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. /  
4.04 m x 2.01 m x 1.00 m

Water Capacity (90%): 1,711 gal. (6,478 L)

NEW  
DES.

Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56441	Europe	1	135.2 (61.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	-
56441	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	-
56440	N. America / Asia, Africa & Latin America	1	147.5 (66.9)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	58335	-
56440	Oceania	1	147.5 (66.9)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	-
56442	Europe	1	149.9 (68.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58330	-
56442	Asia, Africa & Latin America	1	147.6 (67.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	-

13 ft. 6 in. x 6 ft. 7 in. x 48 in. /  
4.12 m x 2.01 m x 1.22 m

Water Capacity (90%): 2,146 gal. (8,124 L)

NEW  
DES.

Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56458E	US	1	160.7 (72.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	-
56458	N. America / Asia, Africa & Latin America	1	157.3 (71.3)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	-
56458	Oceania	1	157.3 (71.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	-
56456	Europe	1	162.0 (73.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58331	-
56456	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	-
56457	Europe	1	178.5 (81.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58331	-
56457	Asia, Africa & Latin America	1	172.2 (78.1)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58336	-

16 ft. x 8 ft. x 48 in. /  
4.88 m x 2.44 m x 1.22 m

Water Capacity (90%): 3,046 gal. (11,532 L)

NEW  
DES.

Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56672	N. America / Asia, Africa & Latin America	1	201.9 (91.6)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56672	Oceania	1	201.9 (91.6)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58336	-
56670	Europe	1	207.7 (94.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58331	-
56670	Asia, Africa & Latin America	1	201.0 (91.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58336	-
56673	N. America / Asia, Africa & Latin America	1	217.4 (98.6)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	-	58336	-
56673	Oceania	1	217.4 (98.6)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	-	58336	-
56671	Europe	1	225.7 (103.5)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	-	58331	-
56671	Asia, Africa & Latin America	1	217.6 (98.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	-	58336	-

18 ft. x 9 ft. x 48 in. /  
5.49 m x 2.74 m x 1.22 m

Water Capacity (90%): 3,913 gal. (14,812 L)

NEW  
DES.

Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56536E	US	1	224.4 (101.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56467	N. America / Asia, Africa & Latin America	1	225.4 (101.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56467	Oceania	1	225.4 (101.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-
56465	Europe	1	233.6 (105.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331	-
56465	Asia, Africa & Latin America	1	225.6 (101.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-
56468E	US	1	239.7 (108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58336	-
56468	N. America / Asia, Africa & Latin America	1	239.6 (108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58336	-
56468	Oceania	1	239.6 (108.7)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58336	-
56466	Europe	1	247.8 (112.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58331	-
56466	Asia, Africa & Latin America	1	243.1 (109.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58336	-

## FEATURES & TECHNOLOGIES

### SEAL & LOCK SYSTEM™ Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



### BUILD



**TRITECH™**  
3-layer  
puncture-resistant  
liner material



**FROSTED FINISH**  
Prevents pool liner  
from sticking in a  
hot environment.



**CHEMCONNECT™  
DISPENSER**  
Dispenses 1 in. / 2.54 cm  
chemical tablets.



### CONVENIENCE



### PACKAGING

Sturdy Cardboard  
Box with Pictures







### 21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m

Water Capacity (90%): 5,094 gal. (19,281 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DES.
5611Z	Europe	1 Ea., 2 boxes	290.0 (131.5)	58589 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58532	-	
5611Z	Asia, Africa & Latin America	1 Ea., 2 boxes	286.7 (130.1)	58589 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58537	-	
5612AE	US	1 Ea., 2 boxes	305.4 (138.5)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
5612A	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	304.2 (138.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
5612A	Oceania	1 Ea., 2 boxes	304.2 (138.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	
5612B	Europe	1 Ea., 2 boxes	308.7 (140.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58532	-	
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	305.7 (138.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	

### 24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m

Water Capacity (90%): 7,937 gal. (30,045 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DES.
56474	Europe	1 Ea., 2 boxes	378.4 (171.7)	58591 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	-	58532	-	
56474	Asia, Africa & Latin America	1 Ea., 2 boxes	371.9 (168.7)	58591 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	-	58537	-	
56477E	US	1 Ea., 2 boxes	375.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
56477	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	375.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
56477	Oceania	1 Ea., 2 boxes	375.0 (169.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	
56475	Europe	1 Ea., 2 boxes	377.1 (171.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58532	-	
56475	Asia, Africa & Latin America	1 Ea., 2 boxes	374.5 (169.9)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	

### 31 ft. 4 in. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m

Water Capacity (90%): 13,798 gal. (52,231 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DES.
56625E	US	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal./8,327 L)	110-120 V	Sand Filtration	-	58537	-	
56625	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal./8,327 L)	110-120 V	Sand Filtration	-	58537	-	
56625	Oceania	1 Ea., 2 boxes	491.2 (222.8)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	-	58537	-	
56625	Europe	1 Ea., 2 boxes	494.9 (224.5)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	-	58532	-	
56625	Asia, Africa & Latin America	1 Ea., 2 boxes	492.7 (221.5)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	-	58537	-	

## FEATURES & TECHNOLOGIES

### SEAL & LOCK SYSTEM™ Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



### BUILD



**TRITECH™**  
3-layer  
puncture-resistant  
liner material



**FROSTED FINISH**  
Prevents pool liner  
from sticking in a  
hot environment.



**CHEMCONNECT™  
DISPENSER**  
Dispenses 1 in. / 2.54 cm  
chemical tablets



### CONVENIENCE



### PACKAGING

Sturdy Cardboard  
Box with Pictures







10 ft. x 6 ft. 7 in. x 33 in. /  
3.05 m x 2.00 m x 84 cm

Water Capacity (90%) 969 gal. (3,668 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
5613ZL	US	1	89.4 (11.5)	58511 (530 gal./1,249 L)	110-120 V	58093, Type: I	-
5613Z	N. America / Asia, Africa & Latin America	1	89.2 (11.4)	58511 (530 gal./1,249 L)	110-120 V	58093, Type: I	-
5613Z	Oceania	1	89.2 (11.4)	58581 (530 gal./1,249 L)	220-240 V	58093, Type: I	-
5614A	Europe	1	89.7 (11.6)	58581 (530 gal./1,249 L)	220-240 V	58093, Type: I	-
5614A	Asia, Africa & Latin America	1	89.7 (11.6)	58581 (530 gal./1,249 L)	220-240 V	58093, Type: I	-

14 ft. x 8 ft. 2 in. x 39.5 in. /  
4.27 m x 2.50 m x 1.00 m

Water Capacity (90%) 1,915 gal. (7,250 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
5662ZL	US	1	112.9 (51.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	-
5662Z	N. America / Asia, Africa & Latin America	1	111.5 (50.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	-
5662Z	Oceania	1	111.5 (50.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	-
56620	Europe	1	113.4 (51.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	-
56620	Asia, Africa & Latin America	1	110.6 (50.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	-

16 ft. x 10 ft. x 42 in. /  
4.88 m x 3.05 m x 1.07 m

Water Capacity (90%) 2,893 gal. (10,949 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5645ZL	US	1	149.2 (67.7)	58388 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58335	-
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58335	-
56450	Oceania	1	146.6 (66.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58335	-
56448	Europe	1	148.2 (67.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58330	-
56448	Asia, Africa & Latin America	1	145.9 (66.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58335	-

18 ft. x 9 ft. x 48 in. /  
5.49 m x 2.74 m x 1.22 m

Water Capacity (90%) 3,548 gal. (13,430 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5671ZL	US	1	187.9 (85.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56711	Oceania	1	186.8 (84.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-
56710	Europe	1	195.3 (87.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331	-
56710	Asia, Africa & Latin America	1	187.0 (84.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-



## FEATURES & TECHNOLOGIES

### SEAL & LOCK SYSTEM™ Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



### BUILD



**TRITECH™**  
3-layer puncture-resistant liner material

**FROSTED FINISH**  
Prevents pool liner from sticking in a hot environment.

**CHEMCONNECT™ DISPENSER**  
Dispenses 1 in. / 2.54 cm chemical tablets



### CONVENIENCE



### PACKAGING

Sturdy Cardboard Box with Pictures







20 ft. x 12 ft. x 48 in. /  
6.10 m x 3.66 m x 1.22 m

Water Capacity (90%): 5,347 gal. (20,241 L)



Item #	Region	Pack	Inv. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611SE	US	1	212.4 (96.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type III - A/C	-	58336	-
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type III - A/C	-	58336	-
5611S	Oceania	1	211.4 (95.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type III - A/C	-	58336	-
5611R	Europe	1	217.6 (98.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type III - A/C	-	58331	-
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type III - A/C	-	58336	-

24 ft. x 12 ft. x 48 in. /  
7.32 m x 3.66 m x 1.22 m

Water Capacity (90%): 6,735 gal. (25,495 L)



Item #	Region	Pack	Inv. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611UE	US	1	278.4 (125.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type IV - B	-	58336	-
5611U	N. America / Asia, Africa & Latin America	1	275.4 (124.9)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type IV - B	-	58336	-
5611U	Oceania	1	275.4 (124.9)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type IV - B	-	58336	-
5611T	Europe	1	283.6 (128.6)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type IV - B	-	58331	-
5611T	Asia, Africa & Latin America	1	278.6 (126.4)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type IV - B	-	58336	-



## FEATURES & TECHNOLOGIES

### SEAL & LOCK SYSTEM™ Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



### BUILD



**TRITECH™**  
3-layer puncture-resistant liner material



**FROSTED FINISH**  
Prevents pool liner from sticking in a hot environment.



**CHEMCONNECT™ DISPENSER**  
Dispenses 1 in./2.54 cm chemical tablets



### CONVENIENCE



**PACKAGING**  
Sturdy Cardboard Box with Pictures







## Swim Vista

Built-in pool portholes bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo.

4 Swim Vista Portholes  
**16 ft. x 48 in. / 4.88 m x 1.22 m**  
 Water Capacity (90%): 5,145 gal. (19,480 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW GEN.
56726E	US	1	166.5 (75.4)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR249	SR356	-	
56726	N. America / Asia, Africa & Latin America	1	166.5 (75.4)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR249	SR356	-	
56726	Oceania	1	166.5 (75.4)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR249	SR356	-	
56725	Europe	1	172.6 (78.3)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR249	SR353	-	
56725	Asia, Africa & Latin America	1	166.6 (75.6)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR249	SR356	-	

4 Swim Vista Portholes  
**18 ft. x 48 in. / 5.49 m x 1.22 m**  
 Water Capacity (90%): 6,092 gal. (23,062 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW GEN.
56976E	US	1	185.1 (84.0)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR039	SR356	-	
56976	N. America / Asia, Africa & Latin America	1	185.1 (84.0)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR039	SR356	-	
56976	Oceania	1	185.1 (84.0)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR039	SR356	-	
56977	Europe	1	191.5 (86.9)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR039	SR353	-	
56977	Asia, Africa & Latin America	1	185.5 (84.1)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR039	SR356	-	



## FEATURES & TECHNOLOGIES

### CLICKCONNECT SYSTEM™

#### Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



### BUILD



### TRITECH™

3-layer puncture-resistant liner material



### CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



### CONVENIENCE



### PACKAGING

Sturdy Cardboard Box with Pictures







2 Swim Vista Portholes  
14 ft. x 8 ft. 2 in. x 39.5 in. /  
4.27 m x 2.50 m x 1.00 m

Water Capacity (90%): 1,915 gal. (7,250 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56715E	US	1	121.2 (55.0)	58384 (530 gal/2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	58384 (530 gal/2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•
56715	Oceania	1	119.6 (54.2)	58383 (530 gal/2,006 L)	220-240 V	58094, Type: II	58425	58335	•
56714	Europe	1	121.8 (55.3)	58383 (530 gal/2,006 L)	220-240 V	58094, Type: II	58425	58330	•
56714	Asia, Africa & Latin America	1	118.7 (53.8)	58383 (530 gal/2,006 L)	220-240 V	58094, Type: II	58425	58335	•

4 Swim Vista Portholes  
18 ft. x 9 ft. x 48 in. /  
5.49 m x 2.74 m x 1.22 m

Water Capacity (90%): 3,548 gal. (13,430 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56717E	US	1	197.7 (89.7)	58390 (1,500 gal/5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	58390 (1,500 gal/5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56717	Oceania	1	196.7 (89.2)	58389 (1,500 gal/5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56716	Europe	1	202.9 (92.0)	58389 (1,500 gal/5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56716	Asia, Africa & Latin America	1	196.9 (89.3)	58389 (1,500 gal/5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•

## FEATURES & TECHNOLOGIES

### SEAL & LOCK SYSTEM™

**Superior Steel Frame Design**  
Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.




### BUILD



**TRITECH™**  
3-layer  
puncture-resistant  
liner material



**FROSTED FINISH**  
Prevents pool liner  
from sticking in a  
hot environment



**CHEMCONNECT™  
DISPENSER**  
Dispenses 1 in. / 2.54 cm  
chemical tablets



### CONVENIENCE




### PACKAGING

Sturdy Cardboard  
Box with Pictures







## Built-In Spa Jets!

Two built-in massage nozzles with easy to use control station



**Multi-Colored LED Light**

**20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m**

Water Capacity (90%): 5,347 gal. (20,241 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Ladder	LED Light
56720E	US	1	225.6 (102.4)	58392 (2,500 gal./9,463 L)	110-120 V	S8095, Type: IV - B	58336	•
56720	N. America / Asia, Africa & Latin America	1	224.0 (101.6)	58392 (2,500 gal./9,463 L)	110-120 V	S8095, Type: IV - B	58336	•
56720	Oceania	1	224.0 (101.6)	58391 (2,500 gal./9,463 L)	220-240 V	S8095, Type: IV - B	58336	•
56719	Europe	1	230.5 (104.6)	58391 (2,500 gal./9,463 L)	220-240 V	S8095, Type: IV - B	58331	•
56719	Asia, Africa & Latin America	1	225.8 (102.4)	58391 (2,500 gal./9,463 L)	220-240 V	S8095, Type: IV - B	58336	•



## FEATURES & TECHNOLOGIES

### SEAL & LOCK SYSTEM™ Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.




### BUILD



**TRITECH™**  
3-layer puncture-resistant liner material

**FROSTED FINISH**  
Prevents pool liner from sticking in a hot environment

**LED LIGHT**  
Up to 7 changing colors



### CONVENIENCE



Drain Valve



Corrosion Resistant Steel Frame



3-Ply PVC wall Support Band



T-Connector

### PACKAGING

Sturdy Cardboard Box with Pictures







# HYDRIUM™

This top-tier pool line features enhanced durability, quality and longevity. With superior galvanized steel construction, these pools can withstand the elements all year long, so they can even be used as a more fixed landscaping feature.

## PRODUCT HIGHLIGHTS



### Steel Sidewalls and Frame Support

Provides Unparalleled Durability and Damage Resistance



### Prismatic Stone™ Inner Liner

Inner Liner



### Integrated Surface Skimmer



### Year Round Pool

Protects Against the Elements



## PRODUCT MATRIX

48 in. / 1.20 m				52 in. / 1.30 m <span style="float: right;">NEW</span>			
10 ft. x 48 in. / 3.00 m x 1.20 m PG. 51	12 ft. x 48 in. / 3.60 m x 1.20 m PG. 51	15 ft. x 48 in. / 4.60 m x 1.20 m PG. 51	16 ft. 5 in. x 12 ft. x 48 in. / 5.00 m x 3.60 m x 1.20 m PG. 53	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.60 m x 1.20 m PG. 53	16 ft. x 52 in. / 4.90 m x 1.30 m PG. 55	18 ft. x 52 in. / 5.50 m x 1.30 m PG. 55	24 ft. x 12 ft. x 52 in. / 7.30 m x 3.60 m x 1.30 m PG. 55





### 10 ft. x 48 in. / 3.00 m x 1.20 m

Water Capacity (90%) 2,018 gal. (7,630 L)



Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56566	Europe	1	224.2 (101.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58291	58001	58331	-

### 12 ft. x 48 in. / 3.60 m x 1.20 m

Water Capacity (90%) 2,906 gal. (10,990 L)



Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56575	Oceania	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	-
56574	Europe	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	-

### 15 ft. x 48 in. / 4.60 m x 1.20 m

Water Capacity (90%) 4,605 gal. (17,430 L)



Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56385E	US	1	319.7 (145.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58249	58003	58336	-
56385	Oceania	1	319.7 (145.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	-
56384	Europe	1	319.7 (145.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	-



## FEATURES & TECHNOLOGIES

### YEAR-ROUND PROTECTION AGAINST THE ELEMENTS

Resistant to damage from scratches, abrasions and cracks 365 days a year



### BUILD



### BUILT-IN SKIMMER



### CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



### CONVENIENCE



### PACKAGING

Sturdy Cardboard Box with Pictures







16 ft. 5 in. x 12 ft. x 48 in. /  
5.00 m x 3.60 m x 1.20 m

Water Capacity (90%): 4,305 gal. (16,296 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56587E	US	1	384.3 (174.3)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	•	•	58336	•
56587	Oceania	1	384.3 (174.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	•	58331	•
56586	Europe	1	384.3 (174.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	•	58331	•

20 ft. x 12 ft. x 48 in. /  
6.10 m x 3.60 m x 1.20 m

Water Capacity (90%): 5,265 gal. (19,929 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56370E	US	1	462.1 (209.6)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58336	•
56370	Oceania	1	462.1 (209.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58331	•
56369	Europe	1	462.1 (209.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58331	•



## FEATURES & TECHNOLOGIES

### YEAR-ROUND PROTECTION AGAINST THE ELEMENTS

Resistant to damage from scratches, abrasions and cracks 365 days a year



### BUILD



### BUILT-IN SKIMMER



### CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



### CONVENIENCE



### PACKAGING

Sturdy Cardboard Box with Pictures







### 16 ft. x 52 in. / 4.90 m x 1.30 m

Water Capacity (90%): 5,678 gal. (21,490 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW
561CVE	US	1	456.8 (207.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58039	•	58337	•	
561CV	Oceania	1	456.8 (207.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58039	•	58332	•	
561CU	Europe	1	456.8 (207.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58039	•	58332	•	

### 18 ft. x 52 in. / 5.50 m x 1.30 m

Water Capacity (90%): 7,192 gal. (27,221 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW
561CTE	US	1	501.3 (227.4)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58337	•	
561CT	Oceania	1	501.3 (227.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	
561CS	Europe	1	501.3 (227.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	

### 24 ft. x 12 ft. x 52 in. / 7.30 m x 3.60 m x 1.30 m

Water Capacity (90%): 7,157 gal. (27,090 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW
561CXE	US	1	653.2 (296.3)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58337	•	
561CX	Oceania	1	653.2 (296.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	
561CW	Europe	1	653.2 (296.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	



## FEATURES & TECHNOLOGIES

### YEAR-ROUND PROTECTION AGAINST THE ELEMENTS

Resistant to damage from scratches, abrasions and cracks 365 days a year



### BUILD



### BUILT-IN SKIMMER



### CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



### CONVENIENCE



### PACKAGING

Sturdy Cardboard Box with Pictures







# KIDDIE POOLS

Above ground pools are made for family fun! Easy to set up and constructed with durable materials, these pools ensure that the summer fun lasts all season long.

## PRODUCT HIGHLIGHTS



**UV Careful™**  
Safe, Shaded Fun  
in the Sun™



**Easy Setup**



## PRODUCT MATRIX

My First Play Pools				Splash in Shade Pools	
56217/E PG. 58	56283 PG. 58	57241/E PG. 58	561CF/E PG. 59	5618S/E/5618T PG. 60	5654S/E/564S2 PG. 61

**NEW**

**NEW DES.**





### My First Frame Pool

Water Capacity (90%): 153 gal. (580 L)

Item #	Size	Pack	Vol. (kg)	Packaging
56283	5 ft. x 15 in. / 1.52 m x 38 cm	6	58.4 (26.5)	Full color box

- Age: 2+
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support
- Underwater adhesive repair patch



### My First Frame Pool

Water Capacity (90%): 96 gal. (365 L)

Item #	Size	Pack	Vol. (kg)	Packaging
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	3	27.2 (12.4)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



### My First Fast Set™ Pool

Water Capacity (80%): 126 gal. (477 L)

Item #	Size	Pack	Vol. (kg)	Packaging
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	6	26.9 (12.2)	Full color box

- Age: 2+
- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage
- Underwater adhesive repair patch



### My First Frame Pool And Sandpit

Water Capacity (90%): 96 gal. (365 L) Sand Capacity (50%): 441 lbs. (200 kg)

Item #	Size	Pack	Vol. (kg)	Packaging
561CF/E	7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm	4	78.5 (35.6)	Full color box

- Age: 2+
- Walls constructed with DuraPlus™ material, which is reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- Pool and sandpit combo gives kids two ways to play
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



NEW





## Splash-In-Shade Play Pool

Water Capacity (90%): 246 gal. (930 L)

Item #	Region	Size	Pack	Net. (kg)	Packaging
5618SE	US				
5618S	North America	6 ft. x 20 in. / 1.83 m x 51 cm	1	20.4 (9.2)	Full color box
5618S	Oceania				
5618T	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall features underwater world printing
- UPF 40+ rated sunshade
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Pool is equipped with fittings for compatibility with Flowclear™ filter pumps
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch



## Splash-In-Shade Play Pool

Water Capacity (90%): 446 gal. (1,688 L)

Item #	Region	Size	Pack	Net. (kg)	Packaging
56543E	US				
56543	North America	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	Oceania				
56432	Europe				

NEW  
DES.

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall with tropical leaf printing
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Pool is equipped with fittings for compatibility with Flowclear™ filter pumps
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch







# FLOWCLEAR™

Flowclear™ offers a range of pool products to help you manage the maintenance and cleaning of your pool while enhancing the ambiance. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.

## PLANOGRAM

Actual in-store displays may vary.

US DISPLAY



INTL DISPLAY



### FILTRATION

Flowclear filter pumps and sand filter pumps come in many different sizes to give each pool owner the options they need to keep their pools sparkling clean.



### ENVIRONMENT

From lights to fountains, Flowclear environment items add to the ambiance around the pool. Each unique item is sure to up the wow-factor.



### MAINTENANCE EQUIPMENT

A wide variety of items - from pool vacuums to skimming nets - help pool owners maintain crystal clear water by removing floating debris.



### POOL COVERS & GROUND CLOTHS

Protect the pool and the yard with Flowclear items made specifically for covering the water and the grass.



# POOL PUMP RANGE

Item	58511/E	58381	58384/E	58383	58387	58386	58388E	58647/E	58675	58390/E	58389	58614E	58680	58671E	58392/E	58391
Product Photo																
Hose Size	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm	1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	
Adapters Included								1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm	1.5 / 1.25 in. / 3.8 / 3.2 cm	1.5 / 1.25 in. / 3.8 / 3.2 cm	1.5 / 1.25 in. / 3.8 / 3.2 cm	
Filter Cartridge Or Sand Grains/ Polysphère**	58093 (II)		58012 (III-A/C)	58094 (III)	58012 (III-A/C)	58094 (III)	58012 (III-A/C)	58012 (III-A/C)	58012 (III-A/C)	58012 (III-A/C)	58095 (IV-B)	58095 (IV-B)	58095 (IV-B)	58095 (IV-B)	58095 (IV-B)	58095 (IV-B)
Pump Flow Rate Gal. (L) / Hour	330 (1,249)		530 (2,006)		800 (3,028)		1,000 (3,785)	1,500 (5,678)		1,500 (5,678)		2,000 (7,570)	2,500 (9,463)	2,500 (9,463)		
System Flow Rate Gal. (L) / Hour	280 (1,060)		480 (1,817)		580 (2,195)		780 (2,952)	1,050 (3,974)		1,050 (3,974)		1,500 (5,678)	2,050 (7,760)	2,050 (7,760)		
Pool Compatibility	For use with 300-2,200 gal. (1,100-8,300 L) pools		For use with 300-3,800 gal. (1,100-14,300 L) pools		For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools		For use with 300-8,400 gal. (1,100-31,700 L) pools		For use with 300-12,000 gal. (1,100-45,424 L) pools	For use with 300-16,400 gal. (1,100-62,000 L) pools	For use with 300-16,400 gal. (1,100-62,000 L) pools		
Rating	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A	220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 1.45A	220-240V~, 110W	110-120V~, 3.3A	110-120V~, 3.3A	220-240V~, 350W

Item	58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58692/E	58486	58486GS					
Product Photo																	
Hose Size	1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm							
Adapters Included				1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)							
Filter Cartridge Or Sand Grains/ Polysphère**	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg. Polysphère=compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg. Polysphère=compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg. Polysphère** compatible	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg. Polysphère=compatible		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 45 kg. Polysphère** compatible	Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg. Polysphère=compatible		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 55 kg. Polysphère** compatible				
Pump Flow Rate Gal. (L) / Hour	800 (3,028)			1,500 (5,678)			2,200 (8,327)			3,000 (11,355)							
System Flow Rate Gal. (L) / Hour	600 (2,271)		550 (2,082)	1,400 (5,300)		1,300 (4,920)	1,800 (6,813)		1,700 (6,435)	2,200 (8,327)		2,000 (7,570)					
Pool Compatibility	For use with 300-4,800 gal. (1,100-18,100 L) pools			For use with 300-4,400 gal. (1,100-16,600 L) pools			For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-10,400 gal. (1,100-39,300 L) pools	For use with 300-14,400 gal. (1,100-54,500 L) pools		For use with 300-13,600 gal. (1,100-51,400 L) pools	For use with 300-17,600 gal. (1,100-66,600 L) pools	For use with 300-16,000 gal. (1,100-60,500 L) pools			
Rating	110-120V~, 1A			220-240V~, 85W			110-120V~, 3.2A		220-240V~, 230W		110-120V~, 3.5A		220-240V~, 280W		110-120V~, 4.8A	220-240V~, 500W	



## A LOOK AT THE BUILD OF BESTWAY FILTERS

### Sand Filter Pumps

Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



### Cartridge Filter Pumps

Leave the dirty work to Bestway® Flowclear™ filter pumps. Two hoses are included with each pump, and are attached at two separate points on the swimming pool. The loose end of one hose is connected to the filter pump. Water is pumped out of the pool and through the hose, before being sanitized by the filter cartridge and pumped back through the other hose. It then begins the process all over again, providing clean, clear and hygienic water.







NEW GEN.

### Sand Filter - 800 Gal. (3,028 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58515	CE	220-240V-, 85W	10.5 (27)	1	16.3 (7.4)
58515GS	CE/GS	220-240V-, 85W	10.5 (27)	1	17.9 (8.1)
58516	C-ETL	110-120V-, 1A	10.5 (27)	1	17.0 (7.7)
58516E	ETL-US	110-120V-, 1A	10.5 (27)	1	17.2 (7.8)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58515	18.7 (8.5)	0.53 (240)
58515GS	18.7 (8.5)	0.53 (240)
58516	18.7 (8.5)	0.53 (240)
58516E	18.7 (8.5)	0.53 (240)

Pump Flow Rate: 800 gal./h (3,028 L/h)  
 System Flow Rate: 600 gal./h (2,271 L/h)  
 System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)  
**Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools**  
**Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)**

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Top flange clamp allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- Includes a strainer for separating leaves and other rough debris
- This product is preassembled for added convenience
- Recommended hose size for this product is a diameter 1.25 in. / 3.2 cm with proper thread size
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Sand not included
- Full Color Box



NEW GEN.

### Sand Filter - 1,500 Gal. (5,678 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58497	CE	220-240V-, 230W	10 (25.4)	1	25.8 (11.7)
58497GS	CE/GS	220-240V-, 230W	15 (38.5)	1	31.7 (14.4)
58498	C-ETL	110-120V-, 3.2A	10 (25.4)	1	25.6 (11.6)
58498E	ETL-US	110-120V-, 3.2A	10 (25.4)	1	25.8 (11.7)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58497	19.8 (9.0)	0.55 (250)
58497GS	79.4 (36.0)	2.20 (1,000)
58498	19.8 (9.0)	0.55 (250)
58498E	19.8 (9.0)	0.55 (250)

Pump Flow Rate: 1,500 gal./h (5,678 L/h)  
 System Flow Rate: 1,400 gal./h (5,300 L/h)  
 System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)  
**Pool Compatibility: For use with 300-11,200 gal. (1,100-42,500 L) pools**  
**Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)**

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period (For 58497/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser provides a stable level of chlorine to maintain clean, healthy pool water and proper chemical balance
- Pre-filter strainer basket catches larger particles such as leaves, hair and dirt to protect the pump impeller, increase pump longevity and allow it to run smoother
- Preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- Works with normal sand or with our highly efficient Polysphere™ filtration balls
- Compatible with most above ground pools
- Sand not included
- Full Color Box



NEW GEN.

### Sand Filter - 2,200 Gal. (8,327 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58499	CE	220-240V-, 280W	12.5 (32)	1	30.4 (13.8)
58499GS	CE/GS	220-240V-, 280W	16.6 (42.2)	1	36.2 (16.4)
58500	C-ETL	110-120V-, 3.5A	12.5 (32)	1	30.4 (13.8)
58500E	ETL-US	110-120V-, 3.5A	12.5 (32)	1	30.6 (13.9)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58499	44.1 (20.0)	1.23 (560)
58499GS	99.2 (45.0)	2.78 (1,260)
58500	44.1 (20.0)	1.23 (560)
58500E	44.1 (20.0)	1.23 (560)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)  
 System Flow Rate: 1,800 gal./h (6,813 L/h)  
 System Flow Rate: 1,700 gal./h (6,453 L/h) (For GS only)  
**Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools**  
**Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)**

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period (For 58499/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Compatible with most above ground pools
- Sand not included
- Full Color Box



NEW GEN.

### Sand Filter - 3,000 Gal. (11,355 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58486	CE	220-240V-, 500W	15 (38.5)	1	36.8 (16.7)
58486GS	CE/GS	220-240V-, 500W	19 (48.5)	1	43.9 (19.9)
58692	C-ETL	110-120V-, 4.8A	15 (38.5)	1	36.2 (16.4)
58692E	ETL-US	110-120V-, 4.8A	15 (38.5)	1	36.4 (16.5)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58486	79.4 (36.0)	2.20 (1,000)
58486GS	121.3 (55.0)	3.40 (1,540)
58692	79.4 (36.0)	2.20 (1,000)
58692E	79.4 (36.0)	2.20 (1,000)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)  
 System Flow Rate: 2,200 gal./h (8,327 L/h)  
 System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)  
**Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools**  
**Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)**

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Compatible with most above ground pools
- Sand not included
- Full Color Box



### Polysphere™

Item #	Pack	Res. (kg)	Packaging
58475/E	6	12.5 (5.7)	Full Color Box
30014/E	1	28.0 (12.7) 27.4 (12.4)	Display Shelf

- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand
- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Product has a long life
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non-toxic



12 Ea. Included



Sand Filter	Region	Weight if using sand, Res. (kg)	Weight if using Polysphere, Res. (kg)
800 gal./h (3,028 L/h)	All	18.74 (8.5)	0.53 (240)
1,500 gal./h (5,678 L/h)	Except GS	19.84 (9)	0.55 (250)
1,500 gal./h (5,678 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal./h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal./h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal./h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal./h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)



## APP CONTROLLED WI-FI FILTER PUMP

BESTWAY SMART HUB™ APP | CONTROL AT YOUR FINGERTIPS



ON/OFF Switch



SET TIMER (10 Hour Max)




MAINTENANCE STATUS  
Low Flow Rate & Filter Cleaning/  
Replacement Indicator



### SMART TOUCH WI-FI FILTER PUMP

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58614E	2,000 (7,570)	1,500 (5,678)	For use with 300-12,000 gal. (1,100-45,424 L) pools	ETL-US	110-120V~, 1.45A	1	25.1 (10.5)	58095 - Type IV
<b>NEW</b> 58680	2,000 (7,570)	1,500 (5,678)	For use with 300-12,000 gal. (1,100-45,424 L) pools	CE	220-240V~, 110W	1	22.0 (10.0)	58095 - Type IV

- Pump's water flow rate (pump capacity): 2,000 gal./h (7,570 L/h)
- Integrated pool system water flow rate (system flow rate): 1,500 gal./h (5,678 L/h)
- Built-in Wi-Fi modules controlled by the Bestway Smart Hub™ App
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves







### Filter Pump - 330 Gal. (1,249 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V-, 0.2A	4	25.0 (11.3)	58093 - Type I
58511	330 (1,249)	280 (1,060)		C-ETL	110-120V-, 0.2A	4	24.7 (11.2)	58093 - Type I
58381	330 (1,249)	280 (1,060)		CE	220-240V-, 16W	4	25.1 (11.4)	58093 - Type I

### Filter Pump - 530 Gal. (2,006 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58384E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V-, 0.6A	4	32.9 (14.9)	58012 - Type III - A/C
58384	530 (2,006)	480 (1,817)		C-ETL	110-120V-, 0.6A	4	32.0 (14.5)	58012 - Type III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V-, 29W	4	29.4 (13.3)	58094 - Type II

### Filter Pump - 800 Gal. (3,028 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V-, 32W	4	30.8 (14.0)	58094 - Type II
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V-, 0.6A	4	31.5 (14.3)	58012 - Type III - A/C

### Filter Pump - 1,000 Gal. (3,785 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V-, 1.1A	4	38.1 (17.3)	58012 - Type III - A/C

### Transparent Filter Pump - 1,500 Gal. (5,678 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58647E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.8A	1	14.3 (6.5)	58012 - Type III - A/C
58647	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V-, 1.8A	1	14.0 (6.4)	58012 - Type III - A/C
58675	1,500 (5,678)	1,050 (3,974)		CE	220-240V-, 86W	1	14.1 (6.4)	58012 - Type III - A/C

### Filter Pump - 1,500 Gal. (5,678 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.8A	1	14.2 (6.4)	58012 - Type III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V-, 1.8A	1	14.0 (6.3)	58012 - Type III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V-, 86W	1	14.1 (6.4)	58012 - Type III - A/C

### Transparent Filter Pump - 2,500 Gal. (9,463 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58671E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V-, 3.3A	1	24.7 (11.2)	58095 - Type IV - B

### Filter Pump - 2,500 Gal. (9,463 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V-, 3.3A	1	24.7 (11.2)	58095 - Type IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V-, 3.3A	1	24.4 (11.1)	58095 - Type IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V-, 350W	1	24.5 (11.1)	58095 - Type IV - B



**Transparent  
Body**





### Skimatic™ Filter Pump

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	Ibs. (kg)	Filter Cartridge
58463E	680 (2,574)	680 (2,574)	For use with 300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V-, 0.75A	1	17.6 (8.0)	S8012 - Type III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V-, 0.75A	1	17.4 (7.9)	S8012 - Type III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V-, 48W	1	17.5 (7.9)	S8012 - Type III - A/C
Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	Ibs. (kg)	Filter Cartridge
58470E	1,050 (3,974)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.4A	1	22.0 (10.0)	S8012 - Type III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V-, 1.4A	1	21.8 (9.9)	S8012 - Type III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V-, 73W	1	21.4 (9.7)	S8012 - Type III - A/C

- Large capacity tank sucks in floating leaves and other debris
- Not compatible with steel wall pools
- Easy installation
- No additional hoses or adaptors needed
- Automatic filtration and cleaning
- Uses S8012 filter cartridge III
- Works quietly
- For use only with battery powered and manual pool cleaning appliances
- Connected by self-contained 1.2 in. / 32 mm connector, can work in conjunction with Bestway® S8212 and S8234 Pool Cleaning Kit



### AquaLite™ Comb Filter Cartridge Cleaning Tool

Item #	Pack	Ibs. (kg)	Packaging
58662/E	12	8.4 (3.8)	Clam Shell

- Comb head designed to fit inside the deep folds of filtration paper to fully clean the filter cartridge
- Concentrated stream of water removes more particles in less time than a standard garden hose
- Extends lifespan of the filter pump and cartridge
- Flow control knob to turn on/off and adjust water flow
- Easily connects to garden hose through quick connection valve
- Suitable for different types of cartridges



### Filter Cartridges

Item	S8093/E	S8094	S8012/E	S8095/E
Product Photo				
	Twin Pack	Twin Pack		
Size	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
Pump Type	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V-)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V-) 1,500 gal. (5,678 L) (220-240 V-)	2,500 gal. (9,463 L)
Pack	12	12	12	6
Ibs. (kg)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.3 (2.4)
Packaging	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

### Hose

Item #	Size	Pack	Ibs. (kg)	Packaging
58368	9.8 ft. / 3 m long, 1.5 in. / 3.8 cm diameter	6	15.5 (7.0)	Full Color Box

- Suitable for filter pumps and sand filters that use 1.5 in. / 3.8 cm hoses



### Hose

Item #	Size	Pack	Ibs. (kg)	Packaging
58369	9.8 ft. / 3 m long, 1.25 in. / 3.2 cm diameter	12	16.7 (7.6)	Full Color Box

- Suitable for filter pumps, sand filters and heaters that use 1.25 in. / 3.2 cm hoses



### Hose

Item #	Size	Pack	Ibs. (kg)	Packaging
58703/E	30 ft. / 9.00 m long, 1.5 in. / 38 mm diameter	4	22.5 (10.2)	Shrink Wrapped with Insert Card

- Compatible with most pools
- Vacuum hose with length of 30 ft. / 9.00 m, diameter of 1.5 in. / 38 mm
- 1 rotatable end that connects to vacuum heads

NEW



### Hose Adaptors

Item #	Pack	Ibs. (kg)	Packaging
58236/E	12	4.5 (2.0)	Blister Card

- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8 cm) to pool valves (Diameter 3.2 cm)
- Easy to install
- Instructional manual included!







### SolarFlow™ 2.1 gal. (8 L) Outdoor Shower

NEW

Item #	Size	Water Reservoir, gal. (L)	Pack	Wt. (kg)	Packaging
58694/E	19.6 in. x 19.6 in. x 85.8 in. / 50 cm x 50 cm x 2.18 m	2.1 (8)	1	17.7 (8.0)	Full Color Box

- Black 2.1 gal. (8 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Fixed oversized shower head
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



### SolarFlow™ 5.2 gal. (20 L) Outdoor Shower

NEW

Item #	Size	Water Reservoir, gal. (L)	Pack	Wt. (kg)	Packaging
58695/E	23.6 in. x 23.6 in. x 85.8 in. / 60 cm x 60 cm x 2.18 m	5.2 (20)	1	28.2 (12.8)	Full Color Box

- Black 5.2 gal. (20 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



### SolarFlow™ 9.2 gal. (35 L) Outdoor Shower

NEW

Item #	Size	Water Reservoir, gal. (L)	Pack	Wt. (kg)	Packaging
58696/E	23.6 in. x 23.6 in. x 85.8 in. / 60 cm x 60 cm x 2.18 m	9.2 (35)	1	35.9 (16.3)	Full Color Box

- Black & gray 9.2 gal. (35 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Convenient soap tray
- Quick connector for easy connection to garden hose (hose not included)








**Detachable  
LED Light!**


**Soothing LED Waterfall**

Item #	Size	Pack	Wt. (Lbs.)	Packaging
58619/E	13.6 in. x 9.5 in. x 12.6 in. / 34.5 cm x 24 cm x 32 cm	3	18.7 (8.5)	Full Color Box

- Quick and easy installation
- Compatible with all filtration systems with 530 - 3,000 gal. / h (2,006 - 11,355 L / h) flow rate
- Serene waterfall maintains continuous flow
- Detachable LED light with:
  - 8 modes (7 fixed colors and 1 rotating)
  - 2-hour auto power off
  - Powered by 3 x AA batteries (batteries not included)
- IP67 water proof rating: second highest rating!







Shoots Up To  
3 ft. / 1 m High!

### LED Floating Pool Light

Item #	Size	Pack	Wt. (kg)	Packaging
58419/E	Ø5.5 in. / Ø14 cm	12	9.9 (4.5) 9.5 (4.3)	Full Color Box

- Beautiful display: super bright LED light alternates between 4 colors (yellow, red, blue and green) in 7 different patterns
- Easy to operate: simply press the button on the top of the light
- No wiring or outside electrical power required
- Zero operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8 ft. / 2.43 m wide and 5 ft. / 1.52 m deep
- Power saving: shuts off automatically after one hour when not in use



### Solar-Float Lamp

Item #	Size	Pack	Wt. (kg)	Packaging
58111/E	Ø7 in. / Ø18 cm	24	22.3 (10.1)	Full Color Box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls, watch your yard light up
- Extra-long 8-hour runtime
- 1.2 V



### LED Floating Pool Fountain

Item #	Size	Pack	Wt. (kg)	Packaging
58493/E	Ø7.3 in. / Ø18.5 cm	6	14.0 (6.3)	Full Color Box

- Illuminate your backyard pool with multi-color water fountain light show!
- Built-in lithium battery can be recharged and reused repeatedly, lasts 2-5 hours after fully charged
- Coverage area of light: diameter 8 ft. / 2.45 m, height 5 ft. / 1.52 m
- Simple operation and easy to use button panel
- Light show and water fountain function can be used independently, controlled by two different buttons
- Colorful light show projects toward the bottom of the pool and projects through the fountain. There are 5 different lighting modes with 3 colors: red, green and blue
- Max. height of water fountain can reach up to 5 ft. / 1 m
- Has two spraying modes: Pulse and High Beam
- IP67 waterproof rating
- Automatic shut-off in 1 hour



### SolarSphere™ LED Chemical Dispenser

Item #	Size	Pack	Wt. (kg)	Packaging
58699/E	7.1 in. x 7.1 in. x 10.4 in. / 18 cm x 18 cm x 26.5 cm	6	13.4 (6.1)	Full Color Box

- Holds 6 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- LED light slowly flashes, resembling a flickering candle
- LED Light Working Hours: 6-8 hours
- One-touch ON/OFF button
- Solar battery charges during the day and runs at night

NEW



Collapsible  
Design!



Flashing LED Light  
Resembles a Flickering Candle





### MusicWave™ Floating LED Bluetooth Speaker

Item #	Pack	Box Dim	Packaging
58700/E	6	11.8 (5.3)	Full Color Box

**NEW**

- V5.1 Bluetooth speaker provides clear sound, also compatible with V4.2 & V2.1+EDR devices
- LED light with 7 modes (3 fixed colors and 4 rotating)
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Convenient carry handle
- Communication Distance: 33-49 ft. / 10-15 m
- Working Time: 6 hour maximum
- Built-in rechargeable battery





# POOL CLEANERS

Item	58013/E Maintenance Kit 80 in. (2.03 m)	58195/E Pool Accessories Set	58212/E AquaCrawl™ Pool Vacuum	58234/E AquaClean™ Pool Cleaning Kit	58237/E Deluxe Maintenance Kit	58282/E Angler Pool Vacuum	
<b>Product Photo</b>							
<b>Recommended Pool</b>							
	Any model	Any model					
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model	
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model	
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model	Any model	Any model	
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model	Any model	Any model	
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Any model		Any model	
	Any model	Any model					
<b>Details</b>							
<b>Operating System</b>	Garden Hose - Venturi Effect	Garden Hose - Venturi Effect	Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2.0 to 9.4 m <sup>3</sup> /h				
<b>Handling</b>	Manual	Manual	Manual	Manual		Manual	
<b>Pole Length</b>	65.7 in. (1.67 m)	63.3 in. (1.61 m)	74.6 in. (1.90 m)	110 in. (2.79 m)	110 in. (2.79 m)		
<b>Hose Length</b>			19.7 ft. (6.00 m)	24.5 ft. (7.50 m)	24.5 ft. (7.50 m)		
<b>Valve Compatibility</b>			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included		
<b>Inner Wall Cleaning</b>			Yes	Yes	Yes	Yes	
<b>Minimum Flow</b>			Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	
<b>Minimum Wattage</b>							
<b>Highlights</b>	<ul style="list-style-type: none"> <li>Reusable debris bag</li> <li>Skimmer net included</li> </ul>	<ul style="list-style-type: none"> <li>Reusable debris bag</li> <li>Skimmer net included</li> <li>Chemical floater</li> <li>Pool &amp; spa test strips</li> <li>Heavy-duty repair patch</li> <li>Floating pool thermometer</li> </ul>	<ul style="list-style-type: none"> <li>Reusable debris bag</li> <li>Two angled conversion nozzles, one with brush</li> </ul>	<ul style="list-style-type: none"> <li>Reusable debris bag</li> <li>Skimmer net included</li> </ul>	<ul style="list-style-type: none"> <li>Reusable debris bag</li> <li>Skimmer net included</li> <li>Pool surface skimmer</li> </ul>		<ul style="list-style-type: none"> <li>Bottom brushes</li> </ul>

58657/E AquaSuction™ Leaf Vacuum	58648/E AquaTech™ Cordless Pool Vacuum	58649/E AquaSurge™ Rechargeable Pool Vacuum	58665/E AquaDrift™ Automatic Pool Cleaner	58620 - 58621/E AquaGlide™	58622 - 58623/E AquaRover™
Any model	Any model	Any model			
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Up to 22 ft. (6.70 m) wide	Up to 21 ft. (6.40 m) length	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Up to 22 ft. (6.70 m) wide	Up to 18 ft. (5.49 m) length	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Any model	Any model			
Garden Hose - Venturi Effect			Filter pumps or sand filters with 1,500-1,700 gal./h (5,678-12,111 L/h) flow rates	Rechargeable lithium battery	Rechargeable lithium battery
Manual	Manual	Manual	Automatic	Automatic	Automatic
	46.9 in. (1.19 m)	78.7 in. (2.0 m)	22.95 ft. (7.00 m)		
			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included		
		Yes			
			Outlet 1,500 gal. (5,678 L/h)		
			86 w		
<ul style="list-style-type: none"> <li>Reusable debris bag</li> </ul>	<ul style="list-style-type: none"> <li>AA battery x 8 (not included)</li> <li>Up to 0.8 hrs operating time</li> <li>Reusable debris bag</li> <li>Brushes</li> </ul>	<ul style="list-style-type: none"> <li>Cleaner body</li> <li>Large head</li> <li>Flat brush</li> <li>Filter bag</li> <li>USB cable</li> <li>3-section 27.5 in. (70 cm) aluminum pole</li> </ul>	<ul style="list-style-type: none"> <li>Handles for easy retrieval from the water</li> <li>Large 0.45 gal. (1.7 L) easy-to-clean strainer</li> <li>Bottom brush helps collect debris</li> </ul>	<ul style="list-style-type: none"> <li>Waterproof Magnetic Switch</li> <li>On / Off LED light</li> <li>Drop / Retrieval kit</li> <li>Locking Clips</li> <li>Clip-On Brush</li> <li>Head Locking Flap for 180-Degree Turns</li> <li>Standard 0.58 gal. (2.2 L) Filter</li> </ul>	<ul style="list-style-type: none"> <li>Waterproof Magnetic Switch</li> <li>On / Off LED light</li> <li>Drop / Retrieval kit</li> <li>Locking Clips</li> <li>Clip-On Brush</li> <li>Head Locking Flap for 180-Degree Turns</li> <li>Standard 1 gal. (4 L) Filter</li> </ul>





### AquaTech™ Cordless Pool Vacuum

Item #	Pack	Wt. (Lb)	Packaging
58648/E	6	20.5 (9.3)	Full Color Box

- Compatible with pools up to 10 ft. (3.05 m) in diameter
- Cordless vacuum efficiently removes dirt and debris
- Simple press-button operation
- Requires 8x AA batteries (not included)
- 3-section lightweight telescopic pole for easy length adjustment in hard to reach areas
- Large 0.17 gal. (0.65 L) transparent debris compartment

### AquaSurge™ Rechargeable Pool Vacuum

Item #	Pack	Wt. (Lb)	Packaging
58649/E	4	17.2 (7.8) 16.8 (7.6)	Full Color Box

- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Cordless vacuum efficiently removes dirt and debris
- Simple press-button operation
- Built-in rechargeable battery runs for 50 minutes
- Charging time: 4-5 hours
- USB port for charging
- 3-section connection pole
- Large 0.07 gal. (0.27 L) transparent debris compartment
- Includes 2 interchangeable vacuum heads to clean flat walls or corners








### AquaDrift™ Automatic Pool Cleaner

Item #	Pack	Box Dim.	Packaging
58665/E	1	13.9 (6.3)	Full Color Box

- Compatible with filter pumps or sand filters with 1,500-3,200 gal./h (5,678-12,113 L/h) flow rates
- Compatible with above ground pools up to 22 ft. (6.70 m) in diameter
- Automatic pool cleaner uses the power from the filter to propel itself along the bottom of the pool to collect debris
- Anti-slip multidirectional wheels increase movability and change direction when encountering walls or obstacles
- Adjustability settings to choose the direction and angle of the wheels
- Handles for easy retrieval from the water
- Large 0.45 gal. (1.7 L) easy-to-clean strainer
- Bottom brush helps collect debris
- Flow adjustment valve for use with filtration systems of different flow rates
- Includes hoses and connectors compatible with most leading pool pump brands



CONNECTS TO FILTER PUMP FOR

**UNLIMITED RUN TIME**

RUNS WHEN FILTER IS POWERED ON

**AUTOMATIC**

**PROPELS ITSELF FOR AN EFFICIENT CLEAN**

**POOL CLEANER**



GUARANTEED

90 MIN

OF FULL  
POWER CLEAN

DIRECTIONAL

SUPERIOR  
FOR EFFICIENT CLEANING


JET SYSTEM



### AquaRover™

Item #	Plug Type	Voltage	Pack	Wt. (kg)	Packaging
58623/E	TYPE A	100-240V-	1	14.8 (6.7)	Full Color Box
58622	TYPE C	DC 8.4V			

- Autonomous pool cleaning robot
- Cordless design for full range motion; eliminates tangled cords
- Long-lasting rechargeable lithium battery: 90 minutes cycle run time
- Standard filter traps up to 1 gal. (4L) of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Included drop retrieval kit to easily locate and remove robot
- Recommended for flat bottom pools
  - Round Pools: up to 24 ft. (7.32 m) in diameter or 484 ft.<sup>2</sup> (45 m<sup>2</sup>) in total area
  - Rectangular pools: up 31 ft. 4 in. (9.56 m) in length or 463 ft.<sup>2</sup> (43 m<sup>2</sup>) in total area
- Recharge time: 5-6 hours
- Built-in water sensors activate the device when fully submerged in water and deactivate when out of the water for motor protection
- Components:
  - Automatic On / Off Sensor
  - Waterproof Magnetic Switch
  - On / Off LED light
  - Drop / Retrieval kit
  - Locking Clips
  - Clip-On Brush
  - Head Locking Flap for 180-Degree Turns
  - Standard 1 gal. (4L) Filter







## AquaGlide™

Item #	Plug Type	Voltage	Pack	Wt. (kg)	Packaging
58621E	TYPE A	100-240V-DC 8.4V	1	11.5 (5.2)	Full Color Box
58620	TYPE C				

- Recommended for flat bottom pools up to 16 ft. / 4.88 m in diameter or 215 ft.<sup>2</sup> / 20 m<sup>2</sup> in total area (above ground or in-ground)
- Autonomous pool cleaning robot
- Cordless design for full range motion; eliminates tangled cords
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Built-in water sensors activate the device when fully submerged in water and deactivate when out of the water for motor protection
- Included drop retrieval kit to easily locate and remove robot
- Standard filter traps up to 0.58 gal. / 2.2 L of debris
- Built-in rechargeable battery runs for 40 minutes
- Recharge time: 5-6 hours



## Angler Pool Vacuum

Item #	Pack	Wt. (kg)	Packaging
58282/E	12	23.1 (10.5)	Header Card

- Compatible with poles with 1.2 in. / 30 mm (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor



## AquaSuction™ Leaf Vacuum

Item #	Pack	Wt. (kg)	Packaging
58657/E	6	15.4 (7.0)	Full Color Box

- For use with all pools
- 8 high-pressure jets create suction to vacuum small leaves and debris
- 4 multi-directional wheels for easy movement and maneuverability
- 3 brushes along the bottom for a closer clean
- Compatible with pool cleaning poles with inner diameter of 1.2 in. / 30 mm
- Connects to a standard garden hose with universal adapter
- Large, durable and reusable mesh debris bag with stay-in-place lock







### AquaNet

Item #	Size	Pack	Wt. (kg)	Packaging
58278/E	16.9 in. x 8.3 in. / 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



### AquaRake™

Item #	Size	Pack	Wt. (kg)	Packaging
58660/E	19.7 in. x 11.6 in. / 50 cm x 29.5 cm	12	13.5 (6.1)	Header Card


- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- Soft scoop front for easy debris collecting
- Durable mesh netting



### AquaRake™ Deluxe

Item #	Size	Pack	Wt. (kg)	Packaging
58661/E	19.7 in. x 10.2 in. / 50 cm x 26 cm	12	17.6 (8.0)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Aluminum Inner Frame



### AquaBroom™

Item #	Size	Pack	Wt. (kg)	Packaging
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- Quickly removes algae and grime from pool walls and pool floor
- Curved brush head easily cleans the corners of the pool
- Push pins make brush compatible with different sized poles



### AquaBroom™ Deluxe Pool Brush Head

Item #	Size	Pack	Wt. (kg)	Packaging
58658/E	25 in. / 63.5 cm	12	13.1 (5.9)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- High-strength metal handle with corrosion resistant coating
- Quickly remove algae and grime from pool walls and pool floor
- Curved ends to clean corners



Nylon Bristles







### Maintenance Kit

Item #	Pack	Wt. (kg)	Packaging
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m  
Cleans Inner Wall

- Includes a lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- Compatible with pools up to 13 ft. / 3.96 m in diameter



### Pool Accessories Set

Item #	Pack	Wt. (kg)	Packaging
58195/E	4	12.0 (5.5)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m  
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- Compatible with pools up to 13 ft. / 3.96 m in diameter

- Kit Includes:
  - 58013 - Maintenance Kit, 1 Piece
  - 58071 - Chemical Floater, 1 Piece
  - 58072 - Floating Pool Thermometer, 1 Piece
  - 58142 - Pool and Spa Test Strips, 1 Piece
  - 62068 - Heavy-duty Repair Patch, 1 Piece



### AquaCrawl Pool Vacuum

Item #	Pack	Wt. (kg)	Packaging
58212/E	6	30.1 (13.7) 31.1 (14.1)	Full Color Box

Pole Length: 74.6 in. / 1.90 m  
Cleans Inner Wall

- Four section aluminum poles are easy to assemble
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7 ft. / 6.00 m long, 1.25 in. / 3.2 cm diameter
- Attach to the filter pump for light cleaning for your pool
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Compatible with above ground pools up to 15 ft. / 4.57 m in diameter



### AquaClean Pool Cleaning Kit

Item #	Pack	Wt. (kg)	Packaging
58234/E	4	32.5 (14.8) 33.2 (15.1)	Full Color Box

Pole Length: 110 in. / 2.79 m  
Cleans Inner Wall

- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Vacuum has a one-piece cleaning head
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Skimmer has a durable mesh netting
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above



### Deluxe Maintenance Kit

Item #	Pack	Wt. (kg)	Packaging
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m  
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Attach to the filter pump for skimming and vacuuming
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Multi-functional
  - Pool surface skimmer: working with the filter pump cleans floating leaves and other debris
  - Pool vacuum: working with the filter pump cleans pool walls and floor
  - Pool skimmer: manually clean floating debris







### StorePro™ Pool Accessory Organizer

Item #	Pack	Wt. (Lbs)	Packaging
58674/E	12	29.3 (13.3)	Full Color Box

- Constructed with durable steel and ABS plastic
- Stores up to 2 poles and 5 skimmers, brushes, rakes or vacuums with 1.2 in. / 3 cm diameter handles
- 2 built-in hooks and included strap to hold additional accessories
- Can be hooked to fence with included hanger (adjustable up to 3 in. / 7.62 cm) or secured to other types of structures with included self-tapping screws





## Pool Surface Skimmer

Item #	Pack	Wt. (kg)	Packaging
58233/E	4	17.9 (8.1)	Full Color Box

- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- For use with above ground pools (not compatible with steel wall pools)
- Easy to clean



## Cleancast Skimmer

Item #	Size	Pack	Wt. (kg)	Packaging
58277	12.5 in. x 12 in. / 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting



## AquaScoop™ Skimmer Set

Item #	Size	Pack	Wt. (kg)	Packaging
58635/E	64 in. / 163 cm	12	12.0 (5.4)	Header Card

- Durable mesh netting
- Angled scoop easily collects debris from hard-to-reach bottom and tough corners
- Removes floating debris quickly and easily
- Lightweight, extendable, 3-segmented aluminum shaft
- Collapsible shaft contracts into net for easy carry and storage
- Compatible with pools up to 13 ft. / 3.96 m in diameter



Self Repairing Mesh



## AquaScoop™ Deluxe Skimmer

Item #	Size	Pack	Wt. (kg)	Packaging
58659/E	16 in. x 13.4 in. / 40 cm x 34 cm	12	15.2 (6.9)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Self Repairing Mesh



Aluminum Inner Frame



## E-Z-Broom Pole

Item #	Size	Pack	Wt. (kg)	Packaging
58279/E	142 in. / 3.60 m	24	43.7 (19.8)	Polybag With Labels

- Inner diameter 1.2 in. / 3 cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



## Collapsible Telescopic Pole

Item #	Size	Pack	Wt. (kg)	Packaging
58702/E	15 ft. / 4.57 m	8	25.4 (11.5)	Shrink Wrapped with Insert Card

- 1 extendable pole with additional pole attachment - pole length can range from 41 in. - 15 ft. (1.04 m - 4.57 m)
- Corrosion-resistant anodized finish
- Inner diameter of 1.2 in. / 3 cm

NEW



## Heavy Duty Repair Patch

Item #	Pack	Wt. (kg)	Packaging
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm<sup>2</sup>) stick-on patches
- Repairs punctures and abrasions on all inflatable items



## Underwater Adhesive Repair Patch

Item #	Pack	Wt. (kg)	Packaging
62091/E	36	2.3 (1.0)	Blister Card


- 10 pcs included
- 6.55 sq. in. (42.3 cm<sup>2</sup>) stick-on patches
- Repairs punctures and abrasions on pools and other underwater items



## Pool & Spa Test Strips

Item #	Pack	Wt. (kg)	Packaging
58142/E	24	2.7 (1.2)	Blister Card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
  - Free Chlorine
  - pH
  - Total Alkalinity
- Easy Color Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life







## Pool + Drain Pump

Item #	Pump Flow Rate Gal. (L) / hr	Certification	Rating	Pack	Wt. (kg)	Packaging
58261/E	800 (3,028)	CTUVus	110-120V-, 0.8A	4	28.6 (13.0)	Full Color Box
58230		CE	220-240V-, 80W		30.5 (13.8)	

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4 ft. / 5.00 m long, 1.25 in. / 3.2 cm diameter
- Includes adaptor to connect to a garden hose



16.4 ft. / 5 m  
Long Drain Hose



## Clean Sun Powered Pool Pad

Item #	Pack	Wt. (kg)	Packaging
58423/E	4	58.5 (26.5)	Full Color Box

- 43 in. x 67 in. / 1.10 m x 1.71 m
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,200 gal./h (8,327 L/h) sand filter and below
- Compatible with all above ground pools
- Easy setup with included adaptor compatible with 1.25 in. / 3.2 cm and 1.5 in. / 3.8 cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 - 5°C (5 - 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9 mm PVC
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72 ft.<sup>2</sup> (1.46 m<sup>2</sup>)
- Can be used in multiples to work together for different size pools



## Pool Heater

Item #	Pack	Wt. (kg)	Packaging
58259	4	51.0 (23.1)	Full Color Box

- Compatible with above ground pools with water capacities between 1,520-17,035 L (400-4,500 gal.)
- Compatible with filter pumps with flow rates up to 3,785 L (1,000 gal.)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA







### Floating Pool Thermometer

Item #	Pack	Vol. (kg)	Packaging
58072/E	36	6.7 (3.1)	Blister Card

- ABS construction
- String attached to keep thermometer in place
- Easy-to-read temperature gradation in both Fahrenheit and Celsius



### Floating Pool Thermometer

Item #	Pack	Vol. (kg)	Packaging
58595/E	24	8.6 (3.9)	Blister Card

- ABS construction
- String attached to keep thermometer in place
- Easy-to-read temperature gradation in both Fahrenheit and Celsius



### Assorted Floating Pool Thermometer W/PDQ

Item #	Pack	Vol. (kg)	Packaging
58697/E	9	1.5 (0.7)	Shelf Box with Picture

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy-to-read temperature gauge
- Displays in both Fahrenheit and Celsius



NEW



58697 PDQ







### Chemical Floater

Item #	Pack	Box Qty	Packaging
58210	24	4.7 (2.1)	Shrink Wrapped With Insert Card

- Dispenses 1 in. / 2.5 cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction



### Chemical Floater

Item #	Pack	Box Qty	Packaging
58071/E	12	9.0 (4.1)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included



### Chemical Floater With ChemGuard™ Glove

Item #	Pack	Box Qty	Packaging
58701/E	12	11.0 (5.0)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- Lid includes built-in glove for safe handling of chemical tablets
- Dual-action child safe lock secures lid to chemical float
- Adjustable dial to control the release of chemicals
- Integrated thermometer has easy-to-read temperature gauge with Fahrenheit and Celsius display



NEW



Collapsible Design



Built-in Glove and Thermometer!

### SolarSphere™ LED Chemical Dispenser

Item #	Pack	Box Qty	Packaging
58699/E	6	13.4 (6.1)	Full Color Box

- Holds 6 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- LED light slowly flashes, resembling a flickering candle
- LED Light Working Hours: 6-8 hours
- One-touch ON/OFF button
- Solar battery charges during the day and runs at night



NEW

Collapsible Design







### Hydrogenic™ 6 G/H Saltwater Chlorinator

Item #	Pack	Box Dim	Packaging
58677/E	1	13.0 (S.9)	Full Color Box
58678		11.2 (S.1)	

**NEW**

- Chlorine Output: 6 g/h
- Compatible with pools up to 7,000 gal. (26,498 L) and requires minimum flow rate of 330 gal. (1,249 L)
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self-locking function
- Automatic self-cleaning mode
- Includes adapters for most above ground pools
- 50 test strips to test free chlorine, alkalinity and pH with instant results







### 33 in. / 84 cm Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58430	Except North America	1	12.8 (5.8)	Sturdy Cardboard Box With Pictures

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly



### 42 in. / 1.07 m Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58335E	US		15.9 (7.2)	
58335	N. America / Asia, Africa & L. America	1	15.9 (7.2)	Sturdy Cardboard Box With Pictures
58330	Europe Union		19.4 (8.8)	

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58330 only)



### 48 in. / 1.22 m Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58336E	US		21.1 (9.6)	
58336	N. America / Asia, Africa & L. America	1	21.1 (9.6)	Sturdy Cardboard Box With Pictures
58331	Europe Union		26.2 (11.9)	

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58331 only)

### 52 in. / 1.32 m Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58337E	US		25.3 (11.5)	
58337	N. America / Asia, Africa & L. America	1	25.3 (11.5)	Sturdy Cardboard Box With Pictures
58332	Europe Union		29.0 (13.1)	

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58332 only)



58332





## Solar Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58060/E	6 ft. 10 in. / 2.10 m	- 8 ft. (2.44 m) Fast Set™ Pools	4	4.5 (2.0)
58241/E	9 ft. 6 in. / 2.89 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	2	4.1 (1.9)
58242/E	11 ft. 8 in. / 3.56 m	- 12 ft. (3.66 m) / 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252/E	15 ft. 8 in. / 4.17 m	- 15 ft. (4.57 m) Fast Set™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Power Steel™ Pools	2	8.0 (3.6)
58253/E	15 ft. 2 in. / 4.62 m	- 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. (4.57 m) / 16 ft. (4.88 m) Steel Pro MAX™ Pools	2	9.4 (4.2)
58175/E	17 ft. 3 in. / 5.27 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	1	6.4 (2.9)
58240	12 ft. 5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) - 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) Power Steel™ Pools	2	4.2 (1.9)
58672/E	12 ft. 11 in. x 6 ft. 11 in. / 3.94 m x 2.10 m	- 14 ft. x 8 ft. 2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Pools	2	4.3 (2.0)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 21 ft. x 9 ft. x 52 in. (6.40 m x 2.74 m x 1.32 m) - 24 ft. x 12 ft. x 52 in. (7.32 m x 3.66 m x 1.32 m) Power Steel™ Pools	1	6.8 (3.1)

- PE material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris
- Carry bag with insert card



## Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58032/E	7 ft. 10 in. / 2.40 m	- 8 ft. (2.44 m) Fast Set™ Pools	6	18.8 (8.5)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	6	28.1 (12.7)
58057/E	12 ft. 1 in. / 3.70 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	6	39.4 (17.9)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools	6	49.6 (22.5)
58292	15 ft. 2 in. / 4.01 m	- 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Steel Pro MAX™ Pools - 13 ft. (3.96 m) Power Steel™ Pools - 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	6	43.9 (19.9)
58058/E	15 ft. 5 in. / 4.70 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools	4	58.1 (17.3)
58249/E	16 ft. 2 in. / 4.93 m	- 16 ft. (4.88 m) Steel Pro MAX™ Pools - 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	41.5 (18.8)
58039/E	18 ft. 2 in. / 5.55 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	4	50.7 (23.0)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



## Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58103	7 ft. 4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft. 3 in. x 59 in. x 17 in. (2.21 m x 1.50 m x 43 cm) Steel Pro™ Pools	8	9.3 (4.2)
58105	8 ft. 8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft. 6 in. x 67 in. x 24 in. (2.59 m x 1.70 m x 61 cm) Steel Pro™ Pools	8	11.1 (5.0)
58106	10 ft. x 6 ft. 9 in. / 3.04 m x 2.05 m	- 9 ft. 10 in. x 6 ft. 7 in. x 26 in. (3.00 m x 2.01 m x 66 cm) Steel Pro™ Pools	6	10.3 (4.7)
58107	13 ft. 5 in. x 7 ft. 5 in. / 4.10 m x 2.26 m	- 13 ft. 1 in. x 6 ft. 11 in. x 32 in. (4.00 m x 2.11 m x 81 cm) Steel Pro™ Pools	6	14.9 (6.8)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



## Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58424	10 ft. x 6 ft. / 3.05 m x 1.84 m	- 10 ft. x 6 ft. 7 in. x 33 in. (3.05 m x 2.00 m x 84 cm) Power Steel™ Oval Pools	6	21.2 (9.6)
58425	14 ft. x 7 ft. 5 in. / 4.27 m x 2.30 m	- 14 ft. x 8 ft. 2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Oval Pools	6	32.0 (14.5)
58442	8 ft. 10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft. 3 in. x 6 ft. 5 in. x 33 in. (2.82 m x 1.96 m x 84 cm) Power Steel™ Pools	6	19.9 (9.0)
58232	13 ft. 6 in. x 6 ft. 7 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) - 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) Power Steel™ Pools	6	29.0 (13.1)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box







### Pool Canopy

Item #	Fits Pools:	Pack	Box Dim	Packaging
58681/E	10 ft. (3.05 m) - 18 ft. (5.49 m)	4	19.9 (9.0)	Full Color Box

- Product Weight: 3.85 lbs (1.745 kg)
- One Layer
- Fabric: 190T Polyester PA300mm Coated + UPF 40+
- Window: 190T Polyester PA300mm Coated + 240g/m<sup>2</sup> Polyester mesh
- Poles: Fiberglass - Ø7.9 mm
- Carry Bag: 190T Polyester PA300mm Coated
- Single layer canopy can be easily attached to and detached from the frame of the pool
- Curtains can be rolled up and down using the zipper to control the shade and protection from the sun
- Semi-open design provides shade over a portion of the pool
- Compatible with round frame pools with diameters between 10 ft. (3.05 m) - 18 ft. (5.49 m)
- Setup time: 10 min.



### Pool Canopy

Item #	Fits Pools:	Pack	Box Dim	Packaging
58746/E	6 ft. 11 in. (2.10 m) - 11 ft. 2 in. (3.40 m)	1	33.7 (15.3)	Full Color Box

**NEW**

- Easily attaches to and detaches from the frame of an above ground pool
- UPF 40+ sun protection
- Compatible with rectangular and oval frame pools with widths of both sides between 6 ft. 11 in. (2.10 m) and 11 ft. 2 in. (3.40 m)
- Setup time: 10 min.







## Ground Cloths

Item #	Size Diameter	Fits Pools:	Pack	Wt. (kg)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- 8 ft. (2.44 m) Fast Set™ Pools - 8 ft. (2.44 m) Steel Pro™ Pools	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools - 10 ft. x 48 in. (3.00 m x 1.20 m) Hydrium™ Pools	4	8.6 (5.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	4	11.8 (5.4)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	16.8 (7.6)

- PE material
- Provides extra protection for the bottom of the pool
- Full Color Box



## Pool Floor Protector

Item #	Size Diameter	Contents	Colors	Pack	Wt. (kg)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces	●	30	50.3 (22.8)
58636/E	31 in. x 31 in. / 78 cm x 78 cm		●	8	33.4 (15.1)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pool floors
- Shrink Wrapped With Insert Card



## Decorative Pool Floor Protector

Item #	Size Diameter	Contents	Colors	Pack	Wt. (kg)
58712/E	20 in. x 20 in. / 50 cm x 50 cm	12 Pieces	●	24	69.8 (31.7)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Realistic wooden pattern
- Provides added protection for several types of floors
- Attachable pieces for straight edges



NEW





# INDEX

			56570/E	Hydrium™ Oval Pool Set	P 55	56467	Power Steel™ Rectangular Pool Set	P 55	56690E	Steel Pro MAX™ Pool Set	P 29	57449/E	Fast Set™ Pool Set	P 15	58228	Solar Pool Covers	P 112	58587	Filter Pump	P 72	58656/E	Pool Floor Protector	P 117
			56584	Hydrium™ Pool Set	P 51	56468/E	Power Steel™ Rectangular Pool Set	P 55	56710	Power Steel™ Oval Pool Set	P 59	57450	Fast Set™ Pool Set	P 15	58250	Pool + Drain Pump	P 102	58588E	Filter Pump	P 72	58647/E	Transparent Filter Pump	P 75
			56585/E	Hydrium™ Pool Set	P 51	56474	Power Steel™ Rectangular Pool Set	P 57	56711/E	Power Steel™ Oval Pool Set	P 59	57455/E	Fast Set™ Pool	P 15	58252	Pool Covers	P 115	58589	Filter Pump	P 75	58648/E	AquaTech™ Cordless Pool Vacuum	P 87
50014/E	Polysphere™	P 69	56401	Steel Pro™ Pool	P 21	56475	Power Steel™ Rectangular Pool Set	P 57	56714	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 45	57456	Fast Set™ Pool	P 15	58255/E	Pool Surface Skimmer	P 100	58590/E	Filter Pump	P 75	58649/E	AquaSurg™ Rechargeable Pool Vacuum	P 86
5611R	Power Steel™ Oval Pool Set	P 41	56405	Steel Pro™ Pool	P 21	56477/E	Power Steel™ Rectangular Pool Set	P 57	56715/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 45	57457/E	Fast Set™ Pool Set	P 15	58254/E	AquaClean Pool Cleaning Kit	P 97	58591	Filter Pump	P 75	58657/E	AquaSuction™ Leaf Vacuum	P 95
56115/E	Power Steel™ Oval Pool Set	P 41	56404	Steel Pro™ Pool	P 21	56488	Steel Pro MAX™ Pool Set	P 28	56716	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 45	57458	Fast Set™ Pool Set	P 15	58256/E	Hose Adapters	P 75	58592/E	Filter Pump	P 75	58658/E	AquaBroom™ Deluxe Pool Brush Head	P 95
5611T	Power Steel™ Oval Pool Set	P 41	56405	Steel Pro™ Pool	P 21	56495/E	Steel Pro MAX™ Pool	P 24	56717/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 45	58000	Ground Cloths	P 116	58257/E	Deluxe Maintenance Kit	P 97	58419/E	LED Floating Pool Light	P 80	58659/E	AquaScoop™ Deluxe Skimmer	P 100
5611U/E	Power Steel™ Oval Pool Set	P 41	56406	Steel Pro MAX™ Pool	P 24	56496/E	Steel Pro™ Pool	P 21	56719	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 47	58001/E	Ground Cloths	P 116	58240	Solar Pool Covers	P 112	58425/E	Clean Sun Powered Pool Pad	P 105	58660/E	AquaRake™	P 94
5611Z	Power Steel™ Rectangular Pool Set	P 57	56407/E	Steel Pro MAX™ Pool Set	P 24	56498/E	Steel Pro™ Pool	P 21	56720/E	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 47	58002/E	Ground Cloths	P 116	58241/E	Solar Pool Covers	P 112	58424	Pool Covers	P 115	58661/E	AquaRake™ Deluxe	P 94
5612A/E	Power Steel™ Rectangular Pool Set	P 57	56408	Steel Pro MAX™ Pool Set	P 24	56512/E	Steel Pro™ Pool	P 21	56725	Power Steel™ Swim Vista Series™ II Pool Set	P 45	58005/E	Ground Cloths	P 116	58242/E	Solar Pool Covers	P 112	58425	Pool Covers	P 115	58662/E	AquaLite™ Comb Filter Cartridge Cleaning Tool	P 74
5612B	Power Steel™ Rectangular Pool Set	P 57	56411	Steel Pro™ Pool Set	P 21	56556E	Power Steel™ Rectangular Pool Set	P 55	56726/E	Power Steel™ Swim Vista Series™ II Pool Set	P 45	58012/E	Filter Cartridges	P 75	58248/E	Pool Covers	P 115	58450	Pool Ladder	P 110	58665/E	AquaDrift™ Automatic Pool Cleaner	P 88
5612X	Steel Pro MAX™ Pool Set	P 27	56412/E	Steel Pro™ Pool Set	P 21	56545/E	Splash-In-Shade Play Pool	P 61	56948E	Steel Pro MAX™ Pool Set	P 27	58015/E	Maintenance Kit	P 96	58249/E	Pool Covers	P 115	58442	Pool Covers	P 115	58671E	Transparent Filter Pump	P 75
5612Y	Steel Pro MAX™ Pool Set	P 27	56416	Steel Pro MAX™ Pool Set	P 25	56545/E	Steel Pro™ Pool	P 21	56949	Steel Pro MAX™ Pool Set	P 27	58052/E	Pool Covers	P 115	58252/E	Solar Pool Covers	P 112	58462	Skimatic™ Filter Pump	P 74	58672/E	Solar Pool Covers	P 112
5612Z	Steel Pro MAX™ Pool Set	P 29	56417/E	Steel Pro MAX™ Pool Set	P 25	56566	Hydrium™ Pool Set	P 51	56950	Steel Pro MAX™ Pool Set	P 27	58056/E	Pool Covers	P 115	58255/E	Solar Pool Covers	P 112	58465/E	Skimatic™ Filter Pump	P 74	58674/E	StorePro™ Pool Accessory Organizer	P 99
5615A/E	Steel Pro MAX™ Pool Set	P 29	56418	Steel Pro MAX™ Pool Set	P 25	56574	Hydrium™ Pool Set	P 51	56976/E	Power Steel™ Swim Vista Series™ II Pool Set	P 45	58057/E	Pool Covers	P 115	58259	Pool Heater	P 105	58469	Skimatic™ Filter Pump	P 74	58675	Transparent Filter Pump	P 75
5615HE	Steel Pro MAX™ Pool Set	P 27	56419	Steel Pro MAX™ Pool Set	P 25	56575	Hydrium™ Pool Set	P 51	56977	Power Steel™ Swim Vista Series™ II Pool Set	P 45	58058/E	Pool Covers	P 115	58261/E	Pool + Drain Pump	P 102	58470/E	Skimatic™ Filter Pump	P 74	58677/E	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 109
5615Z/E	Power Steel™ Oval Pool Set	P 58	56420	Steel Pro MAX™ Pool Set	P 25	56586	Hydrium™ Oval Pool Set	P 55	57241/E	My First Fast Set™ Pool	P 58	58059/E	Pool Covers	P 115	58277	Clearcast Skimmer	P 100	58475/E	Polysphere™	P 69	58678	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 109
5614A	Power Steel™ Oval Pool Set	P 58	56421	Steel Pro MAX™ Pool Set	P 25	56587/E	Hydrium™ Oval Pool Set	P 55	57275	Fast Set™ Pool	P 15	58060/E	Solar Pool Covers	P 112	58278/E	AquaNet	P 94	58486/GS	Sand Filter	P 69	58680	Smart Touch WiFi Filter Pump	P 70
5618S/E	Splash-In-Shade Play Pool	P 60	56424	Steel Pro™ Pool Set	P 21	56595	Steel Pro MAX™ Pool Set	P 27	57274	Fast Set™ Pool Set	P 15	58071/E	Chemical Floater	P 106	58279/E	E-Z Broom Pole	P 101	58495/E	LED Floating Pool Fountain	P 80	58681/E	Pool Canopy	P 114
5618T	Splash-In-Shade Play Pool	P 60	56425/E	Steel Pro™ Pool Set	P 21	56597/E	Steel Pro MAX™ Pool Set	P 27	57275/E	Fast Set™ Pool Set	P 15	58072/E	Floating Pool Thermometer	P 104	58280/E	AquaBroom	P 95	58497/GS	Sand Filter	P 68	58692/E	Sand Filter	P 69
5618UE	Steel Pro MAX™ Pool Set	P 25	56452	Splash-In-Shade Play Pool	P 61	56620	Power Steel™ Oval Pool Set	P 58	57308/E	Fast Set™ Pool	P 15	58095/E	Filter Cartridges	P 75	58282/E	Angler Pool Vacuum	P 95	58498/E	Sand Filter	P 68	58694/E	SolarFlow™ 2.1 gal. (8 L) Outdoor Shower	P 76
5618V	Steel Pro MAX™ Pool Set	P 25	56458	Steel Pro MAX™ Pool Set	P 29	56622/E	Power Steel™ Oval Pool Set	P 58	57515	Fast Set™ Pool Set	P 17	58094	Filter Cartridges	P 75	58292	Pool Covers	P 115	58499/GS	Sand Filter	P 68	58695/E	SolarFlow™ 5.2 gal. (20 L) Outdoor Shower	P 76
5618W	Steel Pro MAX™ Pool Set	P 25	56459	Steel Pro MAX™ Pool Set	P 29	56625	Power Steel™ Rectangular Pool Set	P 57	57515/E	Fast Set™ Pool Set	P 17	58095/E	Filter Cartridges	P 75	58350	Pool Ladder	P 110	58500/E	Sand Filter	P 68	58696/E	SolarFlow™ 9.2 gal. (55 L) Outdoor Shower	P 76
561CF/E	My First Frame Pool and Sandpit	P 59	56441	Power Steel™ Rectangular Pool Set	P 54	56625/E	Power Steel™ Rectangular Pool Set	P 57	57571/E	Fast Set™ Pool Set	P 17	58105	Pool Covers	P 115	58351	Pool Ladder	P 110	58511/E	Filter Pump	P 72	58697/E	Assorted Floating Pool Thermometer W/PDQ	P 105
561CS	Hydrium™ Pool Set	P 55	56442	Power Steel™ Rectangular Pool Set	P 54	56629	Power Steel™ Rectangular Pool Set	P 54	57572	Fast Set™ Pool Set	P 17	58105	Pool Covers	P 115	58352	Pool Ladder	P 111	58515/GS	Sand Filter	P 68	58699/E	Solar Sphere™ LED Chemical Dispenser	P 80/P 90
561CT/E	Hydrium™ Pool Set	P 55	56448	Power Steel™ Oval Pool Set	P 58	56651/E	Power Steel™ Rectangular Pool Set	P 54	57575/E	Fast Set™ Pool Set	P 17	58106	Pool Covers	P 115	58355/E	Pool Ladder	P 110	58516/E	Sand Filter	P 68	58700/E	MusicWave™ Floating LED Bluetooth Speaker	P 82
561CU	Hydrium™ Pool Set	P 55	56450	Power Steel™ Oval Pool Set	P 58	56655E	Power Steel™ Oval Pool Set	P 58	57576	Fast Set™ Pool Set	P 17	58107	Pool Covers	P 115	58356/E	Pool Ladder	P 110	58595/E	Floating Pool Thermometer	P 104	58701/E	Chemical Floater With ChemGuard™ Glove	P 107
561CW/E	Hydrium™ Pool Set	P 55	56456	Power Steel™ Rectangular Pool Set	P 54	56660	Power Steel™ Rectangular Pool Set	P 54	57592/E	Fast Set™ Pool	P 14	58111/E	Solar-Float Lamp	P 80	58557/E	Pool Ladder	P 111	58614E	Smart Touch WiFi Filter Pump	P 70	58702/E	Collapsible Telescopic Pole	P 101
561CW	Hydrium™ Oval Pool Set	P 55	56457	Power Steel™ Rectangular Pool Set	P 54	56670	Power Steel™ Rectangular Pool Set	P 55	57442/E	Fast Set™ Pool	P 16	58142/E	Pool & Spa Test Strips	P 101	58368	Hose	P 75	58619/E	Soothing LED Waterfall	P 79	58705/E	Hose	P 75
561CX/E	Hydrium™ Oval Pool Set	P 55	56458/E	Power Steel™ Rectangular Pool Set	P 54	56671	Power Steel™ Rectangular Pool Set	P 55	57445	Fast Set™ Pool	P 16	58175/E	Solar Pool Covers	P 112	58369	Hose	P 75	58620	AquaGlide™	P 92	58712/E	Decorative Pool Floor Protector	P 117
56217/E	My First Frame Pool	P 58	56462	Steel Pro MAX™ Pool Set	P 29	56672	Power Steel™ Rectangular Pool Set	P 55	57444/E	Fast Set™ Pool Set	P 16	58195/E	Pool Accessories Set	P 96	58381	Filter Pump	P 72	58621E	AquaGlide™	P 92	58746/E	Pool Canopy	P 115
56260	Steel Pro MAX™ Pool Set	P 25	56465/E	Steel Pro MAX™ Pool Set	P 29	56675	Power Steel™ Rectangular Pool Set	P 55	57445	Fast Set™ Pool Set	P 16	58210	Chemical Floater	P 106	58585	Filter Pump	P 72	58622	AquaGlide™	P 91	62058/E	Heavy Duty Repair Patch	P 101
56285	My First Frame Pool	P 58	56465	Power Steel™ Rectangular Pool Set	P 55	56686	Steel Pro MAX™ Pool Set	P 28	57447/E	Fast Set™ Pool	P 15	58212/E	AquaCrawl Pool Vacuum	P 96	58584/E	Filter Pump	P 72	58625/E	AquaGlide™	P 91	62091/E	Underwater Adhesive Repair Patch	P 101
56569	Hydrium™ Oval Pool Set	P 55	56466	Power Steel™ Rectangular Pool Set	P 55	56687E	Steel Pro MAX™ Pool Set	P 28	57448	Fast Set™ Pool	P 15	58220/E	Pool Floor Protector	P 117	58586	Filter Pump	P 72	58655/E	AquaScoop™ Skimmer Set	P 100			



## SHANGHAI

Bestway Inflatables & Material Corp.  
No. 209 Jin Yuan Wu Road,  
Shanghai, 201812, China  
Tel: 86 21 8913 5688  
E-mail: info@bestwaycorp.com

## HONG KONG

Bestway (Hong Kong) International Ltd. Suite 713  
7/Floor, East Wing, Tsim Sha Tsui Centre,  
66 Mody Road, Kowloon, Hong Kong  
Tel: 852 2997 7169  
E-mail: info@bestwaycorp.hk

## U.S.A.

Bestway (USA) Inc.  
3436 S. McQueen Road,  
Chandler, AZ 85286, United States of America  
Tel: 1 480 838 3688  
E-mail: info@bestwaycorp.us

## EUROPE

Bestway Europe S.p.a.  
Via Resistenza, 5  
20098 San Giuliano M.se (MI), Italy  
Tel: 39 02 9984 881  
E-mail: info@bestwaycorp.eu

## EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.  
Ul. Ekologiczna 24  
05-080 Klausdyn Poland  
Tel: 48 22 60 22 508  
E-mail: info@bestwaycorp.pl

## LATIN AMERICA

Bestway Central & South America Ltda  
Salar Ascotan 1282, Parque Enea,  
Pudahuel, Santiago, Chile  
Tel: 562 3203 6438  
E-mail: info@bestwaycorp.lat

## BRAZIL

Bestway Brazil  
Av. Camo Azul, 2783 Maringá - PR - Brazil  
Zip Code: 87010-055  
Tel: 55 44 3046 2960 / 0800 001 8400  
E-mail: info@bestwaycorp.com.br

## AUSTRALIA

Bestway Australia Pty Limited  
Unit 2/99-104 Camaron St  
Silverwater, NSW 2128, Australia  
Tel: 61 2 9037 1388  
E-mail: info@bestwaycorp.com.au

## FRANCE

Bestway France Sarl  
1681 route des Dolines  
Les Talloires - Belom  
06560 VALBONNE  
Tel: 33 4 97 04 92 99  
E-mail: info@bestwaycorp.fr

## GERMANY

Bestway Deutschland GmbH  
Parkstraße 11  
24624 Neumünster, Germany  
Tel: 49 4321 555 06 - 0  
E-mail: info@bestwaycorp.de

## SCANDINAVIA

Bestway Scandinavia A/S  
Aaregatorv 17, 3rd Fl  
DK-1160 Copenhagen K Denmark  
Tel: 45 78744569  
E-mail: info@bestway-scandinavia.eu

Bestway



WWW.BESTWAYCORP.COM

©2022 Bestway Inflatables & Material Corp. All rights reserved.  
™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

