

Bestway 20 CATALOG 23 COLLECTION

Enjoy our extensive collection of products in our six catalogs.


- Above Ground Pools
- Air Mattresses
- Spa
- Summer & License
- Watersports
- Camping Gear*

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway* products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos





VISION & MISSION

Since 1994, our vision has been to create fun, memorable experiences for everyone in the world through our innovative, dependable products.

Now, just over 25 years later, Bestway has forged a global presence in more than 100 countries by developing an extensive product line and becoming forward thinkers about sustainable business practices. Today, we manufacture and sell more than 1,100 different products within four core categories: above ground pools and portable spas, recreational products, sporting goods, and camping products.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. That's why every department in Bestway works closely together - from our technology and quality assurance centers to our laboratories, vertically integrated manufacturing systems and after-sales service centers around the globe.

Bestway's advanced online services and regional call centers allow customers to easily resolve issues that arise with their products, offering downloadable manuals, instructional videos, and 24/7 call support.





CUSTOMER FOCUSED



NNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

GLOBAL **FACTORIES**













AROUND THE WORLD





COPENHAGEN, DENMARK





WARSAW, POLAND



SAN PAULO, BRAZIL



HAMBURG, GERMANY



NICE, FRANCE SUBSIDIARY



MILAN, ITALY R&D • SUBSIDIARY







MOSCOW, RUSSIA SUBSIDIARY



HONG KONG, CHINA R&D . SUBSIDIARY



SHANGHAI, CHINA HQ • PRODUCTION



SYDNEY, AUSTRALIA



LAY-Z-SPA.

Nearly a decade of advanced engineering and innovations have built a global name people know and trust: Lay-Z-Spa[®].

Lay-Z-Spa offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation.

Backed by the Bestway^e customer service team, consumers can enjoy peace of mind while relaxing in their new spa.

With different massage technologies, a Lay-Z-Spa offers the ultimate in rest and relaxation.



CONTENTS

8 AIRJET™

 JCIA
 MIAMI
 BAHAMAS
 FIJI
 HAVANA
 BORACAY
 IBIZA
 HOLLYWOOD

 60001
 60005
 60085
 60035
 60175
 60015
 60059

 -25
 pg 26-29
 pg 30-33
 pg 34-37
 pg 38-41
 pg 42-45
 pg 46-49
 pg 50-53

 CH
 BUDAPEST
 HONOLULU
 HAWAII
 ST. MORITZ
 GRENADA
 HELSINKI

 6
 60179
 60019
 60021
 60023
 60125
 60025

 -57
 pg 58-61
 pg 62-65
 pg 66-69
 pg 70-73
 pg 74-77
 pg 78-81

88 AIRJET PLUS™

AN VANCOUVER SANTORINI MALDIVES SAN FRANCISCO 29 60027 60075 60033 60161 4-87 pg 88-91 pg 94-97 pg 98-101 pg 102-105

XTRAS

UNDERWATER RECHARGEABLE PADDED PILLOW SOOTHING LED 7-COLOR 60307 | pg 110 VACUUM UNDERWATER VACUUM 60321 | pg 111 60323 | pg 108 60303 | pg 113 FILTER CARTRIDGE (VI) ALL IN ONE TOOL SET PROTECTOR 60305 | pg 115 60304 | pg 114 60311 | pg 117 60309 | pg 117

PRODUCT TECHNOLOGY

THE ORIGINAL PREMIUM PORTABLE SPA

As a leading manufacturer of the inflatable, portable hot tub, Lay-Z-Spa® has become an industry staple that consumers know and trust. From technological innovations to style, Lay-Z-Spa leads the market. High-functioning components and safety are the main priorities of the spa line, providing consumers with products they can depend on.

FREEZE SHIELD TECHNOLOGY

COMFORT IN THE COLD

Freeze Shield" successfully equips the spa for year-round, all-weather use. Designed with innovative winterizing technology and an improved material, these spas automatically increase water circulation and heating when temperatures are low to prevent the inner parts from becoming damaged.

GROUND DETECTION _

With safety as a priority, every spa is equipped with our advanced, market-leading Ground Detection System, which continuously monitors the energy supply to ensure it is being used safely. If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.

THERMAL INSULATION

HIGH ENERGY-EFFICIENCY, LOW ELECTRIC BILL

The EnergySense" thermal covers and liners retain more heat than PVC material alone. This allows the spa to heat up faster and stay hotter longer, leading to as much as 40% higher energy efficiency.



HIGH-TECH COMPONENTS AND DECREASED NOISE

EFFICIENT - DURABLE - SAFE

The internal pump components are designed to work efficiently, while reducing the noise level as much as possible during use. Engineered with a new rotor and blade, our pumps are specifically designed to have a soft internal connection, reducing the noise.

ADVANCED HEATING SYSTEM

By using advanced materials to create our heating mechanism, including aluminum alloys and ceramic, we ensure efficient temperature control. The internal structure is protected by six layers of insulation to prevent electrical damage, ensuring safe use every time.



MASSAGE TECHNOLOGY





Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



° ○ AIRJET PLUS™ ○ ○ SYSTEM

Enjoy a deeper massage with AirJet Plus! Air bubbles are released from both the bottom and the sidewalls of the spa to target both the legs and back.



∰ HYDROJET PRO™ SYSTEM

HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the spa release soothing jetstreams of water, while jets along the bottom release a collming flow of air bubbles specifically targeting your feet and back.


12 - LAY-Z-SPA 2023

MATERIAL TECHNOLOGY

DURAPLUS" 3-PLY

DURABLE COMFORT


The Duraplus material applied on the outer walls is designed with longevity in mind – 3 layers of polyester mesh and PVC. The multi-layer design prevents stretching, and ensures durability and resilience, no matter how often the spa is used.



DROP STITCH MATERIAL

LIGHTWEIGHT DURABILITY

Inflated walls made from drop stitch material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy spa. Not only great for durability, but this also makes the spa more spacious on the inside.



BEAM CONSTRUCTION

DELIVERING STRENGTH AND COMFORT

The internal construction of each spa is designed to offer superior structural stability while still maintaining a comfortable surface. It always provides a luxurious spa experience, no matter how many times it's inflated or deflated.



Bestway

SMART HUB[™] APP







MASSAGE SETTINGS
Run the massage system with the touch of a button

MASSAGE REGULATION
A special feature on some spas allows
the user to choose from two massage
bubble intensity levels, giving them
control over their relaxation experience



APP CONNECTION

DELIVERING STRENGTH AND COMFORT With the Bestway Smart Hub" app, control is right in the palm of your hand. This innovation makes the Lay-Z-Spa one of the most convenient in the market. Compatible with smart devices, the Spa Control section of the app lets you control the spa's temperature, activate the Power Saving Timer, change the water filter and control the massage system with just the touch of a button!

QUICK SET-UP

DOWNLOAD THE BESTWAY SMART HUB" APP

2 CLICK ON SPA

FOLLOW
THE SET UP
INSTRUCTIONS



PLANOGRAM

PACKAGING NOT TO SCALE





2023 LAY-Z-SPA COLLECTION

FEATURES KEY



MASSAGE REGULATION

INTEGRATED SEATS

(*) ENERGYSENSE*































	HONOLULU 60019	HAWAII 60021	ST. MORITZ 60023	GRENADA 60135	HELSINKI 60025	MILAN 60029	VANCOUVER 60027	SANTORINI 60075	MALDIVES 60033	SAN FRANCISCO 60161	
CAPACITY	4-6 ADULTS	4-6 ADULTS	5-7 ADULTS	6-8 ADULTS	5-7 ADULTS	4-6 ADULTS	3-5 ADULTS	5-7 ADULTS	5-7 ADULTS	5-7 ADULTS	
INFLATED SIZE	1.96 m x 71 cm (77* x 28*)	1.80 m x 1.80 m X 71 cm (71" x 71" x 28")	2.16 m x 71 cm (85° x 28°)	2.36 m x 71 cm (93° x 28°)	1.80 m x 66 cm (71° x 26°)	1.96 m x 71 cm (77" x 28")	1.55 m x 60 cm (61° x 24°)	2.16 m x 90 cm (95° x 31.5°)	2.01 m x 2.01 m x 80 cm (79° x 79° x 31.5°)	2.30 m x 2.30 m x 71 cm (90.5° x 90.5° x 28°)	
INNER SIZE	1.46 m (57°)	1.30 m x 1.30 m (51° x 51°)	1.66 m (65°)	1.86 m (73°)	1.70 m (67°)	1.46 m (57°)	1.45 m (57°)	1.66 m (65°)	1.51 m x 1.51 m (59" x 59")	1.80 m x 1.80 m (71° x 71°)	
WATER CAPACITY	916 L (242 GAL)	840 L (222 GAL)	1,190 L (314 GAL)	1,350 L (357 GAL)	1,123 L (297 GAL)	916 L (242 GAL)	804 L (213 GAL)	1,190 L (314 GAL)	1,050 L (277 GAL)	1,180 L (312 GAL)	
NUMBER OF AIRJETS	140	140	180	190	180	140	140	180	180	180	
NUMBER OF HYDROJETS		-	_	_	-	-		10	8	10	
FEATURES	省	凇	□ 淺 ⑤	省	□ 場 ⊚	⊡ ¾ €0 ⊕	2 % €0 ⊕	1	24 × €11 ⊕ IS	<u>3</u> € € € € €	



% AIRJET™ SYSTEM

FLOAT AWAY ON A CLOUD OF BUBBLES WITH AN AIRJET MASSAGE.

Soothe your body and relax your mind with the touch of a button.

Simply press the massage button on the control panel, and the AirJet system will surround you with calming bubbles.






ST. LUCIA

- Soothing Air.Jet" bubble massage system (110 jets)
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect* dispenser, repair patch, AirJet" system





ST. LUCIA

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus¹⁶ material, providing superior durability, stretch resistance and structural stability.

PACK/GROSS WEIGHT 1 Ea., 32.41 kg (71.45 lbs)

SPECIFICATIONS

WATER CAPACITY 605 L (160 gal.)

INFLATED SIZE 1.70 m x 66 cm (67" x 26")

INNER SIZE 1.24 m (49")

FILLED WEIGHT 630 kg (1,389 lbs)

RATING 220-240V- 50Hz, 2050W at 20"C (68"F)

ACTUAL WATER FLOW 1,325 L/h (350 gal./h)

HEATING SYSTEM Approx. 1.5-2.0"C/h (3-4"F/h)

CERTIFICATION CE/GS





FREEZE SHIELD*



AIRJET*
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 2-3 PEOPLE

DIGITAL CONTROL PANEL

LED Displo

Lock/Unioc Butto

> Power Savi Tim

> > Celsius Fahrenhei

Heat Activation



Temperature/ . Hour Adjustment

Power Button ON/OFF

Water Filter Activation

> irJet" lassage





MIAMI


60001

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong DuraPlus" walls are stress-tested to offer durability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect[®] dispenser, repair patch, AirJet[®] system





MIAMI



WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

SPECIFICATIONS

WATER CAPACITY _______ 669 L (177 gal)
INFLATED SIZE ______ 1.80 m x 66 cm (71" x 26")

INNER SIZE _______ 1.32 m (52")
FILLED WEIGHT ______ 696 kg (1,534 lbs)

RATING ______ 220-240V- 50Hz, 2050W at 20°C (68°F)

HEATING SYSTEM Approx. 15-2.0°C/h (3-4°F/h)
CERTIFICATION CE/GS

PACK/GROSS WEIGHT....... 1 Ea., 33.93 kg (74.80 lbs)







FREEZE SHIELD



AIRJET*
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 2-4 PEOPLE

DIGITAL CONTROL PANEL

LED Displo

Lock/Unloc Butto

> Power Savi Tin

Celsius Fahrenhei

Heat Act



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJel^a Massage





BAHAMAS


50005

- Soothing Air.let* bubble massage system (120 jets)
- Ultra-strong DuraPlus* walls are stress-tested to offer durability
- Freeze Shield** automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect* dispenser, repair patch, AirJet* system





BAHAMAS



DURAPLUS" MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus³⁴ material, providing superior durability, stretch resistance and structural stability.

PACK/GROSS WEIGHT 1 Ea., 33.93 kg (74.80 lbs)

SPECIFICATIONS

WATER CAPACITY 669 L (177 gal.)

INFLATED SIZE 180 m x 66 cm (71" x 26")

INNER SIZE 132 m (52")

FILLED WEIGHT 696 kg (1,534 lbs.)

RATING 220-240V-50Hz, 2050W at 20"C (68"F)

ACTUAL WATER FLOW 1,325 L/h (350 gal./h)

HEATING SYSTEM Approx 1.5-2.0"C/h (3-4"F/h)





FREEZE SHIELD*



AIRJET"
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 2-4 PEOPLE

DIGITAL CONTROL PANEL

LED Displo

Lock/Unioc Butto

Power Savi Tin

> Celsiu Fahrenhe

Heat Activo



Temperature/ . Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJel" Massage






F]]]

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong DuraPlus* walls are stress-tested to offer durability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- · Power saving, timer controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect[®] dispenser, repair patch, AirJet[®] system





F | J |



DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

SPECIFICATIONS

WATER CAPACITY 669 L (177 gal.)

INFLATED SIZE 1.80 m x 66 cm (71" x 26")

INNER SIZE 1.32 m (52")

FILLED WEIGHT 696 kg (1,534 lbs.)

RATING 220-240V~ 50Hz, 2050W at 20"C (68"F)

ACTUAL WATER FLOW 1,325 L/h (350 gal./h)

HEATING SYSTEM Approx. 1.5-2.0"C/h (3-4"F/h)

CERTIFICATION CE/GS

PACK/GROSS WEIGHT 1 Ea, 33.93 kg (74.80 lbs.)





FREEZE SHIELD



AIRJET"
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 2-4 PEOPLE

DIGITAL CONTROL PANEL

LED Displa

Lock/Unlock Button

Power Sa Ti

Celsius Fahrenhei

Heat Activa



Temperature/ . Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet" Massage





HAVANA


60035

- Soothing AirJel[®] bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- . Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect^a dispenser, filter cartridge (VI), repair patch, AirJet^a system





HAVANA 60035

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

SPECIFICATIONS

WATER CAPACITY..... 669 L (177 gal) INFLATED SIZE 1.80 m x 66 cm (71" x 26") __1.32 m (52°) INNER SIZE_ FILLED WEIGHT... 696 kg (1,534 lbs) ... 220-240V- 50Hz, 2050W at 20°C (68°F) RATING_ ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) HEATING SYSTEM..... Approx. 1.5-2.0°C/h (3-4°F/h) ___ CE/GS PACK/GROSS WEIGHT 1 Ea., 33.93 kg (74.80 lbs)







FREEZE SHIELD*





AIRJET* MASSAGE
MASSAGE SYSTEM REGULATION

2 INTENSITY LEVELS





DIGITAL CONTROL PANEL

LED Display Lock/Unlock

Power Button ON/OFF

Water Filter

Wi-fi






BORACAY

- Soothing Air.Jet" bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus^a walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect[®] dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
 Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect* dispenser, repair patch, AirJel" system







BORACAY

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

SPECIFICATIONS

WATER CAPACITY....... 669 L (177 gal) _ 1.80 m x 66 cm (71" x 26") INFLATED SIZE... _1.32 m (52°) INNER SIZE_ ... 696 kg (1,534 lbs) FILLED WEIGHT... .. 220-240V~ 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) Approx. 1.5-2.0°C/h (3-4°F/h) HEATING SYSTEM CERTIFICATION. ___ CE/GS

PACK/GROSS WEIGHT 1 Ea., 33.93 kg (74.80 lbs)







FREEZE SHIELD*



AIRJET" MASSAGE
MASSAGE SYSTEM REGULATION
2 INTENSITY LEVELS





DIGITAL CONTROL PANEL

LED Display Lock/Unlock



ON/OFF

Water Filter





IBIZA


60015

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- . Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- · Power saving, timer controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect[®] dispenser, repair patch, AirJet[®] system





IBIZA

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

PACK/GROSS WEIGHT ______ 1 Ea., 37.70 kg (83.11 lbs)

SPECIFICATIONS





FREEZE SHIELD*



AIRJET*
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



DIGITAL CONTROL PANEL

LED Displa

Lock/Unioc Butto

Power Savi

Celsius Fahrenhei

Heat Activation



Temperature/ . Hour Adjustment

Power Butto ON/OFF

Water Filter Activation

AirJet" Massage





HOLLYWOOD

60059

- Soothing AirJet* bubble massage system (140 jets)
- Ultra-strong DuraPlus^a walls are stress tested to offer durability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- · Program the spa heater up to 40 days in advance for future use
- . ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, filter cartridge (VD, 1 ChemConnect* dispenser, 1 LED light strip, 4 pillows, repair patch, AirJet* system














HOLLYWOOD



DURAPLUS" MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

PACK/GROSS WEIGHT 1 Ea., 39.27 kg (86.57 lbs)

SPECIFICATIONS

__ 1.96 m x 66 cm (77" x 26") INFLATED SIZE... INNER SIZE_ _1.48 m (58°) ___ 937 kg (2,066 lbs) FILLED WEIGHT _ 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) Approx. 1.5-2.0°C/h (3-4°F/h)







FREEZE SHIELD*



CAPACITY 4-6 PEOPLE



MASSAGE SYSTEM







DIGITAL CONTROL PANEL

LED Displo

Lock/Unlock



Power Button ON/OFF





ZURICH


60065

- Soothing Air.let™ bubble massage system (120 jets)
- EnergySense" insulated cover makes this spa as much as 40% more energy efficient
- Ultra-strong DuraPlus" walls are stress tested to offer durability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect[™] dispenser, filter cartridge (VI), repair patch, AirJet[™] system





54 - LAY-Z-SPA 2023

ZURICH 60065

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

ENERGYSENSE INSULATED COVER

Insulated cover speeds up heating time and prevents heat loss, making the Zurich as much as 40% more energy efficient than similar inflatable spas.



SPECIFICATIONS

WATER CAPACITY....... 669 L (177 gal) INFLATED SIZE ... 1.80 m x 66 cm (71" x 26") INNER SIZE__ __1.32 m (52°) 704 kg (1,552 lbs) 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) CERTIFICATION _____ CE/GS PACK/GROSS WEIGHT 1 Ea., 43.63 kg (96.19 lbs)





FREEZE SHIELD*



AIRJET" MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 2-4 PEOPLE



COVER



LED Displo



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter

Air.Jet*





BUDAPEST


60179

- Soothing AirJet[®] bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- EnergySense" insulated cover makes this spa as much as 40% more energy efficient
- . Ultra-strong DuraPlus" walls are stress tested to offer durability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect[®] dispenser, filter cartridge (VI), repair patch, AirJet[®] system









BUDAPEST

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

ENERGYSENSE INSULATED COVER

Insulated cover speeds up heating time and prevents heat loss, making the Budapest as much as 40% more energy efficient than similar inflatable spas.



SPECIFICATIONS

WATER CAPACITY ______ 908 L (240 gal) INFLATED SIZE 1.96 m x 66 cm (77" x 26") _1.48 m (58°) INNER SIZE_ FILLED WEIGHT... _ 946 kg (2,086 lbs) ... 220-240V~ 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) HEATING SYSTEM....... Approx. 1.8-2.4°C/h (3-4°F/h) CERTIFICATION ... _CE/GS PACK/GROSS WEIGHT......... 1 Ea., 46.42 kg (102.34 lbs)







REGULATION 2 INTENSITY LEVELS

MASSAGE SYSTEM





BESTWAY SMART HUB"





DIGITAL CONTROL PANEL

LED Display Lock/Unlock







HONOLULU


60019

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong DuraPlus^a outer walls combined with reinforced internal beams offer superior structural stability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Rattan print on outside with mosaic print on the inside
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect^a dispenser, filter cartridge (VD, repair patch, AirJet^a system





HONOLULU

DURAPLUS" MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus²⁴ material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

INFLATED SIZE 1.96 m x 71 cm (77" x 28") INNER SIZE__ _1.46 m (57°) 954 kg (2,103 lbs) FILLED WEIGHT __ 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gal/h) Approx. 1.5-2.0°C/h (3-4°F/h) HEATING SYSTEM... CERTIFICATION __ CE/GS PACK/GROSS WEIGHT ______ 1 Ea., 41.62 kg (91.76 lbs)





FREEZE SHIELD*



AIRJET" MASSAGE SYSTEM



PUMP



DIGITAL CONTROL PANEL

LED Displ

Lock/Unloc

Celsiu

Heat Activation



ON/OFF

Water Filter

AirJet*



HAWAII


60021

- Soothing Air.let™ bubble massage system (140 jets)
- Ultra-strong DuraPlus* outer walls combined with reinforced internal beams offer superior structural stability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect^a dispenser, filter cartridge (VI), repair patch, AirJet^a system





HAWAII

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus^{ac} material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS





FREEZE SHIELD



AIRJET*
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



DIGITAL CONTROL PANEL

LED Displo

Lock/Unlock Buttor

> Power Savi Tin

Celsius Fahrenhei

Heat Activat



Temperature/ . Hour Adjustment

Power Button ON/OFF

> Water Filter Activation

AirJel" Massage







ST. MORITZ


60023

- Soothing AirJet* bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus[®] outer walls combined with reinforced internal beams offer superior structural stability
- Freeze Shield** automatic heating prevents water from freezing & damaging the spa
- . Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect[®] dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect[™] dispenser, filter cartridge (VI), repair patch, AirJet[™] system







ST. MORITZ

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

__ 2.16 m x 71 cm (85" x 28") _ 1.66m (65°) ___1,210 kg (2,668 lbs) 220-240V~ 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) HEATING SYSTEM....... Approx. 1.0-1.5°C/h (2-3°F/h) CERTIFICATION







FREEZE SHIELD*





MASSAGE SYSTEM REGULATION







BESTWAY SMART HUB"

DIGITAL CONTROL PANEL

LED Display





GRENADA


60135

- Soothing Air.let™ bubble massage system (190 jets)
- Ultra-strong DuraPlus* outer walls combined with reinforced internal beams offer superior structural stability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- · Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect[™] dispenser, filter cartridge (VI), repair patch, AirJet[™] system





GRENADA 60135

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS





FREEZE SHIELD



AIRJET*
MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 6-8 PEOPLE

DIGITAL CONTROL PANEL

LED Displo

Lock/Unito

Power Sav Tin

Celsi. Fahrenh

Heat Activa



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJel" Massage







HELSINKI


60025

- Soothing AirJet[™] bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- Walls are made of drop stitch material, providing a strong and durable hard-sided spa
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect[®] dispenser, 1 high pressure hand pump, filter cartridge (VD, repair patch, AirJet[®] system





HELSINKI


60025

DROP STITCH MATERIAL

STRENGTH & DURABILITY

The inflated walls are mode from drop stitch material, providing unparalleled strength and durability.

Thousands of fine threads securely connect the sidewalls, which seal in air to keep the spa inflated. This material can support considerable weight while still being light and portable when deflated.



SPECIFICATIONS

... 1.80 m x 66 cm (71" x 26") INFLATED SIZE. INNER SIZE_ _1.70 m (67°) __ 1,155 kg (2,548 lbs) FILLED WEIGHT _ 220-240V~ 50Hz, 2050W at 20°C (68°F) RATING_ ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) Approx. 1.0-1.5°C/h (2-3°F/h) HEATING SYSTEM.... CERTIFICATION ... ___ CE/GS PACK/GROSS WEIGHT 1 Ea., 40.13 kg (88.47 lbs)



LAY-Z-SPA.













AIRJET* MASSAGE
MASSAGE SYSTEM REGULATION
2 INTENSITY LEVELS



MULTI-FUNCTION

<u></u> BESTWAY SMART HUB

DIGITAL CONTROL PANEL

LED Display Lock/Unlock



Power Button ON/OFF

Water Filter

Wi-Fi



% AIRJET PLUS™ SYSTEM

MASSAGING BUBBLES ARE THE PERFECT WAY TO UNWIND.

The AirJet Plus system releases bubbles from both the bottom and the sidewalls of the spa to target both the legs and back.

FOOT MASSAGE

The AirJet Plus system features additional jets, strategically placed to provide a relaxing foot massage. By placing another circle of massage bubbles in the center of the spa, we are able to target the legs as well as the back of the user.





MILAN


60029

- Soothing Air.Jet Plus" targeted bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus[®] outer walls combined with reinforced internal beams offer superior structural stability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- · Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect[®] dispenser, filter cartridge (VD, repair patch, AirJet Plus[®] system





MILAN 60029

DURAPLUS MATERIAL

WALL AND TOP RING -

The outer surface of this spa is constructed with premium DuraPlus* material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

INFLATED SIZE __ 1.96 m x 71 cm (77" x 28") INNER SIZE _1.46 m (57°) 954 kg (2,103 lbs) FILLED WEIGHT..... 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) CERTIFICATION _____ CE/GS

PACK/GROSS WEIGHT ______ 1 Ea., 41.71 kg (91.95 lbs)

















PUMP



SMART HUB

DIGITAL CONTROL PANEL

LED Display Lock/Unlock AirJet Plus

Temperature/ Hour Adjustment

Wi-Fi









VANCOUVER


60027

- Soothing Air.let Plusth targeted bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- Walls are made of drop stitch material, providing a strong and durable hard-sided spa
- Freeze Shield" automatic heating prevents water from freezing
- damaging the spa
- . Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect[®] dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

CONTENTS

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect* dispenser, 1 high pressure hand pump, filter cartridge (VD, repair patch, AirJet Plus* system








VANCOUVER

60027

DROP STITCH MATERIAL

STRENGTH & DURABILITY

The inflated walls are made from drop stitch material, providing unparalleled strength and durability. Thousands of fine threads securely connect the sidewalls, which seal in air to keep the spa inflated. This material can support considerable weight while still being light and portable when deflated.



SPECIFICATIONS

WATER CAPACITY....... 804 L (213 gal.) INFLATED SIZE ... 155 m x 60 cm (61" x 24") __ 1.45 m (57°) INNER SIZE_ __ 831 kg (1,833 lbs) FILLED WEIGHT..... ... 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) Approx. 1.5-2.0°C/h (3-4°F/h) HEATING SYSTEM..... CERTIFICATION CE/GS PACK/GROSS WEIGHT 1 Ea., 33.72 kg (74.34 lbs)







FREEZE SHIELD*







AIRJET PLUS" MASSAGE
MASSAGE SYSTEM REGULATION









SMART HUBT

DIGITAL CONTROL PANEL

LED Display







PERFECT SPA RELAXATION AT YOUR FINGERTIPS.

HydroJet Pro is the best of both worlds!
Adjustable nozzles along the inside walls of
the spa release soothing jetstreams of water,
while jets along the bottom release a calming
flow of air bubbles specifically targeting your
feet and back.







SANTORINI

60075

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Massage regulator provides 2 intensity level options
- . Ultra-strong DuraPlus" outer walls combined with reinforced internal beams offer superior
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- . Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- . ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- ColorJet LED lights alternate between 7 different colors
- · Power-saving, timer-controlled heating system
- . Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips
- Inflatable seat and padded pillows provide an ultra-comfortable experience

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect* dispenser, 5 pillows, filter cartridge (VD, 2 water powered LED lights, repair patch, HydroJet Pro™ system
















SANTORINI 60075

DURAPLUS MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

WATER CAPACITY....... 1,190 L (314 gal.) INFLATED SIZE... _ 2.16 m x 80 cm (85° x 31.5°) INNER SIZE. _ 1.66 m (65°) 1,253 kg (2,762 lbs) _ 220-240V~ 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) _____Approx. 1.0-1.5°C/h (2-3°F/h) CERTIFICATION.





FREEZE SHIELD



HYDROJET PRO* MASSAGE SYSTEM



INTEGRATED SEATS

7-COLOR LED LIGHTS





CAPACITY 5-7 PEOPLE





MASSAGE REGULATION 2 INTENSITY LEVELS



BESTWAY SMART HUB

DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer Celsius/Fahrenheit

Heat Activation

Wi-Fi Connection

ON/OFF

Water Filter

HydroJet Pro™







MALDIVES


60033

- Hydrodynamic water jetstream and air bubble massage system (8 jetstream nozzles and 180 jets)
- Massage regulator provides 2 intensity level options
- . Ultra-strong DuraPlus" outer walls combined with reinforced internal beams offer superior
- · Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- · ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- ColorJet LED lights alternate between 7 different colors
- Power_saving, timer_controlled heating system
 Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips
- Inflatable seat and padded pillows provide an ultra-comfortable experience

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect* dispenser, 5 pillows, filter cartridge (VD, 2 water powered LED lights, repair patch, HydroJet Pro* system







MALDIVES 60033

DURAPLUS" MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

_ 2.01 m x 2.01 m x 80 cm (79" x 79" x 31.5") INNER SIZE_ ... 1.51 m x 1.51 m (59" x 59") ... 1,118 kg (2,465 lbs) 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) HEATING SYSTEM...... Approx. 1.0-1.5°C/h (2-3°F/h) CERTIFICATION PACK/GROSS WEIGHT....... 1 Ea., 82.34 kg (181.53 lbs)





FREEZE SHIELD



HYDROJET PROT MASSAGE SYSTEM



INTEGRATED SEATS

IS

7-COLOR LED LIGHTS







REGULATION 2 INTENSITY LEVELS









DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button **Power Saving Timer** AirJet™ Massag

Wi-Fi Connection

ON/OFF

Water Filter

HydroJet Pro™







SAN FRANCISCO

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- . Jet massage nazzles integrated into the back of the lounge and leg massage integrated into the single lounge
- Massage regulator provides 2 intensity level options
- . Ultra-strong DuraPlus" outer walls combined with reinforced internal beams offer superior structural stability
- · Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- . Program the spa heater up to 40 days in advance for future use
- · Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- ColorJet LED lights alternate between 7 different colors
- · Power-saving, timer-controlled heating system
- . Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips
- Inflatable seats and padded pillows provide an ultra-comfortable experience

CONTENTS


1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect* dispenser, filter cartridge (VD, 2 water powered LED lights, 5 pillows, repair patch, Hydro.Jet Pro" system











102 - LAY-Z-SPA 2023

SAN FRANCISCO

DURAPLUS" MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus" material, providing superior durability, stretch resistance and structural stability.

DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

SPECIFICATIONS

WATER CAPACITY....... 1,180 L (312 gal.) __ 2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28") .. 1.80 m x 1.80 m (71" x 71") ... 1,258 kg (2,774 lbs) 220-240V- 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW ______ 1,325 L/h (350 gaL/h) HEATING SYSTEM...... Approx. 1.0-1.5°C/h (2-3°F/h)

PACK/GROSS WEIGHT........... 1 Ea., 92.53 kg (203.99 lbs)

























7-COLOR LED LIGHTS



SEATS







REGULATION 2 INTENSITY LEVELS







LED Display

Lock/Unlock Button **Power Saving Timer** Celsius/Fahrenheit

Heat Activation

AirJet™ Massag



Water Filter HydroJet Pro™



XTRAS

ACCESSORIES TO COMPLEMENT YOUR SPA.

Make maintenance easy and elevate the luxury and comfort of your spa with an array of accessory options from Bestway[®].



UNDERWATER VACUUM

60323

NEW

- Compatible with Bestway AirJet™ & AirJet Plus™ spas
- · Connects to the water outlets on the spa and uses the water flow to create suction
- Lightweight pole to easily maneuver the vacuum around the liner of the spa
- · Features a brush head and reusable debris bag
- Full color box
- 6 Ea., 4.98 kg (10.98 lbs)

CONTENTS

1 vacuum cleaner



WATER FLOW SUCTION connects to water outlets in spa

BRUSH HEAD sweets away dust and dirt

REUSABLE DEBRIS BAG collects leaves and other particles



60313

- · Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords
- · Consistent performance for 50 minutes
- Charge time: 4-5 hours
- Simple press button operation
- Ideal for spas and small pools
- · Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and easy to empty stainless steel filter
- Full color box
- 4 Ea., 4.80 kg (10.58 lbs)

CONTENTS

1 vacuum, 1 USB charging cable

TWO-SECTION POLE
with total reach of approximately 1.50 m / 5*

TRANSPARENT BODY shows debris level

RECHARGEABLE plug, charge, and clean!

PIVOTING SUCTION HEAD





NEW

SPA **SEAT**

60321

- Firm, sturdy spa seat is comfortable for hours of relaxation
- Seat legs can be adjusted to a custom height - from 8-12 cm (3.15-4.72 in.)
- Weighted seats remain at the bottom of the spa
- Full color box
- 2 Ea., 6.14 kg (13.54 lbs)

CONTENTS: 1 seat



HOLDER

60306

- · Keep beverages or snacks close by while you relax
- · Position anywhere on the top of spa sidewall
- Compatible with all spas with a wall thickness between 20-27 cm (7.9*-10.6*)
- Full color box
- 12 Ea., 8.95 kg (19.73 lbs)

CONTENTS: 2 drink holders, 1 tray

7-COLOR LED LIGHT

60303

- Uses 3 AAA batteries (not included)
- LED light alternates between 7 colors
- 2 hours of run time with auto-shutoff feature
- One-touch operation: simply press top button
- Full color box
- 6 Ea., 0.98 kg (2.16 lbs)

CONTENTS: 17-Color LED Light





CANOPY 60304

- 1.83 m x 94 cm x 1.09 m / 6' x 37" x 43"
- Fabric with UV protection
- Compatible with all Bestway spas sized 1.80-2.70 m (71"-8"11")
 High density, ventilated mesh windows
- Full color box
- 3 Ea., 4.09 kg (9.02 lbs)

CONTENTS

1 tent, 3 poles, 2 guy lines, 1 storage bag





DOME 60305

• 3.90 m x 3.90 m x 2.55 m / 12'9" x 12'9" x 8'4"

- Fabric with UV protection
- Fits all Bestway spas
- 4 large inside pockets to store personal items
- 4 detachable fabric and mesh doors, suitable for both winter and summer
- Suitable as a gazebo for use in the garden or backyard
- Can be used for pools up to 3.66 m (12") diameter
- Setup time: 15 min.
- Full color box
- 2 Ea., 34.36 kg (75.75 lbs)

CONTENTS

1 tent, 4 detachable fabric doors, 4 detachable mesh doors, carry bag

ALL IN ONE TOOL SET

60310

- Full color box
- 8 Ea., 7.30 kg (16.09 lbs)

CONTENTS: 1 scoop, 1 brush, 1 scrubbing mitt

1. SCOOP

- Bumper protects spa surface
- · Round shaped design fits the contours of the spa interior
- Deep net to collect debris
- · Handheld or connects to standard telescopic pole

2. SCRUBBING MITT

- · Scrub along spa water line
- · Latex glove bonded with scrubber pad

3. BRUSH

- · Bumper and nylon bristles protect spa's surface
- · Handheld or connects to standard telescopic pole







FLOOR PROTECTOR

60309

- 2.16 m x 2.16 m / 85" x 85"
- Square protector 40 cm x 50 cm (15.5" x 19.5") mat for spa heater
- Durable polyethylene material that provides protection for your spa
- Compatible with all Bestway Spas smaller than 2.16 m (85°)
- · Package contains 10 pieces (9 attachable, 1 individual)
- Shrink wrapped with insert card
- 4 Ea., 10.48 kg (23.10 lbs)

CONTENTS: 1 floor protector set



POOL & SPA TEST **STRIPS**

58142

- · The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip: - Free Chlorine

- Total Alkalinity
- Easy Color-Match System
- · Measures Free Chlorine O to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- 18-Month Shelf Life
- Blister card
- 24 Ea., 1.20 kg (2.65 lbs)

CONTENTS: 50 test strips

FILTER CARTRIDGE(VI)

60311

- 10.6 cm x 8.0 cm / 4.2" x 3.1"
- Easy to clean
- · Shrink wrapped with insert card
- 12 Sets., 2.79 kg (6.15 lbs)

CONTENTS: 2 filter cartridges





TECHNICAL FEATURES & ACCESSORY COMPATIBILITY



		ST. LUCIA 60037	MAME 60001	BAHAMAS 60005	FLII 60085	HAVANA 60035	BORACAY 60175	IBIZA 600f5	HOLLYWOOD 60059	ZURICH 60065	BUDAPEST 60179	HONOLULU 60019	HAWAII 60021	ST. MORITZ 60023	GRENADA 60135	HELSINKI 60025	MILAN 60029	VANCOUVER 60027	SANTORINI 60075	MALDIVES 60033	SAN FRANCISCO 60161	
	REINFORCED BEAMS											-	*				67		1.50			
8	DROP STITCH																					
100	POWER SAVING TIMER										*											
	WATER FILTER ACTIVATION										*.	*										
	HEATING SYSTEM																					
38	LED LIGHTS																					
129	APP REMOTE CONTROL																					
100	UNDERWATER VACUUM (60323)																*	٠				
3	RECHARGEABLE UNDERWATER VACUUM (60313)									*:								*				
96	PILLOW (60307)									*:												
33	PADDED PILLOW (60316)					•																
	SPA SEAT (60320)																					
33	SOOTHING WATERFALL (60322)																					
38	DRINK HOLDER 6603060																					
100	LED LIGHT 0503039									*												
100	CANOPY (50304)																					
123	DOME (60305)																					
	ALL IN ONE TOOL SET (60310)																					
	FLOOR PROTECTOR (60309)							*			*:	*										
	TEST STRIPS (58142)																					
-	FILTER CARTRIDGE 0503110																					

SETUP & MAINTENANCE

WITH THE KEY TOOLS ALREADY INCLUDED, LAY-Z-SPA SETUP IS QUICK & EASY!

After finding a flat area for the spa, it's as easy as 1, 2, 3!

- 1. INFLATE the spa with the multi-function pump.
- 2. CONNECT the pump to the spa, and ensure all of the tubes are attached to the correct openings.
- 3. FILL the spa with water to the indicated level, and enjoy!

Also included with each spa is a chemical dispenser & filter cartridge to keep the water sparkling. Maintaining clean and healthy spa water is not just important for the user's experience, but it also extends the longevity of the spa.

Thanks to a new function available on all spas, the pump can also quickly and conveniently deflate the spa for transporting or storaging.







INDEX

‰ AIRJET™



ST. LUCIA 60037 pg 22-25

BAHAMAS 60005 pg 30-33

FIJI 60085 pg 34-37



HAVANA 60035 pg 38-41



ZURICH 60065 pg 54-57












VANCOUVER

60027





SANTORINI 60075 pg 94-97

MALDIVES 60033 pg 98-101

SAN FRANCISCO 60161 pg 102-105



XTRAS

RECHARGEABLE UNDERWATER VACUUM 60313 I pg 109

PILLOW 60307 l pg 110

UNDERWATER VACUUM 60323 | pg 108



CANOPY 60304 I pg 114



DOME 60305 l pg 115



PADDED PILLOW



ALL IN ONE TOOL SET 60310 I pg 116 60316 l pg 110



SPA SEAT 60321 I pg 111



FLOOR PROTECTOR 60309 I pg 117



POOL & SPA TEST STRIPS 58142 | pg 117



7-COLOR LED LIGHT 60303 I pg 113



FILTER CARTRIDGE (VD 60311 I pg 117







IBIZA 60015 pg 46-49

BUDAPEST 60179 pg 58-61



GRENADA 60135 pg 74-77









SHANGHAI

Bestway Inflatables & Material Corp. No. 208 Jin Yuan Wu Road. Shanghai, 201812, China Tet: 86 21 6913 5588 E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd. Suite 713 7/Hoor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong Tel: 852 2997 7169 E-mail: info@bestway.corp.hk

U.S.A.

Boshway (USA) Inc. 3435 S. McQueen Road, Chandler, AZ 85295, United States of America Tet: 1 480 838 3888 E-mail: info@bestwaycorp.us

EUROPE

Bestway Europe S.p.a. Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy Tet: 39 02 9884 881 E-mait info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o. Ut. Beologiczna 24 05-080 Klaudyn Poland Tel: 48 22 60 22 508 E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Control & South America Lida Salar Assotian 1982, Perque Enon, Pudahnud, Santiago, Chile Tet. 562 3203 6438 E-mail: info@bestway.corp.lat

BDA7IL

Bestway Brazil Av Cerro Azul, 2783 Maringá - PR - Brazil Zip Code: 87010-055 Tet: 55 44 3046 2950 / 0800 001 8400 E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited Unit 2/98-104 Camarvon St Silverwater, NSW 2128, Australia Tet 61 2 9037 1388 E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl 1681 route des Dolines Les Taissounières - Belem 06560 VALBONNE Tet 33 4 97 04 92 99 E-mail: info@bestwaycorp.fr

GERMANY Bestway Deutschland GmbH Pariestraße 11 24534 Neumünster, Germany Tet: 49 4321 555 05 - 0 E-mail: info@bestwaycorp.de

SCANDINAVIA
Bestway Scandinavia A/S
Amagertorv 17, 3° Fl
DK-1160 Copenhagen K Denmark
Tet: 45 787/44569
E-mail: Info@bestwayscandinavia.eu







WWW.BESTWAYCORP.COM

@2022 Bestway Inflatables & Material Corp. All rights reserved. ⊗ ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

